

2021 Full-Line Catalog



Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With a complete door system engineered with craftsman precision and backed by more than 55 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Studies, 2020 *Builder* and 2019 *Remodeling* magazines.

Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230

Right Page: Smooth-Star, Clear Glass with GBGs, Door – S8326, Finish – Onyx

Table of Contents



Uncompromising
quality, inside and out.

Your favorite doors – reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Introduction	2–31
2021 Trends	6–7
NEW Products	8–15
Curb Appeal	16
Door Selections	17–19
Door System Components	20–21
Tru-Defense®	22–23
Decorative & Specialty Glass	24–29
Impact Products	30–31
Classic Craft®	32–117
Artissa Collection™	40–63
Founders Collection™	64–95
Visionary Collection™	96–107
Sidelites	108–115
Transoms	116–117
Fiber-Classic® & Smooth-Star®	118–211
Decorative & Specialty Glass	124–131
Accessories	132
Steel	212–237
Profiles™	214, 217–231
Traditions	214, 232–237
Decorative & Specialty Glass	215–216
Fire Doors	238–243
Pulse®	244–257
Hinged Patio	258–265
Finish Options	266–270
PrismaGuard® Stain & Paint	266–269
Same-Day® Stain Kit	270
Door System Components	271–283
Door Surrounds	284–287
Special Quote Program	288
3'6" Width Options Chart	289
7'0" & 6'6" Height Options Charts	290–291
Product Details	292–293
Index	294–306
Trade Resources	307

Welcome to the New Classic Craft

The premium doors you love – with a new focus on style.

The new Classic Craft® series aims to deliver the on-trend entryways your customers seek to enhance their homes. We worked with style and trend experts to curate three unique collections – Artissa, Founders and Visionary – and have reorganized the catalog accordingly. Within each of the design style collections, doors will be shown in order by glass shape, then glass design, then texture.

Artissa Collection



Casual | Relaxed | Simple


Founders Collection



Traditional | Time-Honored | Decorative


Visionary Collection

Modern | Confident | Minimal



Fir Grain

- Formerly known as Classic-Craft American Style Collection.
- Same part numbers.
- Same style numbers.



Oak Grain

- Formerly known as Classic-Craft Oak Collection.
- Same part numbers.
- Same style numbers.

NEW




Walnut Grain

- NEW premium wood grain exclusively for Classic Craft.
- NEW part numbers and style numbers will begin with "CCW."



Canvas

- Formerly known as Classic-Craft Canvas Collection.
- Same part numbers.
- Same style numbers.



Mahogany Grain

- Formerly known as Classic-Craft Mahogany Collection. Also includes doors in the former Classic-Craft Rustic Collection.
- NEW buff skin part numbers beginning with "CCR" will replace rose skin part numbers (CCM).
- Same style numbers.



Classic Craft products purchased on or after January 1, 2021, will be backed by a 1x transferable lifetime limited warranty. This provides the homeowner with a lifetime limited warranty that will also transfer to the new homeowner upon sale of the home.



Classic Craft products purchased on or after January 1, 2021, with a PrismaGuard® premium finish will be backed by a transferable 10-year limited finish warranty. The balance of the 10-year limited finish warranty will transfer to the new homeowner upon sale of the home.

2021 Trends

Home design trends will continue to blend together in 2021 as we unlock our imaginations to create a variety of unique looks for the front entry. Therma-Tru's exciting new products bring together form, function and lifestyle trends that allow today's design-savvy homeowners to create exteriors that reflect their personal style while ultimately making them feel more at home.

Explore the 2021 Trends and the Therma-Tru® products that bring them to life at thermatru.com/trends.




REFINED SIMPLICITY

TRANQUIL
STREAMLINED
PURPOSEFUL



A simplified aesthetic
that is streamlined,
yet comfortable.




Natural Materials | Refined Textures | Geometric Accents

MODERN VIEW

SEAMLESS
LIVABLE LUXE
RETRO REVIVAL




A retro revival with
a livable edge.




Linear Design Elements | Softer Statements | Textural Interest

EASED *elegance*

CLASSICAL
TAILORED
INVITING



Classical design with
an inviting warmth.



Grand Arches | Relaxed Design Cues | Historic Origins

NEW

Walnut-Grained Flush Doors

For Classic Craft® Visionary Collection™





Minimalist details on a premium scale.

Classic Craft® Visionary Collection™ Walnut-grained flush doors feature a striking combination of natural elements and linear engravings for geometric appeal. Available with a variety of engraving patterns with modern design influences, starting on page 106.



Elevated 10" Bottom
Rail Options*

PrismaGuard® Premium Stain: Acorn

An updated take on light and medium brown tones, this fresh neutral balances between warm and cool palettes making it the perfect complement to a wide range of home interior and exterior styles.

NEW



NEW

Direct Set Sidelites

For Therma-Tru® Doors

Simplistic design for maximum natural light.

Maximize the natural light coming into the home with a simplistic design that adds subtle contemporary appeal. Direct set sidelites can be paired with any Therma-Tru door and are included in the door's comprehensive warranty. Available in Low-E glass, starting on page 108.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Left: Classic Craft Walnut Grain Door – CCW8901R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Acorn

NEW Mahogany-Grained Common Arch Doors
For Classic Craft® Founders Collection™





Graceful curves with timeless appeal.

Classic Craft® Founders Collection™ Mahogany-grained common arch doors accentuate historic roots while bringing in fresh details to create the perfect statement-making entry for homes with traditional design. Available with a variety of glass options, starting on page 83.



Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions.

Left: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest

Top Right: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – Raven

NEW Shaker-Style Doors & Sidelites

For Fiber-Classic® Mahogany Collection™




Simple, historic style.

Rooted in Americana with recognizable ties to Craftsman design, 6'8" Shaker-style doors are now available in a rich Mahogany grain. Choose from a variety of flush-glazed glass options, starting on page 182.

Available SDL Patterns



Available GBG Patterns



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



12" x 6'8"
14" x 6'8"



Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions.

Top: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door – FCM4813, Sidelites – FCM2000SL, Transom – 19220T, Finish – Mulberry, Door Surround – TDS-FLTFLT

NEW Reeded Privacy & Textured Glass


For Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



Refined, transitional style.

With clean lines and a vertical linear texture, Reeded glass brings a modern look to the home while providing ample natural light and moderate privacy.

Available for Classic Craft, starting on page 102; Fiber-Classic and Smooth-Star, starting on page 138; Profiles and Traditions, starting on page 218, and Pulse, starting on page 248.



Privacy Rating



*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details. WBDR and HVHZ options available for Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse only.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

Top: Smooth-Star, Reeded Glass with SDLs, Door – S85725XK, Finish – Indigo

NEW Smooth-Star® Entry Door Options



NEW Black Grilles Between Glass For Smooth-Star® Entry Doors

Designed with today's home trends in mind, black grilles between glass (GBGs) are made to coordinate with black window grid patterns commonly seen on homes with Modern Farmhouse and Modern Tudor architectural influences. Choose from contour or flat bars in flush-glazed and Lip-lite doors and sidelites.

Available in Smooth-Star, starting on page 141, and Profiles and Traditions, starting on page 218.

GBG Bar Options



Contour
(18 mm / 0.708 in.)



Flat
(20 mm / 0.787 in.)

Available Grid Patterns



*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

**Select grid patterns available with Low-E glass only.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Left Page: Smooth-Star, Clear Glass with GBGs, Door – S82103, Finish – Cypress

Right Page: Smooth-Star, Maple Park Glass, Doors – S86107

NEW 8'0" Doors with Elevated Bottom Rail

Ideal for both single- and multi-family new construction and remodeling, the 8'0" Smooth-Star 2-panel square top door has been redesigned with an elevated bottom rail to meet ADA requirements. The redesign also accommodates 22" x 47" glass inserts to create the half-lite over 1-panel door style, starting on page 159.

**2 Panel
Square Top**



Elevated
U1: 10-7/32"
Book / Hybrid: 10-7/16"

**Half Lite
1 Panel**



NEW

 **WBDR / HVHZ Options***

 **Fire-Rated Options***

Doors with an elevated bottom rail feature a minimum 10" net smooth surface as measured from the bottom of the slab to the beginning of the panel detail. Look for the (**E**) symbol.

Glass Options:

Decorative, Privacy & Textured, Specialty, Low-E, Clear

NEW EnLiten™ Flush-Glazed Design Options

For 3/4-Lite Smooth-Star Entry Doors & Sidelites

Create a timeless look perfect for the front entry with the 6'8" flush-glazed 3/4-lite 1-panel door and sidelite. Door now available with privacy and textured glass, starting on page 152, as well as privacy and textured glass with divided lites, starting on page 151. Also available with clear glass, starting on page 155, as well as clear glass with divided lites, starting on page 153. Sidelite now features sticking that is identical to the flush-glazed door, starting on page 203.

NEW



S2200__

NEW



S2200__SL

Available Glass Designs

NEW



Reeded (XK)



Satin Etch (XE)



Chord (XC)




Chinchilla (XJ)



Rainglass (XR)



Granite (XN)



Low-E

Available Grid Patterns**



EnLiten™ Flush-Glazed Warranty Riders

See page 27 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at thermatru.com/curbappeal.




Perceived Value

A smart investment, a new Therma-Tru® entry door can increase a home's perceived value by **4.2%** or **\$18,750** on average.*



Return On Investment

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.*



A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.


*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top Right: Smooth-Star, Axis Glass, Door – S1652, Sidelite – S1652SL

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–19.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 24–29.




Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 20–23.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 266–270.



Door Surrounds

Add a beautiful, finished look to the entry with a stylish, low-maintenance door surround from Therma-Tru. More on pages 285–287.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 32–117

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.



Casual | Relaxed | Simple

Artissa Collection

Pages 40–63



Traditional | Time-Honored | Decorative

Founders Collection

Pages 64–95



Modern | Confident | Minimal

Visionary Collection

Pages 96–107




Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Fiber-Classic® Collections Pages 118–211

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star® Pages 118–211

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Smooth-Star.



Steel Pages 212–237

Bring style and affordability together to create very attractive results with our steel doors.



Profiles™



Door & Glass



Traditions



Door



Glass

Pulse® Pages 244–257

A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass




Steel



Ari



Línea




Echo


Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







- 1 Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




- 2 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 3 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 4 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



- 5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



- 6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame*

featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

TRU  **GUARD**
COMPOSITE TECHNOLOGY

Tru-Defense® Warranty Rider

A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the  icon.

CERTIFIED
DOOR SYSTEM
INSTALLER

THERMA-TRU®
DOORS

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

**Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame +

Provides a solid structure for the door slab and components.
Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads +

(Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill +

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip +

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep + (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Astragal + (Double Doors)

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Hinges +

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard + (Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System +

(MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan +

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	NEW Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250 New for 2021	\$2,500 New for 2021

Baseline components required to qualify for the Tru-Defense Warranty Rider.

Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XSL



Contributes to an energy-efficient home.



Triple-Pane Construction


All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.





Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

From small to large, Therma-Tru offers various glass sizes and shapes. Explore options to meet homeowners' needs for natural light without compromising their privacy.



Special Quote Program

Don't sacrifice the look you want. Talk to your Therma-Tru seller about additional glass options available in your market through our special quote program.

EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥 🔵) icons.



Front Entry

See the difference.


EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking 🔥



Flush-Glazed Glass with Square Sticking 🔵



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL
 Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven
 Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600
 Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSSL, Transom – 19220T, Finish – Acorn, Door Surrounds – TDS-FLTFLT



Utility Door



Patio Doors



Front Entry

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Convenient choices for more light.

Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse doors and sidelites.




Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven

Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262

Right Page Top: Smooth-Star, Internal Blinds, Door – S82600



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten™ flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see pages 45, 71 and 101. For Fiber-Classic & Smooth-Star, see pages 130–131.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Tough when you need it. Beautiful always.

High-Power Testing


Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.

Impact-Rated Products


Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

- 
- Wind-Borne Debris Region (WBDR)
 - High Velocity Hurricane Zone (HVHZ)

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Right Page: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM900, Finish – Wildflower Honey

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*

Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds


Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

Fire Doors

See pages 238–243.

Noise Reduction Doors

See page 188.

E Elevated 10" Bottom Rail

Look for the (E) symbol.





CLASSIC CRAFT.

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Driftwood
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – New Earth
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.


Artissa Collection

Casual | Relaxed | Simple



Founders Collection

Traditional | Time-Honored | Decorative



Visionary Collection

Modern | Confident | Minimal



Industry-leading warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard, premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at www.thermatru.com/warranty.





Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR30020; Provincial Glass, Sidelites – CCR3408SL;

Low-E Glass, Transom – 19220T, Finish – Driftwood

Right Page Bottom: Classic Craft Canvas Door – CCV220, Low-E Glass, Sidelites – CCV100SL, Finish – Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain®
TECHNOLOGY

NEW

Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.

Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.

Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Oak Grain

Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.


Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Unique style.
Unmatched craftsmanship.



Classic Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



ARTÍSSA

Collection

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft® doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.

CASUAL

RELAXED

SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL, Finish – Raven




Decorative & Specialty Glass Designs

Villager™

Villager beautifully interprets the Craftsman chevron design with ① bronze waterglass, ② seeded glass, ③ clear bevels, ④ gray artique glass and coming. Artistically authentic in every detail.

Glass Shapes



Glass Privacy Rating



Black Nickel




Brushed Nickel

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines
 ❶ narrow reeded glass, ❷ M seedy glass, ❸ waterglass and coming in a symmetrical arrangement accented by ❹ pale amber glass, ❺ amber antique glass and ❻ clear bevels.

Glass Shapes



Glass Privacy Rating



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 40 to see an example on a home.



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating



Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating



Privacy & Textured Glass *continued*



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating 110



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1810



Granite


A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 110

Also Available:

Low-E

Glass Shapes



For sidelites and transoms, see pages 108–117.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the () icon.



(40.64 mm / 1.6 in.)
Look for the () icon.



(107.95 mm / 4.25 in.)
Look for the ()
and () icons.



(139.70 mm / 5.5 in.)
Look for the ()
and () icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the () and () icons.



(40.64 mm / 1.6 in.)
Look for the () icon.

Fir Grain

Canvas



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf

*Pairs with 3'6" wide doors.




4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔺) and (🔻) icons.



Detailed Sticking
Look for the (🔺) icon.



Square Sticking
Look for the (🔻) icon.



Full Lites



For sidelites and transoms,
see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany*
CCR9925
3'0" x 6'8"



Oak
CC9925
3'0" x 6'8"



Canvas
CCV9925
3'0" x 6'8"

Arborwatch®



Mahogany*
CCR1423
3'0" x 6'8"



Oak
CC1423
3'0" x 6'8"



Canvas
CCV1423
3'0" x 6'8"

Key


- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDF3)
- 4 Simulated Divided Lites (SDF4)
- 5 Simulated Divided Lites (SDF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite
XJ = Chinchilla


Privacy & Textured



Fir**
CCA2350_ CCA82350_
3'0" x 6'8" 3'0" x 8'0"



Fir**
CCA2360_ CCA82360_
3'0" x 6'8" 3'0" x 8'0"



Fir**
CCA2370_ CCA82370_
3'0" x 6'8" 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

**Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.


Right Page: Classic Craft Oak Grain, Homeward Glass, Door – CC9925, Sidelites – CC9925SL, Transom – HWRT, Finish – Driftwood



Fir**

CCA4900
3'0" x 6'8"


CCA84900
3'0" x 8'0"



Fir**

CCA4910L
3'0" x 6'8"

CCA4910R
3'0" x 6'8"



Fir**

CCA84910L
3'0" x 8'0"

CCA84910R
3'0" x 8'0"



For sidelites and transoms, see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style


Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain


Canvas

Privacy & Textured



CCA4920L
3'0" x 6'8"

CCA4920R
3'0" x 6'8"



CCA84920L
3'0" x 8'0"

CCA84920R
3'0" x 8'0"



CCA4930
3'0" x 6'8"


CCA84930
3'0" x 8'0"



CCA4940
3'0" x 6'8"

CCA84940
3'0" x 8'0"

Low-E



CCA2350
3'0" x 6'8"

CCA82350
3'0" x 8'0"



CCA2360
3'0" x 6'8"

CCA82360
3'0" x 8'0"



CCA2370
3'0" x 6'8"

CCA82370
3'0" x 8'0"



CCA4900
3'0" x 6'8"

CCA84900
3'0" x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- 3 Simulated Divided Lites (SDF3)
- 4 Simulated Divided Lites (SDF4)
- 5 Simulated Divided Lites (SDF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite
XJ = Chinchilla

*Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL, Door Surround – TDS-FLTFLT



Fir*

CCA4910L CCA4910R

 3'0" x 6'8" 3'0" x 6'8"



Fir*

CCA84910L CCA84910R

 3'0" x 8'0" 3'0" x 8'0"



Fir*

CCA4920L CCA4920R


 3'0" x 6'8" 3'0" x 6'8"



Fir*

CCA84920L CCA84920R

 3'0" x 8'0" 3'0" x 8'0"



Fir*

CCA4930 CCA84930

 3'0" x 6'8" 3'0" x 8'0"



Fir*

CCA4940 CCA84940

 3'0" x 6'8" 3'0" x 8'0"



3/4 Lites



For sidelites and transoms, see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord
XN = Granite

Homeward™



Mahogany

CCM9923
3'0" x 6'8"



Mahogany

CCM89922
3'0" x 8'0"



Oak

CC9922 | CC89922
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV9922 | CCV89922
3'0" x 6'8" | 3'0" x 8'0"

Arborwatch®



Mahogany

CCM1419
3'0" x 6'8"



Mahogany

CCM81418
3'0" x 8'0"



Oak

CC1418 | CC81418
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1418 | CCV81418
3'0" x 6'8" | 3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Classic Craft Canvas, Chord Glass, Door – CCV05020XC, Sidelites – CCV100XCSSL

Privacy & Textured



Canvas

CCV05012_
 3'0" x 6'8"



Canvas

CCV05020_
 3'0" x 6'8"

Low-E



Oak

CC92
 3'0" x 6'8"

CC892
 3'0" x 8'0"



Canvas

CCV05012
 3'0" x 6'8"

CCV805015
 3'0" x 8'0"



Mahogany

CCM891
 3'0" x 8'0"



Oak

CC90
 3'0" x 6'8"

CC890
 3'0" x 8'0"



Canvas

CCV05020
 3'0" x 6'8"

CCV805020
 3'0" x 8'0"





For sidelites and transoms,
see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in
the style number for the desired
door and glass combination.
For details on glass options,
see pages 43–44.

XC = Chord
XN = Granite

Homeward™



Mahogany*

CCR9921
3'0" x 6'8"

CCR89921
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR9919
3'0" x 6'8"

CCR89919
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV9919
3'0" x 6'8"

CCV89919
3'0" x 8'0"



Mahogany*

CCR9918
3'0" x 6'8"

CCR89918
3'0" x 8'0"



Mahogany*

CCR822218
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV9918
3'0" x 6'8"

CCV89918
3'0" x 8'0"

Arborwatch®



Mahogany*

CCR1417
3'0" x 6'8"

CCR81417
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1415
3'0" x 6'8"

CCR81415
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1415
3'0" x 6'8"

CCV81415
3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR20520



Mahogany*

CCR1414 3'0" x 6'8"
CCR81414 3'0" x 8'0"



Mahogany*

CCR822214 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1414 3'0" x 6'8"
CCV81414 3'0" x 8'0"

Privacy & Textured



Canvas

CCV820512
3'0" x 8'0"



Mahogany*

CCR20520 3'0" x 6'8"
CCR820520 3'0" x 8'0"



Canvas

CCV20520 3'0" x 6'8"
CCV820520 3'0" x 8'0"



Mahogany*

CCR822220 3'0" x 8'0"

Low-E



Canvas

CCV820512
3'0" x 8'0"



Mahogany*

CCR20520 3'0" x 6'8"
CCR820520 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV20520 3'0" x 6'8"
CCV820520 3'0" x 8'0"



1/2 Lites



For sidelites and transoms,
see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Homeward™



Mahogany

CCM9926
3'0" x 6'8"



Oak

CC9926
3'0" x 6'8"



Canvas

CCV9926 | CCV89921
3'0" x 6'8" | 3'0" x 8'0"

Arborwatch®



Mahogany

CCM1424
3'0" x 6'8"



Oak

CC1424
3'0" x 6'8"



Canvas

CCV1424 | CCV81417
3'0" x 6'8" | 3'0" x 8'0"



*Pairs with 3'6" wide doors.

**Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL,
Transom – 19220T, Dentil Shelf

Craftsman Lites



Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf*



4-Block Dentil Shelf

Villager™



Fir**

CCA212
3'0" x 6'8"

CCA8212
3'0" x 8'0"



Fir**

CCA222
3'0" x 6'8"


CCA8222
3'0" x 8'0"



Fir**

CCA232
3'0" x 6'8"

CCA8232
3'0" x 8'0"



Canvas


CCV912
3'0" x 6'8"

Homeward™



Canvas

CCV922
3'0" x 6'8"



Canvas

CCV932
3'0" x 6'8"



Fir**

CCA211
3'0" x 6'8"

CCA8211
3'0" x 8'0"



Fir**

CCA87112
3'6" x 8'0"

Homeward *Continues on next page.*



For sidelites and transoms, see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Homeward™



Fir*

CCA221
 3'0" x 6'8"

CCA8221
 3'0" x 8'0"



Fir*

CCA87122
 3'6" x 8'0"



Fir*


CCA231
 3'0" x 6'8"

CCA8231
 3'0" x 8'0"




Fir*

CCA87132
 3'6" x 8'0"




Canvas

CCA911
 3'0" x 6'8"



Canvas

CCA921
 3'0" x 6'8"



Canvas

CCA931
 3'0" x 6'8"

Arborwatch®



Fir*

CCA9100
 3'0" x 6'8"

CCA89100
 3'0" x 8'0"



Fir*

CCA87111
 3'6" x 8'0"



Fir*

CCA9200
 3'0" x 6'8"

CCA89200
 3'0" x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.



Fir*

CCA87121
3'6" x 8'0"



Fir*

CCA9300
3'0" x 6'8"

CCA89300
3'0" x 8'0"




Fir*

CCA87131
3'6" x 8'0"




Canvas

CCA4100
3'0" x 6'8"



Canvas

CCA4200
3'0" x 6'8"



Canvas

CCA4300
3'0" x 6'8"

Privacy & Textured



Fir*

CCA210
3'0" x 6'8"

CCA8210
3'0" x 8'0"



Fir*

CCA87100XR
3'6" x 8'0"



Fir*

CCA220
3'0" x 6'8"

CCA8220
3'0" x 8'0"



Fir*

CCA87200XR
3'6" x 8'0"



Fir*

CCA230
3'0" x 6'8"

CCA8230
3'0" x 8'0"



Fir*

CCA87300XR
3'6" x 8'0"



Fir*

CCA240
3'0" x 6'8"

CCA8240
3'0" x 8'0"



For sidelites and transoms,
see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Privacy & Textured



Fir*

CCA87400XR
 3'6" x 8'0"



Fir*

CCA260__
 3'0" x 6'8" CCA8260__
 3'0" x 8'0"



Fir*

CCA87600XR
 3'6" x 8'0"



Canvas

CCV910__
 3'0" x 6'8"



Canvas

CCV920__
 3'0" x 6'8"



Canvas

CCV930__
 3'0" x 6'8"



Canvas

CCV940__
 3'0" x 6'8"

Low-E



Canvas

CCV960__
 3'0" x 6'8"



Fir*

CCA220
 3'0" x 6'8" CCA8220
 3'0" x 8'0"



Fir*

CCA87200
 3'6" x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.



Fir*

CCA230
 3'0" x 6'8"

CCA8230
 3'0" x 8'0"



Fir*

CCA87300
 3'6" x 8'0"



Fir*

CCA240
 3'0" x 6'8"

CCA8240
 3'0" x 8'0"



Fir*

CCA87400
 3'6" x 8'0"



Fir*

CCA260
 3'0" x 6'8"

CCA8260
 3'0" x 8'0"



Fir*

CCA87600
 3'6" x 8'0"



Fir*

CCA210
 3'0" x 6'8"

CCA8210
 3'0" x 8'0"



Fir*

CCA87100
 3'6" x 8'0"



Canvas

CCV920
 3'0" x 6'8"




Canvas

CCV930
 3'0" x 6'8"



Canvas

CCV940
 3'0" x 6'8"



Canvas

CCV960
 3'0" x 6'8"



Canvas

CCV910
 3'0" x 6'8"

Solid Panels



For sidelites and transoms,
see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Fir*

CCA1125
 3'0" x 6'8"

CCA81125
 3'0" x 8'0"



Fir*

CCA1149
 3'0" x 6'8"

CCA81149
 3'0" x 8'0"



Fir*

CCA1127
 3'0" x 6'8"

CCA81127
 3'0" x 8'0"



Fir*

CCA4905
 3'0" x 6'8"


CCA84905
 3'0" x 8'0"



Fir*

CCA4915L
 3'0" x 6'8"

CCA4915R
 3'0" x 6'8"



Fir*

CCA84915L
 3'0" x 8'0"

CCA84915R
 3'0" x 8'0"



Fir*

CCA4925L
 3'0" x 6'8"

CCA4925R
 3'0" x 6'8"

*Formerly Classic-Craft American Style.

**Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.



Fir*

CCA84925L | CCA84925R
 3'0" x 8'0" | 3'0" x 8'0"



Fir*

CCA4935 | CCA84935
 3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA4945 | CCA84945
 3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA1166 | CCA81166
 3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA1158 | CCA81158
 3'0" x 6'8" | 3'0" x 8'0"



Fir*

CCA1147 | CCA81147
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany**

CCR100 | CCR8100
 3'0" x 6'8" | 3'0" x 8'0"
 3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890
 3'0" x 8'0"



Oak

CC91
 3'0" x 6'8"



Canvas

CCV200
 3'0" x 6'8"



Mahogany**

CCR8222
 3'0" x 8'0"
 3'6" x 8'0"



FOUNDERS

Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design. Taking a more decorative approach to the entryway, this selection of premium Classic Craft® doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.

TRADITIONAL
TIME-HONORED
DECORATIVE

Left Page: Classic Craft Mahogany Grain, Augustine Glass,
Doors – CCR804037, Finish – Bark
Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs,
Doors – CCM8303L, CCM8303R, Finish – New Earth




Decorative & Specialty Glass Designs

Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass*


Augustine®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes



Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 64 to see an example on a home.

*Only available in Classic Craft Oak grain.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass, ③ rainglass, ④ seeded glass, ⑤ bronze waterglass and coming.

Glass Shapes



Glass Privacy Rating



Black Nickel

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with ① hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Glass Shapes



Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 24 to see an example on a home.

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass*


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel


*Only available in Classic Craft Oak grain.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using **1** glue chip glass, **2** clear curved bevels, **3** double waterglass and coming.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of **1** curved, **2** diamond and **3** rectangular bevels surrounded by smooth, swirling **4** barn wood and heavily textured **5** diamond border glass.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating 110



Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating 110



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1810



Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 110

Glass Shapes



Also Available:

Low-E

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.



(40.64 mm / 1.6 in.)
Look for the () icon.

—|
Mahogany Grain

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor. Look for the () icon.



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"

1-1/4"

1"




1-3/4"

1-1/4"

1"



18"



Full Lites



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (A)
- ✕ Wrought Iron (W)
- ▶ Removable Wood Grilles (RG)

Arcadia



Mahogany*

CCR30029**
3'0" x 6'8"



Oak

CC109
3'0" x 6'8"



Canvas

CCV10029**
3'0" x 6'8"

Augustine



Mahogany*

CCR30027
3'0" x 6'8"

Bella



Canvas

CCV10027
3'0" x 6'8"



Mahogany*

CCR30024B
3'0" x 6'8"



Oak

CC111B
3'0" x 6'8"



Canvas

CCV10024B
3'0" x 6'8"

Borrassa



Mahogany*

CCR1528
3'0" x 6'8"



Canvas

CCV1528
3'0" x 6'8"

Provincial



Mahogany*

CCR30028**
3'0" x 6'8"



Oak

CC107
3'0" x 6'8"

*Formerly Classic-Craft Rustic.

**Not available in brass caming.

Note: See page 293 for important product details that may help with your purchase decision.



Canvas


CCV10028**
3'0" x 6'8"

Longford[™]



Mahogany*

CCR30023
3'0" x 6'8"



Canvas

CCV10023
3'0" x 6'8"

Cambridge[™]



Mahogany*

CCR30026
3'0" x 6'8"



Oak

CC106
3'0" x 6'8"



Canvas

CCV10026
3'0" x 6'8"

Lucerna[®]



Mahogany*

CCR10022
3'0" x 6'8"



Oak

CC10022
3'0" x 6'8"



Canvas

CCV10022
3'0" x 6'8"

Low-E



Oak

CC102
☀️ ➡️
3'0" x 6'8"



Canvas

CCV10015
☀️ ➡️
3'0" x 6'8"



Mahogany*

CCR30020
☀️
3'0" x 6'8"



Oak

CC100
☀️
3'0" x 6'8"



Canvas

CCV10020
☀️
3'0" x 6'8"

3/4 Lites



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (W)

Arcadia™



Mahogany

CCM209*
3'0" x 6'8"



Mahogany

CCM894*
3'0" x 8'0"



Oak

CC99
3'0" x 6'8"



CC899
3'0" x 8'0"



Canvas

CCV05029* | CCV805029*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM309*
3'0" x 6'8"

Augustine® ✕



Mahogany

CCM1485
3'0" x 6'8"



Mahogany

CCM805027
3'0" x 8'0"



Canvas

CCV05027 | CCV805027
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM1495
3'0" x 6'8"

Bella™ ◆



Mahogany

CCM210B
3'0" x 6'8"



Mahogany

CCM895B
3'0" x 8'0"

*Not available in brass caming.

Note: See page 293 for important product details that may help with your purchase decision.



Oak

CC114B
3'0" x 6'8"

CC901B
3'0" x 8'0"



Canvas

CCV05024B
3'0" x 6'8"

CCV805024B
3'0" x 8'0"



Mahogany

CCM310B
3'0" x 6'8"

Borrassa®



Mahogany

CCM1475
3'0" x 6'8"



Mahogany

CCM81519
3'0" x 8'0"



Canvas

CCV1519
3'0" x 6'8"

CCV81519
3'0" x 8'0"



Mahogany

CCM1465
3'0" x 6'8"

Longford™



Mahogany

CCM203
3'0" x 6'8"



Mahogany

CCM892
3'0" x 8'0"



Canvas

CCV05023
3'0" x 6'8"

CCV805023
3'0" x 8'0"



Mahogany

CCM303
3'0" x 6'8"

Lucerna®



Mahogany

CCM204
3'0" x 6'8"



Mahogany

CCM898
3'0" x 8'0"



Oak

CC922
3'0" x 6'8"

CC898
3'0" x 8'0"



Canvas

CCV05022
3'0" x 6'8"

CCV805022
3'0" x 8'0"



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XC = Chord
XN = Granite

Optional Accessories



Clavos



Straps Hinge

Lucerna[®]



Mahogany

CCM302
3'0" x 6'8"

Provincial[™]



Oak

CC97
3'0" x 6'8"

CC897
3'0" x 8'0"



Canvas

CCV05028*
3'0" x 6'8"

CCV805028*
3'0" x 8'0"

Cambridge[™]



Oak

CC96
3'0" x 6'8"

CC896
3'0" x 8'0"



Canvas

CCV05026
3'0" x 6'8"

CCV805026
3'0" x 8'0"

Privacy & Textured



Mahogany

CCM200
3'0" x 6'8"

Low-E



Mahogany

CCM300
3'0" x 6'8"



Mahogany

CCM200
 3'0" x 6'8"



Mahogany

CCM300
 3'0" x 6'8"

*Not available in brass caming.

**Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.


Arcadia™



Mahogany**
CCR804029
3'0" x 8'0"



Mahogany**
CCR820529
3'0" x 8'0"



Canvas
CCV820529
3'0" x 8'0"



Mahogany**
CCR820029
3'0" x 8'0"



Mahogany**
CCR822229
3'0" x 8'0"



Canvas
CCV822029
3'0" x 8'0"

Augustine®



Mahogany**
CCR04027 3'0" x 6'8"
CCR804027 3'0" x 8'0"
3'6" x 8'0"



Mahogany**
CCR20527 3'0" x 6'8"
CCR820527 3'0" x 8'0"
3'6" x 8'0"



Canvas
CCV20527 3'0" x 6'8"
CCV820527 3'0" x 8'0"



Mahogany**
CCR20027 3'0" x 6'8"
CCR820027 3'0" x 8'0"



Mahogany**
CCR822227 3'0" x 8'0"
3'6" x 8'0"



Canvas
CCV22027 3'0" x 6'8"
CCV822027 3'0" x 8'0"



Mahogany**
CCR04037 3'0" x 6'8"
CCR804037 3'0" x 8'0"
3'6" x 8'0"



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ✕ Wrought Iron (W)

Optional Accessories



Clavos

Straps Hinge

Augustine ✕



Mahogany*

CCR20537 3'0" x 6'8"
CCR820537 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV20537 3'0" x 6'8"
CCV820537 3'0" x 8'0"



Mahogany*

CCR20037 3'0" x 6'8"
CCR820037 3'0" x 8'0"



Mahogany*

CCR20537A 3'0" x 6'8"
CCR820537A 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20037A 3'0" x 6'8"
CCR820037A 3'0" x 8'0"

Borrassa ✕



Mahogany*

CCR1518 3'0" x 6'8"
CCR81518 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1516 3'0" x 6'8"
CCR81516 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1516 3'0" x 6'8"
CCV81516 3'0" x 8'0"



Mahogany*

CCR1515 3'0" x 6'8"
CCR81515 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR822215
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1515 | CCV81515
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR1514 | CCR81514
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1512 | CCR81512
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1512 | CCV81512
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR1511 | CCR81511
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR1512A | CCR81512A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1511A | CCR81511A
3'0" x 6'8" | 3'0" x 8'0"

Bella™



Mahogany*

CCR804024B
3'0" x 8'0"



Mahogany*

CCR820524B
3'0" x 8'0"



Canvas

CCV820524B
3'0" x 8'0"



Mahogany*

CCR820024B
3'0" x 8'0"



Mahogany*

CCR822224B
3'0" x 8'0"



Canvas

CCV822024B
3'0" x 8'0"



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

Optional Accessories



Provincial™



Mahogany*

CCR804028
3'0" x 8'0"



Mahogany*

CCR820528
3'0" x 8'0"



Canvas

CCV820528
3'0" x 8'0"



Mahogany*

CCR820028
3'0" x 8'0"



Mahogany*

CCR822228
3'0" x 8'0"



Canvas

CCV822028
3'0" x 8'0"

Longford™



Mahogany*

CCR04023
3'0" x 6'8"

CCR804023
3'0" x 8'0"



Mahogany*

CCR20523
3'0" x 6'8"

CCR820523
3'0" x 8'0"



Canvas

CCV20523
3'0" x 6'8"

CCV820523
3'0" x 8'0"



Mahogany*

CCR20023
3'0" x 6'8"

CCR820023
3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR822223
3'0" x 8'0"



Canvas

CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"

Cambridge[™]



Mahogany*

CCR804026
3'0" x 8'0"



Mahogany*

CCR820526
3'0" x 8'0"



Canvas

CCV820526
3'0" x 8'0"



Mahogany*

CCR820026
3'0" x 8'0"



Mahogany*

CCR822226
3'0" x 8'0"



Canvas

CCV822026
3'0" x 8'0"

Lucerna[®]



Mahogany*

CCR04022 | CCR804022
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20522 | CCR820522
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV20522 | CCV820522
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR20022 | CCR820022
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822222
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV22022 | CCV822022
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR804032
3'0" x 8'0"

Lucerna *Continues on next page.*



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 6 Simulated Divided Lites (SDLF6)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Optional Accessories



Clavos



Straps Hinge

Lucerna®



Mahogany*

CCR820532
3'0" x 8'0"



Canvas

CCV820532
3'0" x 8'0"



Mahogany*

CCR820032
3'0" x 8'0"



Mahogany*

CCR820532A
3'0" x 8'0"

Privacy & Textured



Mahogany*

CCR820032A
3'0" x 8'0"



Canvas

CCV822012XC
CCV822012XN
➤ 3'0" x 8'0"



Mahogany*

CCR04020XC CCR804020XC
CCR04020XN CCR804020XN
3'0" x 6'8" 3'0" x 8'0"



Mahogany*

CCR20020XC CCR820020XC
CCR20020XN CCR820020XN
3'0" x 6'8" 3'0" x 8'0"



Canvas

CCV22020XC CCV822020XC
CCV22020XN CCV822020XN
3'0" x 6'8" 3'0" x 8'0"



Mahogany*

CCR804030XC
CCR804030XN
3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR820530XC
CCR820530XN
3'0" x 8'0"



Canvas

CCV820530XC
CCV820530XN
3'0" x 8'0"



Mahogany*

CCR820030XC
CCR820030XN
3'0" x 8'0"



Mahogany*

CCR820530AXC
CCR820530AXN
3'0" x 8'0"



Mahogany

CCM302L_ CCM302R_
3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8302L_ CCM8302R_
3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM304L_ CCM304R_
3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8304L_ CCM8304R_
3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM303L_ CCM303R_
3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8303L_ CCM8303R_
3'0" x 8'0" 3'0" x 8'0"





For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Optional Accessories



Clavos



Straps Hinge

Privacy & Textured

NEW



NEW



Mahogany

CCM301CAL_
 3'0" x 6'8"

CCM301CAR_
 3'0" x 6'8"

NEW



NEW



Mahogany

CCM8301CAL_
 3'0" x 8'0"

CCM8301CAR_
 3'0" x 8'0"

NEW



NEW



Mahogany

CCM305CAL_
 3'0" x 6'8"

CCM305CAR_
 3'0" x 6'8"

NEW



NEW



Mahogany

CCM8305CAL_
 3'0" x 8'0"

CCM8305CAR_
 3'0" x 8'0"

NEW



NEW



Mahogany

CCM306CAL_
 3'0" x 6'8"

CCM306CAR_
 3'0" x 6'8"

NEW



NEW



Mahogany

CCM8306CAL_
 3'0" x 8'0"

CCM8306CAR_
 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.

Low-E



Canvas

CCV822012

☀️ 3'0" x 8'0"



Mahogany*

CCR04020

☀️ 3'0" x 6'8"

CCR804020

☀️ 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20020

☀️ 3'0" x 6'8"

CCR820020

☀️ 3'0" x 8'0"



Mahogany*

CCR822220

☀️ 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV22020

☀️ 3'0" x 6'8"

CCV822020

☀️ 3'0" x 8'0"



Mahogany*

CCR804030

☀️ 3'0" x 8'0"



Mahogany*

CCR820530

☀️ 3'0" x 8'0"



Canvas

CCV820530

☀️ 3'0" x 8'0"



Mahogany*

CCR820030

☀️ 3'0" x 8'0"



Mahogany*

CCR820530A

☀️ 3'0" x 8'0"



Mahogany*

CCR820030A

☀️ 3'0" x 8'0"



NEW

Mahogany

CCM302L

☀️ 3'0" x 6'8"



NEW

CCM302R

☀️ 3'0" x 6'8"



NEW

Mahogany

CCM8302L

☀️ 3'0" x 8'0"



NEW

CCM8302R

☀️ 3'0" x 8'0"



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Low-E

NEW



NEW



Mahogany

CCM304L
 3'0" x 6'8"

CCM304R
 3'0" x 6'8"

NEW



NEW



Mahogany

CCM8304L
 3'0" x 8'0"

CCM8304R
 3'0" x 8'0"

NEW



NEW



Mahogany

CCM303L
 3'0" x 6'8"

CCM303R
 3'0" x 6'8"

NEW



NEW



Mahogany

CCM8303L
 3'0" x 8'0"

CCM8303R
 3'0" x 8'0"

NEW



NEW



Mahogany

CCM301CAL
 3'0" x 6'8"

CCM301CAR
 3'0" x 6'8"

NEW



NEW



Mahogany

CCM8301CAL
 3'0" x 8'0"

CCM8301CAR
 3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8305CALXN, CCM8305CARXN,
Finish – Driftwood



Mahogany

CCM305CAL

3'0" x 6'8"

CCM305CAR

3'0" x 6'8"



Mahogany

CCM8305CAL

3'0" x 8'0"

CCM8305CAR

3'0" x 8'0"



Mahogany

CCM306CAL

3'0" x 6'8"

CCM306CAR

3'0" x 6'8"



Mahogany

CCM8306CAL

3'0" x 8'0"

CCM8306CAR

3'0" x 8'0"



1/2 Lites



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (W)
- ▶ Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch XN = Granite
XC = Chord

Arcadia™



Mahogany

CCM609*
3'0" x 6'8"



Oak

CC45
2'8" x 6'8"
3'0" x 6'8"



Canvas

CCV06029* | CCV806029*
3'0" x 6'8" | 3'0" x 8'0"

Augustine® ✕



Canvas

CCV806027
3'0" x 8'0"

Bella™



Mahogany

CCM610B
3'0" x 6'8"



Oak

CC110B
3'0" x 6'8"



Canvas

CCV06024B | CCV806024B
3'0" x 6'8" | 3'0" x 8'0"

Borrassa® ✕



Canvas

CCV81518
3'0" x 8'0"

Provincial™



Oak

CC47
2'8" x 6'8"
3'0" x 6'8"

*Not available in brass caming.

Note: See page 293 for important product details that may help with your purchase decision.



Canvas

CCV06028* 3'0" x 6'8"
CCV806028* 3'0" x 8'0"

Longford[™]



Mahogany

CCM603 3'0" x 6'8"



Canvas

CCV06023 3'0" x 6'8"
CCV806023 3'0" x 8'0"

Cambridge[™]



Oak


CC44 2'8" x 6'8"
3'0" x 6'8"



Canvas

CCV06026 3'0" x 6'8"
CCV806026 3'0" x 8'0"

Lucerna[®]



Mahogany

CCM612 3'0" x 6'8"



Oak

CC612 3'0" x 6'8"



Canvas

CCV06022 3'0" x 6'8"
CCV806022 3'0" x 8'0"

Privacy & Textured



Oak

CC49XE
3'0" x 6'8"



Canvas

CCV0609XE 3'0" x 6'8"
CCV806012XC
CCV806012XN 3'0" x 8'0"



Oak

CC48XE 3'0" x 6'8"



Mahogany

CCM600XE 3'0" x 6'8"



Canvas

CCV06020XE 3'0" x 6'8"
CCV806020XC
CCV806020XN 3'0" x 8'0"



For sidelites and transoms, see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Removable Wood Grilles (RG)

Low-E



Oak

CC49

 2'8" x 6'8"
 3'0" x 6'8"



Canvas

CCV0609

 3'0" x 6'8"



CCV806012

 3'0" x 8'0"



Mahogany

CCM600

 3'0" x 6'8"



Oak

CC48

 2'8" x 6'8"
 3'0" x 6'8"



Canvas

CCV06020

 3'0" x 6'8"



CCV806020

 3'0" x 8'0"



*Not available in brass caming.

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028

Right Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Finish – Mulberry

Oval Lites

Arcadia™



Mahogany

CCM709*
3'0" x 6'8"



Oak

CC79
3'0" x 6'8"

Bella™



Mahogany

CCM710B
3'0" x 6'8"



Oak

CC113B
3'0" x 6'8"

Provincial™



Oak

CC77
3'0" x 6'8"

Longford™



Mahogany

CCM703
3'0" x 6'8"

Cambridge™



Oak

CC76
3'0" x 6'8"

Lucerna®



Mahogany

CCM702
3'0" x 6'8"



Oak

CC78
3'0" x 6'8"

Low-E




Mahogany

CCM700
3'0" x 6'8"



Oak

CC70
3'0" x 6'8"



Center Lites



For sidelites and transoms, see pages 108-117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- WBDR Options
- WBDR / HVHZ Options

Arcadia™



Mahogany

CCM809
3'0" x 6'8"

Bella™



Mahogany

CCM810B
3'0" x 6'8"

Longford™



Mahogany

CCM803
3'0" x 6'8"

Lucerna®



Mahogany

CCM822
3'0" x 6'8"

Low-E



Mahogany

CCM800
 3'0" x 6'8"

Solid Panels



Mahogany*

CCR100R
3'0" x 6'8"
3'6" x 6'8"

CCR8100R
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR040R
 3'0" x 6'8"

CCR8040R
 3'0" x 8'0"
 3'6" x 8'0"



Mahogany*

CCR8225R
 3'0" x 8'0"
 3'6" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.



Mahogany*

CCR8220R
3'0" x 8'0"



Mahogany*

CCR8005A
3'0" x 8'0"



Mahogany*

CCR205A 3'0" x 6'8"
CCR8205A 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR200A 3'0" x 6'8"
CCR8200A 3'0" x 8'0"



Mahogany*

CCR8225
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR8220
3'0" x 8'0"



Mahogany*

CCR8005
3'0" x 8'0"



Mahogany*

CCR040 3'0" x 6'8"
CCR8040 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR205 3'0" x 6'8"
CCR8205 3'0" x 8'0"
3'6" x 8'0"



Canvas

CCR205 3'0" x 6'8"
CCR8205 3'0" x 8'0"



Mahogany*

CCR200 3'0" x 6'8"
CCR8200 3'0" x 8'0"




Canvas

CCR220 3'0" x 6'8"
CCR8220 3'0" x 8'0"



Oak

CCR831
3'0" x 8'0"



Canvas

CCR831
3'0" x 8'0"

Solid Panels *continued*



For sidelites and transoms,
see pages 108–117.

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas



Mahogany

CCM60
3'0" x 6'8"



Oak

CC60
2'8" x 6'8"
3'0" x 6'8"

CC860
3'6" x 8'0"



Canvas

CCV060
3'0" x 6'8"

CCV860
3'0" x 8'0"



Mahogany

CCM801
3'0" x 6'8"



Mahogany

CCM701
3'0" x 6'8"



Canvas

CCV050
3'0" x 6'8"




Oak

CC40
3'6" x 6'8"

Key

WBDR / HVHZ Options





VISIONARY

Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft. doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.

MODERN

CONFIDENT

MINIMAL

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs,
Doors – CCA82320XE, Finish – Raven, Surround – TDS-CRSFLT
Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass
Direct Set Sidelite – DRS82131SL, Finish – Lynx



Decorative & Specialty Glass Designs

Zaha.

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features ❶ oceana and ❷ seedy glass, ❸ clear and ❹ multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel



Privacy & Textured Glass

NEW


Reeded

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating
1
10
7



Geometric

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

Glass Privacy Rating
1
10
7



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating
1
10
10



Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating
1
10
10

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Left Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCR1838, Finish – Shale

Privacy & Textured Glass



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating 110



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 18 10




Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 110

Glass Shapes



Also Available:

Low-E

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the () icon.



(107.95 mm / 4.25 in.)
Look for the ()
and () icons.



(139.70 mm / 5.5 in.)
Look for the ()
and () icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the () and () icons.



Full Lites



For sidelites and transoms, see pages 108–117.

Fir Grain

Formerly Classic-Craft American Style

Walnut Grain

Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

- XK** = **NEW** Reeded
- XG** = Geometric
- XE** = Satin Etch
- XC** = Chord
- XJ** = Chinchilla
- XR** = Rainglass
- XN** = Granite

Zaha



Mahogany*


CCR1851
3'0" x 6'8"



Canvas

CCV1851
3'0" x 6'8"


Privacy & Textured



Fir**

CCA2400
 3'0" x 6'8"


CCA82400
 3'0" x 8'0"



Fir**

CCA2300
 3'0" x 6'8"


CCA82300
 3'0" x 8'0"



Fir**

CCA2310
 3'0" x 6'8"


CCA82310
 3'0" x 8'0"



Fir**

CCA2320
 3'0" x 6'8"


CCA82320
 3'0" x 8'0"



Fir**

CCA2330
 3'0" x 6'8"


CCA82330
 3'0" x 8'0"



Fir**

CCA2340
 3'0" x 6'8"

CCA82340
 3'0" x 8'0"



Fir**

CCA2380
 3'0" x 6'8"


CCA82380
 3'0" x 8'0"

*Formerly Classic-Craft Rustic.


**Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.


Low-E



Fir**
CCA2400 3'0" x 6'8"
CCA82400 3'0" x 8'0"



Fir**
CCA2300 3'0" x 6'8"
CCA82300 3'0" x 8'0"




Fir**
CCA2310 3'0" x 6'8"
CCA82310 3'0" x 8'0"




Fir**
CCA2320 3'0" x 6'8"
CCA82320 3'0" x 8'0"



Fir**
CCA2330 3'0" x 6'8"
CCA82330 3'0" x 8'0"



Fir**
CCA2340 3'0" x 6'8"
CCA82340 3'0" x 8'0"



Fir**
CCA2380 3'0" x 6'8"
CCA82380 3'0" x 8'0"

3/4 Lites

Zaha[®]



Mahogany
CCM1844 3'0" x 6'8"



Mahogany
CCM81843 3'0" x 8'0"



Canvas
CCV1843 3'0" x 6'8"
CCV81843 3'0" x 8'0"



Mahogany
CCM1842 3'0" x 6'8"



For sidelites and transoms,
see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Walnut Grain

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Zaha®



Mahogany*

CCR1841 3'0" x 6'8" | CCR81841 3'0" x 8'0"



Mahogany*

CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"



Canvas

CCV1839 3'0" x 6'8" | CCV81839 3'0" x 8'0"



Mahogany*

CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"



Mahogany*

CCR822238 3'0" x 8'0"



Canvas

CCV1838 3'0" x 6'8" | CCV81838 3'0" x 8'0"



Mahogany*

CCR81847 3'0" x 8'0"



Mahogany*

CCR81846 3'0" x 8'0"



Canvas

CCV81846 3'0" x 8'0"



Mahogany*

CCR81845 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Zaha Glass, Door – CCV1839; Clear Glass, Transom – 19200T



Mahogany*

CCR81847A
3'0" x 8'0"



Mahogany*

CCR81846A
3'0" x 8'0"



Mahogany*

CCR81845A
3'0" x 8'0"



Canvas

CCV81841
3'0" x 8'0"



Canvas

CCV81840
3'0" x 8'0"



Solid Panels



For sidelites and transoms, see pages 108–117.

Fir Grain

Formerly Classic-Craft
American Style

Walnut Grain

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- 7'0" Height Available
- Elevated 10" Bottom Rail Options



Fir*

CCA1100
3'0" x 6'8"

CCA81100
 E
3'0" x 8'0"



Fir*

CCA1133
 E
3'0" x 6'8"

CCA81133
 E
3'0" x 8'0"



Fir*

CCA1145
 E
3'0" x 6'8"

CCA81145
 E
3'0" x 8'0"



Fir*

CCA1150
 E
3'0" x 6'8"

CCA81150
 E
3'0" x 8'0"



Walnut

CCW1000
E
2'6" x 6'8"‡
2'8" x 6'8"‡
2'10" x 6'8"‡
3'0" x 6'8"‡
3'6" x 6'8"‡

CCW81000
E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW900L
2'6" x 6'8"‡
2'8" x 6'8"‡
2'10" x 6'8"‡
3'0" x 6'8"‡
3'6" x 6'8"‡

CCW8900L
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW900R
2'6" x 6'8"‡
2'8" x 6'8"‡
2'10" x 6'8"‡
3'0" x 6'8"‡
3'6" x 6'8"‡

CCW8900R
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW901L
2'6" x 6'8"‡
2'8" x 6'8"‡
2'10" x 6'8"‡
3'0" x 6'8"‡
3'6" x 6'8"‡

CCW8901L
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Walnut

CCW901R
2'6" x 6'8"‡
2'8" x 6'8"‡
2'10" x 6'8"‡
3'0" x 6'8"‡
3'6" x 6'8"‡

CCW8901R
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.



Walnut

CCW902L	CCW8902L
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW902R	CCW8902R
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW903	CCW8903
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW904L	CCW8904L
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW904R	CCW8904R
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW905	CCW8905
E 2'6" x 6'8"±	E 2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW906L	CCW8906L
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW906R	CCW8906R
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW907L	CCW8907L
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"



Walnut

CCW907R	CCW8907R
2'6" x 6'8"±	2'6" x 8'0"
2'8" x 6'8"±	2'8" x 8'0"
2'10" x 6'8"±	2'10" x 8'0"
3'0" x 6'8"±	3'0" x 8'0"
3'6" x 6'8"±	3'6" x 8'0"

Sidelites

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)

Low-E

NEW

NEW

Direct Set

DRS2131SL

 12" x 6'8"

14" x 6'8"

DRS82131SL

 12" x 8'0"

14" x 8'0"

Villager™

Fir*

CCA3402SL

 12" x 6'8"

14" x 6'8"

CCA3502SL

 12" x 8'0"

14" x 8'0"

Fir*

CCA2430SL

 12" x 6'8"

14" x 6'8"

CCA82430SL

 12" x 8'0"

14" x 8'0"

Homeward™

Canvas

CCV912SL

 12" x 6'8"

14" x 6'8"

CCV8112SL

 12" x 8'0"

14" x 8'0"

Fir*

CCA3401SL

 12" x 6'8"

14" x 6'8"

CCA3501SL

 12" x 8'0"

14" x 8'0"

Fir*

CCA2420SL

 12" x 6'8"

14" x 6'8"

CCA82420SL

 12" x 8'0"

14" x 8'0"



Mahogany**

CCR9925SL

 12" x 6'8"

14" x 6'8"

CCR89925SL

 12" x 8'0"

14" x 8'0"



Oak

CC9925SL


 12" x 6'8"

14" x 6'8"

CC89925SL

 12" x 8'0"

14" x 8'0"



Canvas

CCV911SL

 12" x 6'8"

14" x 6'8"

CCV8111SL

 12" x 8'0"

14" x 8'0"

*Formerly Classic-Craft American Style.

**Formerly Classic-Craft Rustic.

***Not available in brass caming.

Note: See page 293 for important product details that may help with your purchase decision.

Arborwatch®



Fir*
CCA1423SL 12"x 6'8"
CCA81423SL 12"x 8'0"
14"x 6'8" 14"x 8'0"




Fir*
CCA2410SL 12"x 6'8"
CCA82410SL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Mahogany**
CCR1423SL 12"x 6'8"
CCR81423SL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Oak
CC1423SL 12"x 6'8"
CC81423SL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Canvas
CCV1423SL 12"x 6'8"
CCV81423SL 12"x 8'0"
14"x 6'8" 14"x 8'0"


Arcadia™



Mahogany**
CCR3409SL*** 12"x 6'8"
CCR8009SL*** 12"x 8'0"
14"x 6'8" 14"x 8'0"



Oak
CC2060SL 12"x 6'8"
CC8009SL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Canvas
CCV109SL*** 12"x 6'8"
CCV8109SL*** 12"x 8'0"
14"x 6'8" 14"x 8'0"

Augustine®



Mahogany**
CCR3400XNSL 12"x 6'8"
CCR8000XNSL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Canvas
CCV100XNSL 12"x 6'8"
CCV8100XNSL 12"x 8'0"
14"x 6'8" 14"x 8'0"

Bella™



Mahogany**
CCR3410BSL 12"x 6'8"
CCR8010BSL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Oak
CC2080BSL 12"x 6'8"
CC8010BSL 12"x 8'0"
14"x 6'8" 14"x 8'0"



Canvas
CCV104BSL 12"x 6'8"
CCV8104BSL 12"x 8'0"
14"x 6'8" 14"x 8'0"

Sidelites *continued*

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- 💧 Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- 📖 Simulated Divided Lites (SDL)
- 📖 Simulated Divided Lites (SDF3)
- 📖 Simulated Divided Lites (SDF4)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XK = **NEW** Reeded **XJ** = Chinchilla
XG = Geometric **XR** = Rainglass
XE = Satin Etch **XN** = Granite
XC = Chord

Borrassa®



Mahogany

CCR3400XHSL	CCR8000XHSL
🔥 12" x 6'8"	🔥 12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV100XHSL	CCV8100XHSL
💧 12" x 6'8"	💧 12" x 8'0"
14" x 6'8"	14" x 8'0"

Provincial™




Mahogany

CCR3408SL*	CCR8008SL*
🔥 12" x 6'8"	🔥 12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

CC2040SL	CC8007SL
🔥 12" x 6'8"	🔥 12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV108SL*	CCV8108SL*
💧 12" x 6'8"	💧 12" x 8'0"
14" x 6'8"	14" x 8'0"

Longford™



Mahogany

CCR3407SL	CCR8007SL
🔥 12" x 6'8"	🔥 12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV103SL	CCV8103SL
💧 12" x 6'8"	💧 12" x 8'0"
14" x 6'8"	14" x 8'0"

Cambridge™



Mahogany

CCR3406SL	CCR8006SL
🔥 12" x 6'8"	🔥 12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

CC2044SL	CC8006SL
🔥 12" x 6'8"	🔥 12" x 8'0"
14" x 6'8"	14" x 8'0"

*Not available in brass caming.

**Not available with Reeded (XK) or Satin Etch (XE) glass.

Note: See page 293 for important product details that may help with your purchase decision.



Canvas

CCV106SL	CCV8106SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Lucerna®



Mahogany

CCR3412SL	CCR8102SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

CC3412SL	CC8102SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas


CCV3412SL	CCV8102SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Zaha®



Mahogany

CCR1851SL	CCR81851SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV1851SL	CCV81851SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Privacy & Textured



Fir

CCA2300__SL	CCA82300__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2310__SL	CCA82310__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2320__SL	CCA82320__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2330__SL	CCA82330__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2340__SL	CCA82340__SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA3450__SL**	CCA3560__SL**
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Sidelites *continued*

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDF3)
-  Simulated Divided Lites (SDF4)
-  Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XK = **NEW** Reeded **XJ** = Chinchilla
XG = Geometric **XR** = Rainglass
XE = Satin Etch **XN** = Granite
XC = Chord



Oak

CC2025__SL*
 12" x 6'8"
 14" x 6'8"



Canvas

CCV8950__SL**
 12" x 8'0"
 14" x 8'0"



Canvas

CCV950__SL*
 12" x 6'8"
 14" x 6'8"



Fir

CCA2400__SL CCA82400__SL
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"



Fir

CCA3400__SL** CCA3500__SL**
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"



Mahogany

CCR3400__SL* CCR8000__SL**
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"



Oak

CC2020__SL* CC8000__SL**
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"



Canvas

CCV100__SL* CCV8100__SL**
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"

LOW-E



Fir

CCA2300SL CCA82300SL
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"



Fir

CCA2310SL CCA82310SL
 12" x 6'8"  12" x 8'0"
 14" x 6'8"  14" x 8'0"

*Not available with Reeded (XK) glass.

**Not available with Reeded (XK) or Satin Etch (XE) glass.

Note: See page 293 for important product details that may help with your purchase decision.



Fir

CCA2320SL
12" x 6'8"
14" x 6'8"

CCA82320SL
12" x 8'0"
14" x 8'0"



Fir

CCA3450SL
12" x 6'8"
14" x 6'8"

CCA3560SL
12" x 8'0"
14" x 8'0"



Fir

CCA2330SL
12" x 6'8"
14" x 6'8"

CCA82330SL
12" x 8'0"
14" x 8'0"



Fir

CCA2340SL
12" x 6'8"
14" x 6'8"

CCA82340SL
12" x 8'0"
14" x 8'0"



Oak

CC2025SL
12" x 6'8"
14" x 6'8"



Canvas

CCV950SL
12" x 6'8"
14" x 6'8"



Canvas

CCV8950SL
12" x 8'0"
14" x 8'0"



Fir

CCA3400SL
12" x 6'8"
14" x 6'8"

CCA3500SL
12" x 8'0"
14" x 8'0"



Fir

CCA2400SL
12" x 6'8"
14" x 6'8"

CCA82400SL
12" x 8'0"
14" x 8'0"



Mahogany

CCR3400SL
12" x 6'8"
14" x 6'8"


CCR8000SL
12" x 8'0"
14" x 8'0"



Oak

CC2020SL
12" x 6'8"
14" x 6'8"

CC8000SL
12" x 8'0"
14" x 8'0"



Canvas

CCV100SL
12" x 6'8"
14" x 6'8"

CCV8100SL
12" x 8'0"
14" x 8'0"

Arcadia™



Mahogany

CCM3309SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Bella™



Mahogany

CCM3310BSL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Longford™



Mahogany

CCM3303SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Lucerna®



Mahogany

CCM3302SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Sidelites *continued*

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Zaha[®]



Mahogany
CCM1843SL
▲ 10" x 6'8"
12" x 6'8"
14" x 6'8"

Low-E



Mahogany
CCM3300SL
▲ 10" x 6'8"
12" x 6'8"
14" x 6'8"

Arcadia[™]



Oak
CC2279SL
▲ 12" x 6'8"
14" x 6'8"

Provincial[™]



Oak
CC2277SL
▲ 12" x 6'8"
14" x 6'8"

Cambridge[™]



Oak
CC2276SL
▲ 12" x 6'8"
14" x 6'8"

Lucerna[®]



Oak
CC2272SL
▲ 12" x 6'8"
14" x 6'8"

Low-E



Oak
CC2270SL
▲ 12" x 6'8"
14" x 6'8"

Arcadia[™]



Mahogany
CCM3509SL
▲ 12" x 6'8"
14" x 6'8"

Bella[™]



Mahogany
CCM3510BSL
▲ 12" x 6'8"
14" x 6'8"

Longford[™]



Mahogany
CCM3503SL
▲ 12" x 6'8"
14" x 6'8"

Lucerna[®]



Mahogany
CCM3502SL
▲ 12" x 6'8"
14" x 6'8"

Low-E



Mahogany
CCM3500SL
▲ 12" x 6'8"
14" x 6'8"

*Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.

Arcadia™



Oak
CC2160SL
12" x 6'8"
14" x 6'8"

Provincial™



Oak
CC2140SL
12" x 6'8"
14" x 6'8"

Cambridge™



Oak
CC2144SL
12" x 6'8"
14" x 6'8"

Lucerna®



Oak
CC2122SL
12" x 6'8"
14" x 6'8"

Low-E



Oak
CC2120SL
12" x 6'8"
14" x 6'8"

Villager™



Fir*
CCA212SL
12" x 6'8"
14" x 6'8"

Homeward™



Fir*
CCA211SL
12" x 6'8"
14" x 6'8"

Arborwatch®



Fir*
CCA9100SL
12" x 6'8"
14" x 6'8"

Privacy & Textured



Fir*
CCA220_SL
12" x 6'8"
14" x 6'8"



Fir*
CCA210_SL
12" x 6'8"
14" x 6'8"

Low-E



Fir*
CCA220SL
12" x 6'8"
14" x 6'8"




Fir*
CCA210SL
12" x 6'8"
14" x 6'8"

Villager™



Canvas
CCV9012SL
12" x 6'8"
14" x 6'8"

Homeward™



Canvas
CCV9011SL
12" x 6'8"
14" x 6'8"

Arborwatch®



Canvas
CCV4100SL
12" x 6'8"
14" x 6'8"

Privacy & Textured



Canvas
CCV920_SL
12" x 6'8"
14" x 6'8"



Canvas
CCV910_SL
12" x 6'8"
14" x 6'8"

Low-E



Canvas
CCV9020SL
12" x 6'8"
14" x 6'8"



Canvas
CCV9010SL
12" x 6'8"
14" x 6'8"

Transoms

Homeward™ ◆◆



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arborwatch® ◆◆



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Arcadia™ ◆◆◆



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Bella™ ◆



BEET-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BERT-B
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Provincial™ ◆◆◆



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

Longford™ ◆◆



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Cambridge™ ◆◆◆



CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only

Lucerna® ◆◆



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Zaha◆❏



ZHRT

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Low-E



Grille Sticks Applied



19020T



3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T



3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T



3'0" Door Only




19210T



12" & 14"
Sidelite Only

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ❏ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)



Fiber-Classic® & Smooth-Star® Fiberglass Doors

Fiber-Classic® & Smooth-Star®



Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Smooth-Star, Clear Glass with GBGs, Doors – S82103, Finish – Onyx
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley
Right Page: Fiber-Classic Oak Collection, Wellesley Glass, Door – FC796, Sidelites – FC104SL, Finish – Barley





Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day Stain color options on pages 266–270.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 124.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 138.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability


With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Thermo-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



ENERGY STAR® Qualified
Options Available



*Comparison of fiberglass to wood doors (both without glass).



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.



Available Configurations:



Single Door with
Vented Sidelites
(Inswing Only)



Double Doors with
Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.

Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

■ = Available
 • = Not Applicable
 S = Stain
 P = Paint

Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
--	-----------------------------------	--------------

Door Widths

2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	•	•	■

Door Heights

6'6"	•	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

Glass Options

Decorative	15	15	15
Privacy & Textured	7	7	7
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	•	•	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■

Additional Options

Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Additional Options

-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
-  Fire-Rated Options: Available on solid-panel doors. See pages 238–243.
-  Flush-Glazed Options: Look for this icon to find door styles with flush-glazed glass.

Warranties



Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 293 for more information.

-  Fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 27 for more information.
-  Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 22–23 for details.

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 258–265.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door – S8140




Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets
 ① clear curved bevels, ② rainglass
 and coming to create the distinctive
 styling of Blackstone. Entries get
 the best of both privacy and
 simple refinement.



Glass Privacy Rating



Black Nickel



Brushed Nickel

Crystalline™

This time-honored design features
 geometric styling brought to life
 with ① glue chip glass, ② glue chip
 bevels, ③ clear bevels and coming.
 Offering modest privacy, Crystalline
 is a shining example of traditional
 decorative glass with lasting beauty.



Glass Privacy Rating



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts
 and Crafts simplicity is designed with
 ① slump glass, ② clear bevels,
 ③ clear artique glass and coming.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Salinas®

① Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with ① waterglass, ② clear bevels, ③ granite glass and coming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

Avonlea®

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's ① clear baroque glass and ② bronze waterglass surrounded by black nickel coming.



Black Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its ① clear bevels, ② diamond glass, ③ reeded glass and coming. The geometric pattern bridges both modern and traditional designs.



Glass Privacy Rating



Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.




Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.


Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Glass Privacy Rating

Wrought Iron



Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its

① clear bevels, ② glue chip glass, ③ granite glass and coming.



Glass Privacy Rating

Black Nickel



Brushed Nickel

Pembridge™


Simplistic in its design, Pembridge features a field of **1** hammered glass framed by **2** gray baroque glass and **3** multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nickel



Brushed Nickel



Brass


Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating

Black Nickel



Frosted Images®

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of **1** white-frosted glass.



Glass Privacy Rating




Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- ① Single-Hand Operator
- ② Privacy Bar



Screen Vented


Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded



Geometric



Satin Etch



Chord



Chinchilla



Rainglass



Granite



Also Available:
Low-E & Clear Glass

Divided Lites

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (   ) icons.

Shown with flat bronze GBGs, recommended.



Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the ( ) icons.



Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (   ) icon.



Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the () icon.



Interior view.

*Available in Special Quote Program.
Note: See page 293 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Fixed Grilles




Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the (◆) icon.




SDL Bar Options



(28.6 mm / 1.125 in.)
Look for the (■) icon.




(28.6 mm / 1.125 in.)
Look for the (■) icon.



(88.9 mm / 3.5 in.)
Look for the (■) icon.


GBG Bar Options



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

GBG Color Options



Key

- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*




*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Dentil Shelf, Finish – Acorn
 Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Barley

Full Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Fiber-Classic® & Smooth-Star®

Blackstone ♦ ■ ■



Mahogany

FCM108
 2'6" x 6'8" **6**
 2'10" x 6'8" **6**
 3'0" x 6'8" **6**



Mahogany

FCM871
 2'6" x 8'0" **6**
 2'10" x 8'0" **6**
 3'0" x 8'0" **6**



Oak

FCM310
 2'6" x 6'8" **6**
 2'8" x 6'8" **6**
 2'10" x 6'8" **6**
 3'0" x 6'8" **6**



Oak

FCM816
 2'6" x 8'0" **6**
 2'8" x 8'0" **6**
 2'10" x 8'0" **6**
 3'0" x 8'0" **6**



Smooth

S6002
 2'6" x 6'8" **6**
 2'8" x 6'8" **6**
 2'10" x 6'8" **6**
 3'0" x 6'8" **6**



Smooth

S310
 2'6" x 6'8" **6**
 2'8" x 6'8" **6**
 2'10" x 6'8" **6**
 3'0" x 6'8" **6**
 3'6" x 6'8" **6**

Crystalline ♦ ■ ■



Mahogany

FCM814
 2'6" x 8'0" **6**
 2'8" x 8'0" **6**
 2'10" x 8'0" **6**
 3'0" x 8'0" **6**



Mahogany

FCM668
 2'6" x 6'8" **6**
 2'8" x 6'8" **6**
 2'10" x 6'8" **6**
 3'0" x 6'8" **6**



Oak

FC16
 2'6" x 6'8" **6**
 2'8" x 6'8" **6**
 2'10" x 6'8" **6**
 3'0" x 6'8" **6**



Oak

81800P
 2'6" x 8'0" **6**
 2'8" x 8'0" **6**
 2'10" x 8'0" **6**
 3'0" x 8'0" **6**

Key


- No Stile Lines
- ♦ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options


- △ 6" Height Available
- ‡ 7" Height Available

Crystalline Continues on next page.


Crystalline™ ◆ ■ Continued




Sedona ◆ ■



Salinas x



Maple Park ◆ ■



Avonlea ♦



Oak

FC1006


■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Smooth

S6100


■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Smooth

S1006


■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"



Mahogany

FCM758

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8"



Mahogany

FCM1027

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Oak

FC758

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Oak

FC1027

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

Saratoga ♦ ■



Smooth

S962

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Smooth

S1027

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"



Mahogany

FCM905

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8"



Mahogany

FCM6093

■ 6E
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Oak

FC905

■ 6E
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Oak

FC6093

■ 6E
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



Smooth

S154

■ 6E
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

Texas Star ♦ ■



Smooth

S6093

■ 6E
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"



NEW

Mahogany

FCM142

2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8"



NEW

Mahogany

FCM1029

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



NEW

Oak

FC142

E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



NEW

Oak

FCM1029

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



NEW

Smooth

S6070

E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡



NEW

Smooth

S1029

■ 6E
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

Key

■ No Stile Lines

♦ Black Nickel Caming (1D)

■ ■ Brushed Nickel Caming (1C)

✕ Wrought Iron (1W)

6 WBD / HVHZ Options

E Elevated 10" Bottom Rail Options

Δ 6'6" Height Available

‡ 7'0" Height Available



Mahogany

FCM104
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM874
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6094
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FCM821
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC104
6 E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

81921P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6094
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FC821
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S155
6 E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

S85896
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Riserva® x



Smooth

S6094
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±
3'6" x 6'8"

S821
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Mahogany

FCM574
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8574
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM571
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FCM8571
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC574
6 E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FC8574
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC571
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FC8571
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Concorde™



Smooth

S574
6 E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

S8574
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S571
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±
3'6" x 6'8"

S8571
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Mahogany

FCM910
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM890
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6095
6 E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FCM820
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC910
6 E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

81928P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6095
■ 6 E
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Smooth

S6090
6 E
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Smooth

S85895
6 E
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

Kensington™ ◆ ■ ■ ■



Mahogany

FCM148
6
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Mahogany

FCM626
■ 6 E
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

Pembridge™ ◆ ■ ■ ■



Oak

FC148
■ 6 E
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Oak

FC626
■ 6 E
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Smooth

S160
■ 6 E
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Smooth

S626
■ 6 E
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" Δ ‡



Mahogany

FCM6550
6
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Mahogany

FCM6500
■ 6 E
 2'4" x 6'8" Δ ‡
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Oak

FC6550
■ 6 E
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Oak

FC86500
■ 6 E
 2'4" x 6'8" Δ ‡
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Smooth

S6550
■ 6 E
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



Smooth

S6500
■ 6 E
 2'4" x 6'8" Δ ‡
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" Δ ‡

Axis◆



Mahogany

FCM1652
6
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

Axis Continues on next page.


Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDP / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available
- $\ddagger$ 7'0" Height Available

				
Mahogany	Oak	Oak	Smooth	Smooth
FCM1651   2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCM81651   2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1652   2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC81652   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1651   2'4" x 6'8" ‡ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
FC81651   2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1652   2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81652   2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1651   2'4" x 6'8" ‡ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"	S81651   2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured

Glass with Divided Lites

						
Oak	Smooth	Oak	Smooth	Oak	Smooth	Oak
FC1205   2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1205    2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC1207   2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1207   2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	2010   2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S2010    2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	2050   2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

						
Smooth	Smooth	Smooth	Smooth	Smooth	Oak	Oak
S2050   2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S5705    2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S85705   2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715    2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S85715    2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5725    2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S85725    2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC5700   2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700    2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"					

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite



Smooth

S5700_



E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

S85700_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC5710_



E

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

FC85710_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S5710_



E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

S85710_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC5720_



E

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

FC85720_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S5720_



E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

S85720_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC691_



E

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

FC8691_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S691_



E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

S8691_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC685L_



E

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

FC8685L_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S685L_



E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

S8685L_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Oak

FC685R_



E

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

FC8685R_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S685R_



E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

S8685R_



E

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM128_



E

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Mahogany

FCM1285_



E

2'8" x 6'8" ‡

2'10" x 6'8" ‡

3'0" x 6'8" ‡



Oak

FC138_



E

2'8" x 6'8" ‡

2'10" x 6'8" ‡

3'0" x 6'8" ‡



Oak

1285_



E

2'8" x 6'8" ‡

2'10" x 6'8" ‡

3'0" x 6'8" ‡



Smooth

S128_



E

2'8" x 6'8" ‡

2'10" x 6'8" ‡

3'0" x 6'8" ‡

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

No Stile Lines

Flush-Glazed Glass with Detailed Sticking (FG)

Black Nickel Caming (1D)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDF1)

Simulated Divided Lites (SDF2)

Elevated 10" Bottom Rail Options

WBDR / HVHZ Options

6'6" Height Available

7'0" Height Available

Privacy & Textured Glass with Divided Lites *Continued*



Smooth

S141
E
 2'8" x 6'8" Δ†
 2'10" x 6'8" Δ†
 3'0" x 6'8" Δ†
 3'6" x 6'8"



Mahogany

FCM18
E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1284
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Oak

FC18
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Oak

1284
E
 2'8" x 6'8" Δ†
 2'10" x 6'8" Δ†
 3'0" x 6'8" Δ†



Smooth

S108
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Smooth

S6063
E
 2'8" x 6'8" Δ†
 2'10" x 6'8" Δ†
 3'0" x 6'8" Δ†
 3'6" x 6'8"

EnLiten™ Flush-Glazed Privacy & Textured Glass



Oak

2000
E
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth

S2000
E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

Privacy & Textured Glass



Mahogany

FCM10
E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1283
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Oak

FC10
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




Oak

1283
E
 2'8" x 6'8" Δ†
 2'10" x 6'8" Δ†
 3'0" x 6'8" Δ†



Smooth

S118
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Smooth

S140
E
 2'8" x 6'8" Δ†
 2'10" x 6'8" Δ†
 3'0" x 6'8" Δ†
 3'6" x 6'8"

EnLiten™ Flush-Glazed Internal Blinds



Smooth

S2600
E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S82600
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Internal Blinds



Mahogany

FCM141

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8115

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1286

2'4" x 6'8"
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FCM81225

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC141

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81225P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

1286

2'4" x 6'8" ‡
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81225

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S130

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S829

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6061

2'4" x 6'8" ‡
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8"

S81225

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Oak

FC1205

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S1205

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

FC1206

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S1206

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

FC1207

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S1207

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

2010

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S2010

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

FC1204

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S1204

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

2050

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S2050

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀ Low-E Glass (LE)

🔲 Simulated Divided Lites (SDL)

🔲 Simulated Divided Lites (SDLF1)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)


➡ Removable Wood Grilles (RG)

🌀 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

⬆ 6'6" Height Available

‡ 7'0" Height Available



Oak

8000-12
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth

S8000-12
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

8000-18
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8000-18
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

2009
 2'0" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

8000-9
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2009
 2'0" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S8000-9
 2'0" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5705
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S85705
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5715
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S85715
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5725
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S85725
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC5700
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

FC85700
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5700
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S85700
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC5710
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

FC85710
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5710
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ

S85710
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC5720
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

FC85720
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5720
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ


S85720
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

FC691
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

FC8691
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Clear Glass with Divided Lites



Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ★ Low-E Glass (LE)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ **NEW** Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available



Oak

FC1212

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

FC1203

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S1212

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S1203

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$
3'6" x 6'8"



Mahogany

FCM138

2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8"



Mahogany

FCM1285

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

FC138

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

1285

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S128


2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S141


2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$
3'6" x 6'8"



Mahogany

FCM1208

2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8"



Mahogany

FCM1200

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

FC1208

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

FC1200

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S1208

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S1200

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$
3'6" x 6'8"



Mahogany

FCM18

2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8"



Mahogany

FCM1284

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

FC18

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Oak

1284

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S108

2'6" x 6'8" Δ $\ddagger$
2'8" x 6'8" Δ $\ddagger$
2'10" x 6'8" Δ $\ddagger$
3'0" x 6'8" Δ $\ddagger$



Smooth

S6063
E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 3'6" x 6'8"



Mahogany

FCM828
E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81828
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC828
E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

81828
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S828
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S81828
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"




Mahogany

FCM81208P
E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81829
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81208P
E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

81208
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S808
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S81208
E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

FCM198
E
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1289
E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC198
E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

1289
E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S198
E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6062
E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 3'6" x 6'8"

Key

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Fixed Grilles (FXG)

WBDR / HVHZ Options

6'6" Height Available

7'0" Height Available

E Elevated 10" Bottom Rail Options

EnLiten™ Flush-Glazed Clear Glass



Oak

2000

2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000

2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000

2'0" x 6'8" Δ
2'6" x 6'8" Δ
2'8" x 6'8" Δ
2'10" x 6'8" Δ
3'0" x 6'8" Δ

S8000

2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



Mahogany

FCM10

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1283

2'0" x 6'8" ▽
2'4" x 6'8"
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FCM81200

2'0" x 8'0" ▽
2'4" x 8'0" ▽
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC10

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81200P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

1283

2'0" x 6'8" ▽
2'4" x 6'8" Δ
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

81200

2'0" x 8'0" ▽
2'4" x 8'0" ▽
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S118

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S818

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S140

2'0" x 6'8" ▽
2'4" x 6'8" Δ
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8"

S8140

2'0" x 8'0" ▽
2'4" x 8'0" ▽
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



*Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight.

Note: See page 293 for important product details that may help with your purchase decision.


Bottom: Fiber-Classic Oak Collection, Reeded Glass with SDLs, Door – FC685LXK, Sidelite – FC5720XKSL, Finish – Lynx
Right Page: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL

3/4 Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Blackstone ♦ ♦



Mahogany

FCM765
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC765
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S975
9
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC770
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81952P
9
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S979
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S894
9
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Crystalline ♦ ♦



Mahogany

FCM38
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC38
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S977
9
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC772
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81953P
9
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S981
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S888
9
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀️ Low-E Glass (LE)

🐢 Turtle Glass

♦ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

6 WBDL Options

6 WBDL / HVHZ Options


E Elevated 10" Bottom Rail Options

⚠️ 6'6" Height Available

± 7'0" Height Available

🔧 PVC Doorlite Frame*

Sedona ♦ ■



Mahogany

FCM131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S95
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81954P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S91
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S887
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Salinas® x



Mahogany

FCM115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6009
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC775
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81955P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6010
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S895
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Maple Park♦ ■



Mahogany

FCM902
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC902
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6102
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC777
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81957P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6103
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM764

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC764

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S976

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC769

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81967P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S980

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85900

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Saratoga ♦



Mahogany

FCM907

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC907

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6092

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC776

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81956P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S982

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S891

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Texas Star ♦



Mahogany

FCM143

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC143

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6071

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC778

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81958P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6072

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




S85901

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- ♦ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

- 6 WBDR Options
- 6 WBDR / HVHZ Options



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite



Oak

FC20042



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81961P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S20042



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S902



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6582



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6582



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6582



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6580



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC86580



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Axis™



Smooth

S6580



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86580



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1647



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1647



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1647



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1646



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC81646



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1646



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81646



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Smooth

S2103



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2104



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth

S82105



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82106



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2250



2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S82107



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDF1)

- WBDR Options
- WBDR / HVHZ Options

Privacy & Textured Glass with Divided Lites



Mahogany
FCM82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC92_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S92_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
81945P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S881_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass



Oak
81946P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S822_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S2200_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
S82200_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass



Mahogany
FCM32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S80_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Internal Blinds



Oak
FC766_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
81943P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth
S90_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
S880_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
1964P
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
81964P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Smooth

S682

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8682

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2103

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2104

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82104

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2105

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82105

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2250

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82250

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Clear Glass with Divided Lites



Smooth

S82106

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82107

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1401

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81401

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2106

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2106

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2106

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2107

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2107

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2107

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2108


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2108

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2108

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM82

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- WBDR Options
- WBDR / HVHZ Options

Clear Glass with Divided Lites *Continues on next page.*



Oak

FC82

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S82

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1402

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC1402

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S1402

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC1089

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC8311

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1089

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

S8311

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

FC2101

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC8313

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2101

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

81945P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S881

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC92

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

FC8310

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S92

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

S8310

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

81946P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Chord Glass, Door – S2200XC, Sidelite – S2200XCSL, Finish – Cypress

EnLiten™ Flush-Glazed Clear Glass



Oak

FC1400



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

81944P



2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S1400



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

S898



2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S2200



2'6" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

S82200



2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Clear Glass



Mahogany

FCM32



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Oak

FC32



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Smooth

S80



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Oak

FC766



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

81943P



2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Smooth

S90



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

S880



2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Key

Flush-Glazed Glass with Detailed Sticking (FG)

Low-E Glass (LE)

Turtle Glass

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Fixed Grilles (FXG)

WBDR Options

WBDR / HVHZ Options

Oval Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Blackstone ♦ ♦



Mahogany

FCM110
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Oak

FC714
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S771
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6085
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC794
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea ♦



Smooth

S997
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM785
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC785
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S988
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM788
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC788
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S991
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

Wellesley™ ◆ ■ ◆



Oak

FC792
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S995
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S774
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ■ ◆



Smooth

S6082
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ ◆ ■ ◆



Oak

FC915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC797
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)



Mahogany

FCM789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC798
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1001
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC06575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



Mahogany

FCM784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC784
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S989
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC787
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6081
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC791
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S994
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM80
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC710
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S770
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM160
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC160
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6080
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC789
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S992
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Axis Glass, Door – FCM1656, Finish – Autumn Harvest



Sidelite Configurations


For sidelites and transoms, see pages 191–211.



Blackstone ♦ ♦

											
Mahogany		Oak		Smooth		Mahogany		Smooth		Mahogany	
FCM109 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM863 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC109 6E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81933P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6000 6E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81933P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6032 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6032 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S86032 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6052 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		

Crystalline™ ♦ ♦

											
Smooth		Oak		Smooth		Mahogany		Oak		Smooth	
S6052 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81975P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S972 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85905 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM898 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC45 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81935P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S926 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81935P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

Crystalline Continues on next page.

Key

- ★ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ♦♦ Brushed Nickel Caming (1C)

- ♦ Brass Caming (1A)
- 6 WBDR / HVHZ Options
- ‡ 7'0" Height Available


- E Elevated 10" Bottom Rail Options




Sedona



Salinas®






Maple Park





Avonlea



Avonlea Continues on next page.

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 7'0" Height Available


					
Mahogany	Smooth	Mahogany	Smooth	Oak	Smooth
FCM968 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	NEW S968 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±	S8968 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM966 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S966 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81974P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	S85906 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"				

Saratoga ♦

					
Mahogany	Oak	Smooth	Mahogany	Smooth	Mahogany
FCM906 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM888 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC906 2'6" x 6'8" 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±	81938P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S213 2'6" x 6'8" 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±	S81938P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				FCM6029 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6029 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±
				S86029 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Texas Star ♦

				
Smooth	Oak	Smooth	Mahogany	Oak
S6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81981P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S41 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85908 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM144 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				FCM899 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				FC144 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±
				81940P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




Wellesley™



Riserva Continues on next page.

Key


- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✦ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available



Concorde™ ◆ ◆ ◆



Kensington™ ◆ ◆ ◆





Mahogany

FCM6036
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

NEW



Smooth

S6036
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S86036
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6056
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6056
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC89701
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S43
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S89701
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Pembridge™



Mahogany

FCM6560
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM86560
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6560
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC86560
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6560
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S86560
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6565
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

NEW



Smooth

S6565
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S86565
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Axis™



Mahogany

FCM6568
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6568
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86536
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6536
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S86536
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1654
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81654
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1654
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC81654
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


Axis Continues on next page.

Key

-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (1W)
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options
-  7'0" Height Available

									
Smooth		Mahogany	Smooth		Mahogany	Smooth	Oak	Smooth	
S1654 6E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81654 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1656 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1656 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81656 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1658 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1658 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC81653 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1653 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81653 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Frosted Images®

							
Mahogany	Oak	Smooth	Mahogany	Smooth	Mahogany	Smooth	Smooth
FCM66 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC66 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S206E 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCM6023 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6023 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCM6043 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6043 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S34 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites

							
Mahogany	Oak	Smooth	Mahogany	Smooth	Mahogany	Smooth	Smooth
FCM65 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC65 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S262 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCM6022 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6022 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCM6042 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6042 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S32 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric


XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite



Privacy & Textured Glass




Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Internal Blinds

											
Mahogany		Oak		Smooth		Mahogany		Smooth		Mahogany	
FCM678  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8678  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC678  2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8678  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S132  2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8132  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6035  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6035  2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S86035  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6055  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		

					
Smooth	Mahogany	Oak	Smooth	Oak	Smooth
S6055  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM116  2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC116  2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S131  2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8971  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S971  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Screen Vented Lites*

			
Smooth	Smooth	Smooth	Smooth
S243  2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6034  2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S137  2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

EnLiten™ Flush-Glazed Clear Glass with Divided Lites

		
Oak	Smooth	Oak
FC1350  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1350  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2150  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

*Features a gliding operation and sash locking system.

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



Smooth

S2150

 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Oak

FC1409

 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth

S1409

 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth

S115

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Mahogany

FCM63

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC63

 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Smooth

S63

 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Mahogany

FCM6097

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6097

 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



Mahogany

FCM811

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S811

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM8322

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8322

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8322

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



NEW

Smooth

S8326

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM8323

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8323

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8323

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



NEW

Smooth

S8327

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM8324

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8324

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8324

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- NEW** Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available



S8328
E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM65
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC65
E
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S262
6E
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FCM6022
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6022
6E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FCM6042
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6042
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8321
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8321
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S8321
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S8325
6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM1408
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8145
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1408
E
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S1408
E
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FCM1405
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"





S1405
E
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FCM1406
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1406
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



EnLiten™ Flush-Glazed Clear Glass



Clear Glass



Clear Glass Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 7'0" Height Available



Smooth

S6041

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM670


2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

FC670

2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Smooth

S104

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Smooth

S105

2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



Oak

81971P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S30

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Twin 1/2 Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Blackstone ♦ ♦



Oak

FC129

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6013

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline ♦ ♦



Oak

FC43

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S930

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona ♦ ♦



Oak

FC128

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S294

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Door – FC48, Finish – Autumn Harvest

Salinas. ✕



Oak

FC130
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6014
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park. ♦ ♦



Oak

FC903
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea. ♦



Oak

FC782
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S985
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga. ♦ ♦



Oak

FC908
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S291
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley. ♦ ♦ ♦



Oak

FC127
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S292
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva. ✕



Oak

FC585
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S585
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde. ♦ ♦ ♦



Oak

FC913
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S430
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington. ♦ ♦



Oak

FC152
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S162
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge. ♦ ♦ ♦



Oak

FC6572
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6572
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

■ No Stile Lines

☀ Low-E Glass (LE)

♦ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

♦ Brass Caming (1A)

✕ Wrought Iron (1W)

6 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

‡ 7'0" Height Available

Axis ♦



Oak

FC1661
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1661
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



Oak

FC44
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S289E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



Oak

FC807
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S807
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass



Oak

FC48
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S289
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



Oak

FC807
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S807
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1411
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1411
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Oak

FC48
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S289
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Crystalline Glass, Door – S930, Sidelites – S930SL

Right Page: Smooth-Star, Riserva Glass, Door – S506, Sidelites – S573SL, Finish – Cabernet

Center Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Blackstone ♦ ♦



Mahogany

FCM760
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6111
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline™ ♦ ♦



Mahogany

FCM124
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6113
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona ♦ ♦



Mahogany

FCM126
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S12
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas ✕



Mahogany

FCM118
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6012
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park ♦ ♦



Mahogany

FCM904
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6105
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea ♦



Mahogany

FCM800
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6121
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

- 🏠 Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ♦ NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- ♦ Fixed Grilles (FXG)

Saratoga™ ◆ ◆ ◆



Mahogany

FCM909
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S20
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆ ◆ ◆



Mahogany

FCM125
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6117
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva® x



Mahogany

FCM506
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S506
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆



Mahogany

FCM914
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S17
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ ◆ ◆ ◆



Mahogany

FCM150
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6119
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™ ◆ ◆ ◆



Mahogany

FCM6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM132
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S10
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Blackstone® ◆ ◆ ◆



Oak

FC80943
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86243
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9343
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83143
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Crystalline™ ◆ ■



Oak

FC80941
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86241
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9341
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83141
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Sedona ◆ ■



Oak

FC80952
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86252
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9352
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas. ✕



Smooth

S83152
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80953
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86253
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9353
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth


S83153
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Maple Park. ◆ ■



Oak

FC80955
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86255
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Avonlea. ◆



Smooth

S9355
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83155
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80956
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86256
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9356
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83156
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options

Saratoga™ ◆ ◆ ◆



Oak

FC80954

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86254

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9354

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83154

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Wellesley™ ◆ ◆ ◆



Oak

FC80949

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86249

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9349

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva® x



Smooth

S83149

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC507

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC549

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S507

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S549

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Concorde™ ◆ ◆ ◆



Oak

FC80947

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86247

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Kensington™ ◆ ◆ ◆



Smooth

S9347

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83147

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80942

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86242

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9342

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83142

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite



Oak

FC6534
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6534
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images



Smooth

S81649
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80945
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86245
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9345
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass with Divided Lites



Oak

FC809203
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862203
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass



Smooth

S93203
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S831203
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80920
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86220
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9320
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83120
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- 6 WBDR / HVHZ Options

Internal Blinds



Clear Glass with Divided Lites



Clear Glass



*Available with flat lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609

Craftsman Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.

Optional Dentil Shelves**



4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

Fiber-Classic® & Smooth-Star®

Sedona ♦ ■



Smooth

S2650*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82650*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8604
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Maple Park ♦ ■



Smooth

S2630*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82630*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8609
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Saratoga ♦ ■



Smooth

S2660*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82660*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8602
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Riserva x



Smooth

S2670*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82670*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM508
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth


S508
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8508
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)
- 📖 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- ⌋ Flat Lite Frame
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Pembridge™




Axis™



EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Privacy & Textured Glass with Divided Lites



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Available with flat lite frame only.

Note: See page 293 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Privacy & Textured Glass

					
Mahogany	Smooth	Mahogany	Smooth	Mahogany	Smooth
FCM607_	S607_	S8607_	FCM608_	S608_	S8608_
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"

	
Mahogany	Smooth
FCM4810_	S4810_
2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"

Privacy & Textured Glass

		
Smooth	Mahogany	Smooth
S2610_*	S82610_*	FCM601_
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"

		
Smooth	Mahogany	Smooth
S601_	S8600_	FCM4812
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites

				
Smooth	Mahogany	Smooth	Mahogany	Smooth
S4813	FCM4814	S4814	S84814	FCM4816
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"

			
Mahogany	Smooth	Mahogany	Smooth
S4812	S84812	FCM4813	S4816
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)

-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Flat Lite Frame

-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites

						
Mahogany	Smooth	Mahogany	Smooth	Mahogany	Smooth	Mahogany
FCM605	S605	S8605	FCM606	S606	S8606	FCM607
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"

EnLiten™ Flush-Glazed Clear Glass

		
Smooth	Mahogany	Smooth
S608	FCM4810	S4810
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"
S8608	S84810	S84810
2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"
2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"

Clear Glass

		
Smooth	Mahogany	Smooth
S2610*	FCM601	S601
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"
S82610*	S8601	S8601
2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"
2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"



*Available with flat lite frame only.

Note: See page 293 for important product details that may help with your purchase decision.


Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL
Top Right: Smooth-Star, Wellesley Glass, Door – S721

Minimal Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Maple Park ♦ ♦



Mahogany

FCM736	FCM8736
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC736	FC8736
2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"



Smooth

S736	S8736
E 2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"

Saratoga ♦ ♦



Mahogany

FCM707	FCM8707
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC707	FC8707
2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"

Wellesley ♦ ♦ ♦



Smooth

S707	S8707
E 2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"



Mahogany

FCM721	FCM8721
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC721	FC8721
2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"



Smooth

S721	S8721
E 2'8" x 6'8" ‡	2'8" x 8'0"
2'10" x 6'8" ‡	2'10" x 8'0"
3'0" x 6'8" ‡	3'0" x 8'0"

Key

- ⬇ Flush-Glazed Glass with Square Sticking (FG)
- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)

- ⬆ Brushed Nickel Caming (1C)
- ♦ Brass Caming (1A)
- 🚪 Simulated Divided Lites (SDL)
- ⬆ Flat Lite Frame

- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- E** Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Concorde™



Mahogany

FCM735 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8735 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC735 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC8735 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S735 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S8735 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Pembridge™



Mahogany

FCM745 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8745 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC745 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC8745 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass with Divided Lites



Smooth

S745 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S8745 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM752 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FCM8752 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC752 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC8752 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S752 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S8752 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM704 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FCM8704 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



Oak

FC704 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC8704 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S704 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S8704 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM708 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FCM8708 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC708 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC8708 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S708 2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S8708 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Crystalline™ ◆ ◆ ◆



Oak

FC21
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6123
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆



Oak

FC917
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S454
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



Oak

FC23
◆ ◆ ◆ ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S255
◆ ◆ ◆ ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Oak

FC803
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S256
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



Smooth

S236
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S237
◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

(Scalloped Lite Frame)

Pembridge™ ◆ ◆ ◆



Mahogany

FCM6570
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6570
E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8"

FC86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6570
E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8"

S86570
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Axis™ ◆



Mahogany

FCM1645
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81645
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1645
E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

FC81645
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1645
E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S81645
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (A)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)

E Elevated 10" Bottom Rail Options

‡ 7'0" Height Available

Privacy & Textured Glass



Mahogany

FCM61
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61

E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FC861
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S296

E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

S896
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



Mahogany

FCM61
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61

E
2'6" x 6'8" ±
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

FC861

E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S296

E
2'6" x 6'8"
2'8" x 6'8" ±
2'10" x 6'8" ±
3'0" x 6'8" ±

S896

E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" ±

S8140STC

E
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"



Smooth

S141STC

E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" ±



Smooth

S6063STC

E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" ±

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Note: See page 293 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress


Right Page: Smooth-Star Door – S1100, Sidelites – S2000SL, Finish – Granite


Solid Panel



Sidelite Configurations


For sidelites and transoms, see pages 191–211.



						
Mahogany	Oak	Oak	Smooth	Mahogany	Smooth	Smooth
FCM31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC809 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S93 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM220 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S220 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8200 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						S1100 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
						S81100 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						
Smooth	Smooth	Mahogany	Smooth	Mahogany	Mahogany	Oak
S120 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8120 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S200 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S897 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8201 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						FCM755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
						FC755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options




Sidelites


Clear Glass




Blackstone



Crystalline



Sedona



Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- └─┘ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ± 7'0" Height Available
- E Elevated 10" Bottom Rail Options

Sedona ♦ ♦ Continued



Smooth

S139SL

12" x 6'8"
14" x 6'8"

Smooth

S604SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

Salinas. ✕



Mahogany

FCM814SL

10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Mahogany

FCM81919SL

12" x 8'0"
14" x 8'0"

FCM873SL

12" x 8'0"
14" x 8'0"

Oak

FC113SL

10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

81919PSL

12" x 8'0"
14" x 8'0"

Oak

FC814SL

12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

81919SL

12" x 8'0"
14" x 8'0"

Smooth

S6008SL

12" x 6'8"
14" x 6'8"

Smooth

S85893SL

12" x 8'0"
14" x 8'0"

S6134SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

S85931SL

12" x 8'0"
14" x 8'0"

Maple Park. ♦ ♦



Mahogany

FCM812SL

10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Oak

FCM900SL

10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

FC812SL

12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

Smooth

S6100SL

12" x 6'8"
14" x 6'8"

Smooth

S6131SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

Avonlea. ♦



Mahogany

FCM807SL

10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Oak

FC758SL

10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak

FC807SL

12" x 6'8" ‡
14" x 6'8" ‡

Smooth

S962SL

12" x 6'8"
14" x 6'8"

Smooth

S6127SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

Saratoga. ♦ ♦



Mahogany

FCM815SL

10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Mahogany

FCM81986SL

12" x 8'0"
14" x 8'0"

FCM893SL


12" x 8'0"
14" x 8'0"

Texas Star ♦♦

			
Oak	Oak	Smooth	Smooth
FC905SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81986PSL 6 12" x 8'0" 14" x 8'0"	FC815SL 6 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	81986SL 6 12" x 8'0" 14" x 8'0"
		S154SL 6 12" x 6'8" 14" x 6'8"	S8602SL 6 12" x 8'0" 14" x 8'0"
		S602SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	S85932SL 6 12" x 8'0" 14" x 8'0"

		
Mahogany	Oak	Oak
FCM817SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	FC142SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC817SL 6 12" x 6'8" Δ‡ 14" x 6'8" Δ‡

Wellesley ♦♦♦

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S6070SL 6 12" x 6'8" 14" x 6'8"	S6135SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	FCM818SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	FCM81921SL 6 12" x 8'0" 14" x 8'0"	FCM874SL 6 12" x 8'0" 14" x 8'0"	FC104SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"
				81921PSL 6 12" x 8'0" 14" x 8'0"	FC818SL 6 12" x 6'8" Δ‡ 14" x 6'8" Δ‡
					81921SL 6 12" x 8'0" 14" x 8'0"


Riserva x

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S155SL 6 12" x 6'8" 14" x 6'8"	S85896SL 6 12" x 8'0" 14" x 8'0"	S5870SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	S85934SL 6 12" x 8'0" 14" x 8'0"	FCM572SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	FCM8572SL 6 12" x 8'0" 14" x 8'0"
				FCM8573SL 6 12" x 8'0" 14" x 8'0"	FC573SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"
					FC8573SL 6 12" x 8'0" 14" x 8'0"
					FC572SL 6 12" x 6'8" Δ‡ 14" x 6'8" Δ‡
					FC8572SL 6 12" x 8'0" 14" x 8'0"


Key

- | | | |
|------------------------------|--|-------------------------|
| ■ No Stile Lines | ✕ Wrought Iron (1W) | 6 WBDR Options |
| ◆ Black Nickel Caming (1D) | ⌒ Flat Lite Frame | 6 WBDR / HVHZ Options |
| ■ Brushed Nickel Caming (1C) | ● Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14") | Δ 6'6" Height Available |
| ◆ Brass Caming (1A) | | ‡ 7'0" Height Available |


Riserva® X Continued




Concorde™



Kensington™



Pembridge™



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric


XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.



Note: See page 293 for important product details that may help with your purchase decision.



Frosted Images®



EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Key

- No Stile Lines
- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- ♦ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (A)
- ✂ Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ▬ Flat Lite Frame
- 🟢 Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ⚠ 7'0" Height Available

Privacy & Textured Glass with Divided Lites

							
Mahogany	Oak	Oak	Smooth	Smooth	Mahogany	Oak	Oak
FCM12102_SL 12" x 6'8" Δ† 14" x 6'8" Δ†	FC18_SL 12" x 6'8" Δ† 14" x 6'8" Δ†	12102_SL 12" x 6'8" Δ† 14" x 6'8" Δ†	S308_SL 12" x 6'8" Δ† 14" x 6'8" Δ†	S1170_SL 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FCM6124_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FC06188_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FC06184_SL* 12" x 6'8" Δ† 14" x 6'8" Δ†
							
Smooth	Smooth	Mahogany	Oak	Oak	Smooth	Smooth	Mahogany
S605_SL* 12" x 6'8" Δ† 14" x 6'8" Δ†	S6124_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FCM6125_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FC06189_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FC06185_SL* 12" x 6'8" Δ† 14" x 6'8" Δ†	S606_SL* 12" x 6'8" Δ† 14" x 6'8" Δ†	S6125_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FCM6126_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†

EnLiten™ Flush-Glazed Privacy & Textured Glass

						
Oak	Oak	Smooth	Smooth	Mahogany	Oak	Smooth
FC06190_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	FC06186_SL* 12" x 6'8" Δ† 14" x 6'8" Δ†	S607_SL* 12" x 6'8" Δ† 14" x 6'8" Δ†	S6126_SL* 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†	NEW FCM2000_SL 12" x 6'8" Δ† 14" x 6'8" Δ†	2000_SL 12" x 6'8" Δ† 14" x 6'8" Δ†	S2000_SL 10" x 6'8" Δ† 12" x 6'8" Δ† 14" x 6'8" Δ†
						S8000_SL 12" x 8'0" Δ† 14" x 8'0" Δ†

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.




Privacy & Textured Glass

					
Mahogany	Mahogany	Oak	Oak	Smooth	Smooth
FCM870_SL 6 12"x 8'0" 14"x 8'0"	FCM12101_SL 6 10"x 6'8" 12"x 6'8" Δ‡ 14"x 6'8" Δ‡	FCM81200_SL 6 12"x 8'0" 14"x 8'0"	FC47_SL 6 10"x 6'8" 12"x 6'8" 14"x 6'8"	81200P_SL 6 12"x 8'0" 14"x 8'0"	12101_SL 6 12"x 6'8" Δ‡ 14"x 6'8" Δ‡
					81200_SL 6 12"x 8'0" 14"x 8'0"
				S100_SL 6 12"x 6'8" 14"x 6'8"	S8601_SL 6 12"x 8'0" 14"x 8'0"
					S601_SL 6 10"x 6'8" 12"x 6'8" Δ‡ 14"x 6'8" Δ‡
					S81086_SL 6 12"x 8'0" 14"x 8'0"

Internal Blinds

					
Mahogany	Mahogany	Oak	Oak	Smooth	Smooth
FCM8115SL 6 12"x 8'0" 14"x 8'0"	FCM1286SL 6 10"x 6'8" 12"x 6'8" Δ‡ 14"x 6'8" Δ‡	FCM81225SL 6 12"x 8'0" 14"x 8'0"	FC141SL 6 10"x 6'8" 12"x 6'8" 14"x 6'8"	81225PSL 6 12"x 8'0" 14"x 8'0"	1286SL 6 12"x 6'8" Δ‡ 14"x 6'8" Δ‡
					81225SL 6 12"x 8'0" 14"x 8'0"
				S130SL 6 12"x 6'8" 14"x 6'8"	S829SL 6 12"x 8'0" 14"x 8'0"
					S6128SL 6 10"x 6'8" 12"x 6'8" Δ‡ 14"x 6'8" Δ‡
					S85928SL 6 12"x 8'0" 14"x 8'0"



EnLiten™ Flush-Glazed Clear Glass with Divided Lites

							
Mahogany	Oak	Smooth	Mahogany	Oak	Smooth	Mahogany	Oak
FCM1205SL 6 12"x 6'8" 14"x 6'8"	FC1205SL 6 12"x 6'8" 14"x 6'8"	S1205SL 6 10"x 6'8" Δ 12"x 6'8" Δ 14"x 6'8" Δ	FCM1206SL 6 12"x 6'8" 14"x 6'8"	FC1206SL 6 12"x 6'8" 14"x 6'8"	S1206SL 6 10"x 6'8" Δ 12"x 6'8" Δ 14"x 6'8" Δ	FCM1204SL 6 12"x 6'8" 14"x 6'8"	FC1204SL 6 12"x 6'8" 14"x 6'8"


EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- | | | | |
|--|--|--|---|
|  No Stile Lines |  Flat or Contour White Grilles Between Glass (GBGF / GBGC) |  NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC) |  WBDR Options |
|  Flush-Glazed Glass with Detailed Sticking (FG) |  Flat or Contour Almond Grilles Between Glass (GBGF / GBGC) |  Flat Lite Frame |  WBDR / HVHZ Options |
|  Low-E Glass (LE) |  Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC) |  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14") |  6'6" Height Available |
|  Simulated Divided Lites (SDL) | | |  7'0" Height Available |



Clear Glass with Divided Lites



										
Smooth S1202SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Mahogany FCM1200SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Oak FC1208SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	Oak FC1200SL 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Smooth S1208SL 12" x 6'8" 14" x 6'8"	Smooth S1200SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Mahogany FCM12102SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Oak FC18SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	Oak 12102SL 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡		
										
Smooth S308SL 12" x 6'8" 14" x 6'8"	Smooth S1170SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Mahogany FCM81208PSL 12" x 8'0" 14" x 8'0"	Mahogany FCM81208SL 12" x 8'0" 14" x 8'0"	Oak 81208PSL 12" x 8'0" 14" x 8'0"	Oak 81208SL 12" x 8'0" 14" x 8'0"	Smooth S808SL 12" x 8'0" 14" x 8'0"	Smooth S81186SL 12" x 8'0" 14" x 8'0"	Mahogany FCM6124SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡		
										
Oak FC06188SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	Oak FC06184SL 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S605SL 12" x 6'8" 14" x 6'8"	S8605SL 12" x 8'0" 14" x 8'0"	S6124SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85924SL 12" x 8'0" 14" x 8'0"	Mahogany FCM6125SL 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Oak FC06189SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	Oak FC06185SL 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	Smooth S606SL 12" x 6'8" 14" x 6'8"	S8606SL 12" x 8'0" 14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.***Key**


-  No Stile Lines
-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)


-  Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
-  NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

-  Removable Wood Grilles (RG)
-  Fixed Grilles (FXG)
-  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")


-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available



EnLiten™ Flush-Glazed Clear Glass



Clear Glass



Blackstone ♦ ♦



Mahogany

FCM765SL
6
12" x 6'8"
14" x 6'8"

FCM882SL
6
12" x 8'0"
14" x 8'0"



Oak

FC765SL
6
12" x 6'8"
14" x 6'8"

81952PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S975SL
6
12" x 6'8"
14" x 6'8"

S894SL
6
12" x 8'0"
14" x 8'0"

Crystalline™ ♦ ♦



Mahogany

FCM38SL
6
12" x 6'8"
14" x 6'8"

FCM8105SL
6
12" x 8'0"
14" x 8'0"



Oak

FC38SL
6
12" x 6'8"
14" x 6'8"

81953PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S758SL
6
12" x 6'8"
14" x 6'8"

S888SL
6
12" x 8'0"
14" x 8'0"

Sedona ♦ ♦



Mahogany

FCM131SL
12" x 6'8"
14" x 6'8"

FCM883SL
12" x 8'0"
14" x 8'0"



Oak

FC131SL
12" x 6'8"
14" x 6'8"

81954PSL
12" x 8'0"
14" x 8'0"



Smooth

S91SL
12" x 6'8"
14" x 6'8"

S887SL
12" x 8'0"
14" x 8'0"

Salinas ✕



Mahogany

FCM115SL
6
12" x 6'8"
14" x 6'8"

FCM884SL
6
12" x 8'0"
14" x 8'0"



Oak

FC115SL
6
12" x 6'8"
14" x 6'8"

81955PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6009SL
6
12" x 6'8"
14" x 6'8"

S895SL
6
12" x 8'0"
14" x 8'0"

Maple Park ♦ ♦



Mahogany

FCM902SL
6
12" x 6'8"
14" x 6'8"

FCM887SL
6
12" x 8'0"
14" x 8'0"



Oak

FC902SL
6
12" x 6'8"
14" x 6'8"

81957PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6102SL
6
12" x 6'8"
14" x 6'8"

S85898SL
6
12" x 8'0"
14" x 8'0"

Avonlea ♦



Mahogany

FCM764SL
6
12" x 6'8"
14" x 6'8"

FCM8104SL
6
12" x 8'0"
14" x 8'0"



Oak

FC764SL
6
12" x 6'8"
14" x 6'8"

81967PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S976SL
6
12" x 6'8"
14" x 6'8"

S85900SL
6
12" x 8'0"
14" x 8'0"

Key

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

▤ Brushed Nickel Caming (1C)

✕ Wrought Iron (1W)

🖼 Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

◆ NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

⬆ Flat Lite Frame

🟢 Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

6 WBDROptions

6 WBDROptions

⬆ 6'6" Height Available

⬆ 7'0" Height Available

Saratoga™ ◆ ◆ ◆



Mahogany

FCM907SL
6
12" x 6'8"
14" x 6'8"



FCM889SL
6
12" x 8'0"
14" x 8'0"



Oak

FC907SL
6
12" x 6'8"
14" x 6'8"

81956PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6092SL
6
12" x 6'8"
14" x 6'8"

S891SL
6
12" x 8'0"
14" x 8'0"

Texas Star ◆ ◆ ◆



Mahogany

FCM143SL
6
12" x 6'8"
14" x 6'8"

FCM8103SL
6
12" x 8'0"
14" x 8'0"



Oak

FC143SL
6
12" x 6'8"
14" x 6'8"

81958PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6071SL
6
12" x 6'8"
14" x 6'8"

85901SL
6
12" x 8'0"
14" x 8'0"

Wellesley™ ◆ ◆ ◆



Mahogany

FCM147SL
6
12" x 6'8"
14" x 6'8"

FCM885SL
6
12" x 8'0"
14" x 8'0"



Oak

FC147SL
6
12" x 6'8"
14" x 6'8"

81959PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6091SL
6
12" x 6'8"
14" x 6'8"

S892SL
6
12" x 8'0"
14" x 8'0"

Riserva® x



Mahogany

FCM545SL
6
12" x 6'8"
14" x 6'8"

FCM8545SL
6
12" x 8'0"
14" x 8'0"



Oak

FC545SL
6
12" x 6'8"
14" x 6'8"

FC8545SL
6
12" x 8'0"
14" x 8'0"



Smooth

S545SL
6
12" x 6'8"
14" x 6'8"

S8545SL
6
12" x 8'0"
14" x 8'0"

Concorde™ ◆ ◆ ◆



Mahogany

FCM912SL
6
12" x 6'8"
14" x 6'8"

FCM892SL
6
12" x 8'0"
14" x 8'0"



Oak

FC912SL
6
12" x 6'8"
14" x 6'8"

81960PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S757SL
6
12" x 6'8"
14" x 6'8"

S85902SL
6
12" x 8'0"
14" x 8'0"

Kensington™ ◆ ◆ ◆



Mahogany

FCM1442SL
6
12" x 6'8"
14" x 6'8"

FCM8107SL
6
12" x 8'0"
14" x 8'0"



Oak

FC1442SL
6
12" x 6'8"
14" x 6'8"

81961PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S1442SL
6
12" x 6'8"
14" x 6'8"

S902SL
6
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite



Mahogany

FCM6580SL
12" x 6'8"
14" x 6'8"

FCM86580SL
12" x 8'0"
14" x 8'0"



Oak

FC6580SL
12" x 6'8"
14" x 6'8"

FC86580SL
12" x 8'0"
14" x 8'0"



Smooth

S6580SL
12" x 6'8"
14" x 6'8"

S86580SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM1646SL
12" x 6'8"
14" x 6'8"

FCM81646SL
12" x 8'0"
14" x 8'0"



Oak

FC1646SL
12" x 6'8"
14" x 6'8"

FC81646SL
12" x 8'0"
14" x 8'0"



Smooth

S1646SL
12" x 6'8"
14" x 6'8"

S81646SL
12" x 8'0"
14" x 8'0"

Frosted Images®



Mahogany

FCM8109SL
12" x 8'0"
14" x 8'0"



Oak

81963PSL
12" x 8'0"
14" x 8'0"



Smooth

S884SL
12" x 8'0"
14" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Smooth

S2103_SL
12" x 6'8"
14" x 6'8"



Smooth

S2104_SL
12" x 6'8"
14" x 6'8"



Smooth

S2250_SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM92_SL
12" x 6'8"
14" x 6'8"



Oak

FC92_SL
12" x 6'8"
14" x 6'8"



Smooth

S82_SL
12" x 6'8"
14" x 6'8"



Mahogany

FCM8101_SL
12" x 8'0"
14" x 8'0"



Oak

81946P_SL
12" x 8'0"
14" x 8'0"



Smooth

S881_SL
12" x 8'0"
14" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass



Smooth

S2200_SL
12" x 6'8"
14" x 6'8"

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- Brass Caming (A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- WBDR Options


Privacy & Textured Glass



Internal Blinds



EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Clear Glass with Divided Lites



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Mahogany	Oak	Smooth	Mahogany	Oak	Smooth	Mahogany	Oak
FCM8101SL ☀️ ⬆️ ⬆️ ⬆️ 6 12" x 8'0" 14" x 8'0"	81946PSL ☀️ ⬆️ ⬆️ ⬆️ 6 12" x 8'0" 14" x 8'0"	S881SL ☀️ ⬆️ ⬆️ ⬆️ 6 12" x 8'0" 14" x 8'0"	FCM81900SL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"	81900PSL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"	S8207SL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"	FCM81947SL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"	81947PSL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"

						
Smooth	Mahogany	Oak	Smooth	Mahogany	Oak	Smooth
S8202SL ☀️ 🚪 12" x 8'0" 14" x 8'0"	FCM81949SL ☀️ 🚪 12" x 8'0" 14" x 8'0"	81949PSL ☀️ 🚪 12" x 8'0" 14" x 8'0"	S8204SL ☀️ 🚪 12" x 8'0" 14" x 8'0"	FCM1400SL ☀️ 🚪 🚪 12" x 6'8" 14" x 6'8"	FCM81944SL ☀️ 🚪 🚪 12" x 8'0" 14" x 8'0"	FC1400SL ☀️ 🚪 🚪 12" x 6'8" 14" x 6'8"

EnLiten™ Flush-Glazed Clear Glass

Smooth
S90SL ☀️ 12" x 6'8" 14" x 6'8"

Clear Glass

					
Mahogany		Oak		Smooth	
FCM32SL	FCM881SL	FC32SL	81943PSL	S751SL	S880SL
 6	 6	 6	 6	 6	 6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Key

- ☀️ Flush-Glazed Glass with Detailed Sticking (FG)
- ☀️ Low-E Glass (LE)
- ☀️ Simulated Divided Lites (SDL)

- ☀️ Simulated Divided Lites (SDLF1)
- ⬆️ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ⬆️ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- ⬆️ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ⬆️ NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ➡️ Removable Wood Grilles (RG)

- ⬆️ Fixed Grilles (FXG)
- 6 WBDR Options

Blackstone® ◆ ◆



Mahogany

FCM109SL
6
12" x 6'8"
14" x 6'8"



FCM863SL
6
12" x 8'0"
14" x 8'0"



Oak

FC109SL
6
12" x 6'8"
14" x 6'8"



81933PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6000SL
6
12" x 6'8"
14" x 6'8"



S85912SL
6
12" x 8'0"
14" x 8'0"

Crystalline™ ◆ ◆



Mahogany

FCM45SL
6
12" x 6'8"
14" x 6'8"



FCM898SL
6
12" x 8'0"
14" x 8'0"



Oak

FC43SL
6
12" x 6'8"
14" x 6'8"



81935PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S930SL
6
12" x 6'8"
14" x 6'8"



S85914SL
6
12" x 8'0"
14" x 8'0"

Sedona ◆ ◆



Mahogany

FCM101SL
12" x 6'8"
14" x 6'8"



FCM864SL
12" x 8'0"
14" x 8'0"



Oak

FC101SL
12" x 6'8"
14" x 6'8"



81936PSL
12" x 8'0"
14" x 8'0"



Smooth

S294SL
12" x 6'8"
14" x 6'8"



S85915SL
12" x 8'0"
14" x 8'0"

Salinas® x



Mahogany

FCM114SL
6
12" x 6'8"
14" x 6'8"



FCM865SL
6
12" x 8'0"
14" x 8'0"



Oak

FC114SL
6
12" x 6'8"
14" x 6'8"



81937PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6006SL
6
12" x 6'8"
14" x 6'8"



S85916SL
6
12" x 8'0"
14" x 8'0"

Maple Park® ◆ ◆



Mahogany

FCM901SL
6
12" x 6'8"
14" x 6'8"



FCM886SL
6
12" x 8'0"
14" x 8'0"



Oak

FC901SL
6
12" x 6'8"
14" x 6'8"



81939PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6101SL
6
12" x 6'8"
14" x 6'8"



S85918SL
6
12" x 8'0"
14" x 8'0"

Avonlea® ◆



Mahogany

FCM761SL
6
12" x 6'8"
14" x 6'8"



FCM896SL
6
12" x 8'0"
14" x 8'0"



Oak

FC761SL
6
12" x 6'8"
14" x 6'8"



81932PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S964SL
6
12" x 6'8"
14" x 6'8"



S85911SL
6
12" x 8'0"
14" x 8'0"

Saratoga™ ◆ ◆

					
Mahogany		Oak		Smooth	
FCM906SL	FCM888SL	FC906SL	81938PSL	S291SL	S85917SL
6	6	6	6	6	6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Texas Star ◆ ◆

		
Mahogany	Oak	Smooth
FCM899SL	81940PSL	85919SL
6	6	6
12" x 8'0"	12" x 8'0"	12" x 8'0"
14" x 8'0"	14" x 8'0"	14" x 8'0"

Wellesley™ ◆ ◆ ◆

					
Mahogany		Oak		Smooth	
FCM105SL	FCM866SL	FC105SL	81941PSL	S292SL	S85922SL
6	6	6	6	6	6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Riserva® x

					
Mahogany		Oak		Smooth	
FCM583SL	FCM8583SL	FC583SL	FC8583SL	S583SL	S8583SL
6	6	6	6	6	6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Concorde™ ◆ ◆ ◆

					
Mahogany		Oak		Smooth	
FCM911SL	FCM891SL	FC911SL	81942PSL	S430SL	S85920SL
6	6	6	6	6	6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Kensington™ ◆ ◆

					
Mahogany		Oak		Smooth	
FCM149SL	FCM867SL	FC149SL	FC8867SL	S161SL	S867SL
6	6	6	6	6	6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- ◆ Wrought Iron (1W)
- ◆ Brushed Nickel Caming (1C)
- 6 WBDR Options
- ◆ Brass Caming (A)

Pembridge™



Mahogany

FCM6565SL
6
12" x 6'8"
14" x 6'8"



Oak

FCM86560SL
6
12" x 8'0"
14" x 8'0"



Oak

FC6565SL
6
12" x 6'8"
14" x 6'8"



Smooth

FC86560SL
6
12" x 8'0"
14" x 8'0"



Smooth

S6565SL
6
12" x 6'8"
14" x 6'8"



Smooth

S86560SL
6
12" x 8'0"
14" x 8'0"

Axis™



Mahogany

FCM1656SL
6
12" x 6'8"
14" x 6'8"



Oak

FCM81654SL
6
12" x 8'0"
14" x 8'0"



Smooth

FC1656SL
6
12" x 6'8"
14" x 6'8"



Smooth

S1656SL
6
12" x 8'0"
14" x 8'0"

S81654SL
6
12" x 8'0"
14" x 8'0"

Frosted Images®



Mahogany

FCM66SL
6
12" x 6'8"
14" x 6'8"



Oak

FC44SL
6
12" x 6'8"
14" x 6'8"



Smooth

S289ESL
6
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM65_SL
6
12" x 6'8"
14" x 6'8"



Oak

FC63_SL
6
12" x 6'8"
14" x 6'8"



Smooth

S263_SL
6
12" x 6'8"
14" x 6'8"



Mahogany

FCM3487_SL
6
12" x 8'0"
14" x 8'0"



Oak

FC3487_SL
6
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass



Smooth

S3487_SL
6
12" x 8'0"
14" x 8'0"



Mahogany

FCM62_SL
6
12" x 6'8"
14" x 6'8"

FCM862_SL
6
12" x 8'0"
14" x 8'0"



Oak

FC48_SL
6
12" x 6'8"
14" x 6'8"

81929P_SL
6
12" x 8'0"
14" x 8'0"



Smooth

S210_SL
6
12" x 6'8"
14" x 6'8"

S85910_SL
6
12" x 8'0"
14" x 8'0"

Internal Blinds



Mahogany

FCM678SL
6
12" x 6'8"
14" x 6'8"

FCM8678SL
6
12" x 8'0"
14" x 8'0"



Oak

FC678SL
6
12" x 6'8"
14" x 6'8"

FC8678SL
6
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord


XJ = Chinchilla
XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



Clear Glass



EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)

- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- Removable Wood Grilles (RG)

- Fixed Grilles (FXG)
- WBDR Options

EnLiten™ Flush-Glazed Privacy & Textured Glass



Smooth

S4810_SL	S84810_SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Smooth

S4812SL	S84812SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

EnLiten™ Flush-Glazed Clear Glass



Smooth

S4810SL	S84810SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Sedona Glass with Flat Lite Frame, Door – S2650, Sidelites – S139SL; Clear Glass, Transom – 19220T, Surround – TDS-CRSFLT



Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone ♦ ♦



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline™ ♦ ♦



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona ♦ ♦



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park♦ ♦



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea ♦



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™ ♦ ♦



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley ♦ ♦ ♦



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva ✕



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™ ♦ ♦ ♦



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™ ♦ ♦



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembroke™ ♦ ♦ ♦ ♦



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)

- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Simulated Divided Lites (SDLF1)

Profiles™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE



Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 238–243.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



■ = Available
• = Not Applicable
P = Paint

Profiles™

Traditions

Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

Glass Options

Decorative	15	15
Privacy & Textured	7	7
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Additional Options

Finish	P	P
--------	---	---

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 258–265.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Black Nickel



Brushed Nickel

Blackstone™

Glass Privacy Rating: **7**



Black Nickel



Brushed Nickel

Crystalline™

Glass Privacy Rating: **7**




Black Nickel



Brushed Nickel

Sedona

Glass Privacy Rating: **7**



Wrought Iron

Salinas

Glass Privacy Rating: **10**




Black Nickel



Brushed Nickel

Maple Park

Glass Privacy Rating: **6**



Black Nickel

Avonlea

Glass Privacy Rating: **4**



Black Nickel



Brushed Nickel

Saratoga

Glass Privacy Rating: **7**



Black Nickel




Brushed Nickel

Texas Star

Glass Privacy Rating: **5**



Black Nickel



Brushed Nickel



Brass

Wellesley™

Glass Privacy Rating: **6**




Wrought Iron

Riserva

Glass Privacy Rating: **10**



Black Nickel



Brushed Nickel



Brass

Concorde™

Glass Privacy Rating: **8**



Black Nickel



Brushed Nickel

Kensington™

Glass Privacy Rating: **8**



Black Nickel




Brushed Nickel



Brass

Pembroke

Glass Privacy Rating: **7**



Black Nickel

Axis

Glass Privacy Rating: **7**



Frosted Images

Glass Privacy Rating: **8**

Also Available:

Internal Blinds
Screen Vented

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear


Opaque

Privacy & Textured Glass



NEW

Reeded (XK)
Glass Privacy Rating: **7**



Geometric (XG)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

Blackstone®



310

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Crystalline™



916

2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Sedona



139

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡


Salinas®



369

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Maple Park®



1006

2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Avonlea®



1027

2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Saratoga™



610

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Texas Star



1029

2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Wellesley™



620

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Riserva®



571

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Concorde™



1028

2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Kensington™



626

2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Pembridge™



6500HD

2'4" x 6'8" Δ†
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Axis.



1651HD

2'4" x 6'8" Δ†
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✦ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- ⊗ WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass



128
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



108
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



118
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Internal Blinds



130
2'4" x 6'8" Δ
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Clear Glass with Divided Lites



1201
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



1202
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



1203
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



128
2'6" x 6'8" Δ†
2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



1200
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



108
2'6" x 6'8" Δ†
2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡



198
2'6" x 6'8" Δ†
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

Clear Glass



118
2'0" x 6'8" Δ†
2'4" x 6'8" Δ†
2'6" x 6'8" Δ†
2'8" x 6'8" ‡
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†
3'6" x 6'8" ‡

3/4 Lites

Blackstone.™



1037HD
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†

Crystalline.™



1042HD
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†

Sedona



965HD
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†

Salinas.™



968HD
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†

Maple Park.™



1009HD
2'8" x 6'8" Δ†
2'10" x 6'8" Δ†
3'0" x 6'8" Δ†

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
XG = Geometric


XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 293 for important product details that may help with your purchase decision.

Avonlea®



1038HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Saratoga™



1039HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Texas Star



1040HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Wellesley™



1041HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Riserva®



544HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Concorde™



967HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Kensington™



03142HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Pembridge™



6582HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Axis®



1644HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass



961HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



959HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Internal Blinds



5425
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



2109HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



2110HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



2111HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




961HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1403HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



959HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Wrought Iron (1W)

Simulated Divided Lites (SDL)

Flat or Contour, White Grilles Between Glass (GBGF / GBGC)

Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)

Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)

NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Fixed Grilles (FXG)

WBDR / HVHZ Options

6'6" Height Available

7'0" Height Available

PVC Doorlite Frame*

Oval Lites

Blackstone™



1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea™



1047HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™



1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™



6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images™



1021HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Clear Glass



1020HD
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites


Blackstone™



309HD
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1001HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Crystalline™



926HD
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




991HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1119HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona™




211HD
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Salinas X



996HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




1114HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



374HD
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




1002HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1115HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park ♦ ♦



1007HD
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




1011HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Avonlea ♦




1116HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1031HD
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1034HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1107HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga ♦ ♦



613HD
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




988HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1112HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Texas Star ♦ ♦



1032HD
6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




1035HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1111HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Wellesley ♦ ♦ ♦



623HD
6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



989HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1120HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- ♦ Black Nickel Caming (1D)
- ♦ ♦ Brushed Nickel Caming (1C)
- ♦ ♦ ♦ Brass Caming (1A)

- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- ‡ 7'0" Height Available

Riserva X



582HD
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




576HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



578HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


Concorde



426HD
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



999HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1118HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


Kensington



627HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



631HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1113HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


Pembridge



6560HD
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



6565HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6568HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Axis



1660HD
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Frosted Images



1657HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1659HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



206EHD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



985HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1110HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



262HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



982HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 293 for important product details that may help with your purchase decision.

Privacy & Textured Glass



1123HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




206HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



980HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




1101HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



104
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Internal Blinds




132HD
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡




984HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Screen Vented Lites*



1121HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




131
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



243HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1004HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1102HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




137
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Clear Glass with Divided Lites



6023HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1122HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




262HD
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



982HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1123HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



115HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1408HD
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡


Clear Glass with Divided Lites *Continues on next page.*

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✂ Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available

Clear Glass with Divided Lites *Continued*

1405HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



206HD
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



980HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



105
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Twin 1/2 Lites

Blackstone®



311HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Crystalline™



930HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Sedona



294HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Salinas®



371HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Maple Park®



1008HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Avonlea®



1044HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Saratoga™



615HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Wellesley™



625HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Riserva®



588HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Concorde™



430HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

Kensington™



628HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Pembridge™



6572HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Axis®



1662HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Frosted Images®



289EHD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Privacy & Textured Glass



263HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



289HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Clear Glass with Divided Lites



263HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1411HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Clear Glass



289HD
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Craftsman Lites

Sedona



604HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Maple Park®



609HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Saratoga™



602HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Riserva®



508HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Pembridge™



6520HD
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 7'0" Height Available

Axis.

1650HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites

605HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass

601 __HD*

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites

605HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass

601HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Minimal Lites

Maple Park.

736HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Saratoga™

707HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Wellesley™

721HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Concorde™

735HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Pembridge™

745HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 293 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



752HD
 ✨ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



704HD
 ✨ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Clear Glass



708HD
 ✨
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Crystalline™



1055HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Concorde™



454HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Clear Glass with Divided Lites



255HD
 ✨ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Clear Glass



256HD
 ✨
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Clear Glass with Divided Lites



236HD
 ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



237HD
 ✨ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 (Scalloped Lite Frame)

Pembridge™



6570HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Axis®



1643HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Privacy & Textured Glass



296HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Clear Glass



296HD
 ✨
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Key

- ✨ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- WBDR / HVHZ Options
- Simulated Divided Lites (SDL)
- Fixed Grilles (FXG)
- ‡ 7'0" Height Available

Solid Panels



969HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



978HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1005HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



205HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



203HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



210HD
6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



100
6E
2'0" x 6'8"
2'4" x 6'8" ‡
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡

Sidelites

Blackstone™



310SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Crystalline™



916SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Sedona



139SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Salinas



369SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Maple Park™



1006SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Avonlea



1027SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Saratoga™



610SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Texas Star



1029SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Wellesley™



620SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Riserva



TS572SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Concorde™



416SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Kensington™



626SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Pembridge™



6500SL
6
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Axis



1651SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

Frosted Images



138SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

Privacy & Textured Glass



100__SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

Internal Blinds



130SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

Clear Glass with Divided Lites



1201SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1202SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1200SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



632SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6184SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6185SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6186SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



198SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

Clear Glass



100SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

Blackstone



1037SLHD
 12" x 6'8"
 14" x 6'8"

Crystalline



956SLHD
 12" x 6'8"
 14" x 6'8"

Sedona



965SLHD
 12" x 6'8"
 14" x 6'8"

Salinas



971SLHD
 12" x 6'8"
 14" x 6'8"

Maple Park



1009SLHD
 12" x 6'8"
 14" x 6'8"

Avonlea



1038SLHD
 12" x 6'8"
 14" x 6'8"

Saratoga



1039SLHD
 12" x 6'8"
 14" x 6'8"

Texas Star



1040SLHD
 12" x 6'8"
 14" x 6'8"

Wellesley



1041SLHD
 12" x 6'8"
 14" x 6'8"

Riserva



546SLHD
 12" x 6'8"
 14" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available
- 7'0" Height Available

Concorde™



967SLHD
12" x 6'8"
14" x 6'8"

Kensington™



966SLHD
12" x 6'8"
14" x 6'8"

Pembridge™



6580SLHD
12" x 6'8"
14" x 6'8"

Axis®



1644SLHD
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass



6720HD_SL
12" x 6'8"
14" x 6'8"



959HD_SL
12" x 6'8"
14" x 6'8"

Internal Blinds



5425SL
12" x 6'8"
14" x 6'8"

Clear Glass with Divided Lites



1089SLHD
12" x 6'8"
14" x 6'8"



4572SLHD
12" x 6'8"
14" x 6'8"



6720SLHD
12" x 6'8"
14" x 6'8"



1400SLHD
12" x 6'8"
14" x 6'8"

Clear Glass



959SLHD
12" x 6'8"
14" x 6'8"

Blackstone®



311SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Crystalline™



930SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Sedona



294SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Salinas®



371SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Maple Park®



1007SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Avonlea®



1031SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Saratoga™



615SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Wellesley™



625SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Riserva®



584SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Concorde™



430SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Kensington™



628SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Pembridge™



6565SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Frosted Images®



289ESLHD
12" x 6'8" ‡
14" x 6'8" ‡

Axis®



1657SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Privacy & Textured Glass



263SLHD
12" x 6'8" ‡
14" x 6'8" ‡



210SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Internal Blinds



132SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Clear Glass with Divided Lites



263SLHD
12" x 6'8" ‡
14" x 6'8" ‡



1405SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Clear Glass



210SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Pembridge™



6570SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Axis®



1643SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Privacy & Textured Glass



296SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Clear Glass



296SLHD
12" x 6'8" ‡
14" x 6'8" ‡

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 7'0" Height Available

Full Lites

Privacy & Textured Glass with Divided Lites



TS128
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

TS108
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

Privacy & Textured Glass



TS118
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

818
2'6" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Internal Blinds



TS130
2'4" x 6'8" ▲
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

829
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass with Divided Lites



TS1201
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

TS1202
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"



TS1203
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"



TS128
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"



TS1200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"



TS108
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"



828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



808
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS198
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

Clear Glass



TS118
2'0" x 6'8" ▲
2'4" x 6'8" ▲
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8" ▲
3'0" x 6'8"

818
2'0" x 8'0" ▲
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Features a gliding operation and sash locking system.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL

Privacy & Textured

Glass with Divided Lites



TS262
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8321
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass



TS206
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8206
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS104
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Internal Blinds



TS132
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8132
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS131
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Screen Vented Lites*



TS243
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS137
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



8322
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

8323
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

8324
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS262
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8321
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Clear Glass



TS1408
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8145
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS115
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS206
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8206
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

TS104
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

TS105
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available
- PVC Doorlite Frame**

Twin 1/2 Lites

Privacy & Textured Glass with Divided Lites



TS263
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass



TS289
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



TS263
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1411
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



TS289
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Minimal Lites

Clear Glass with Divided Lites



TS752
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



8752
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Clear Glass



TS708
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



8708
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Clear Glass



TS255
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

Clear Glass with Divided Lites



TS236

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8317

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

TS237

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

(Scalloped Lite Frame)

Privacy & Textured Glass



TS296

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Clear Glass



TS296

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Solid Panels



TS214

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




TS210

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

810

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS100

2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

800

2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour, White Grilles
Between Glass (GBGF / GBGC)

Flat or Contour, Almond Grilles
Between Glass (GBGF / GBGC)

Flat or Contour, Bronze Grilles
Between Glass (GBGF / GBGC)

NEW Flat or Contour, Black Grilles
Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Fixed Grilles (FXG)

WBDR / HVHZ Options

Elevated 10" Bottom
Rail Options

6'6" Height Available

Sidelites

Privacy & Textured Glass with Divided Lites



6184_SL*
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



6185_SL*
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



6186_SL*
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



632_SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Privacy & Textured Glass



100_SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



818_SL
12" x 8'0"
14" x 8'0"

Internal Blinds



130SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



829SL
12" x 8'0"
14" x 8'0"

Clear Glass with Divided Lites



1201SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



1202SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



1200SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



632SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



828SL
12" x 8'0"
14" x 8'0"



6184SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



86184SL
12" x 8'0"
14" x 8'0"



6185SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



86185SL
12" x 8'0"
14" x 8'0"



6186SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



86186SL
12" x 8'0"
14" x 8'0"



198SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡

Clear Glass



100SL
10" x 6'8"
12" x 6'8" ‡
14" x 6'8" ‡



818SL
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass



TS263_SL
12" x 6'8"
14" x 6'8"



TS210_SL
12" x 6'8"
14" x 6'8"

Internal Blinds



TS132SL
12" x 6'8"
14" x 6'8"

Clear Glass with Divided Lites



TS210SL
12" x 6'8"
14" x 6'8"



TS1405SL
12" x 6'8"
14" x 6'8"

Clear Glass



TS210SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass



TS296_SL
12" x 6'8"
14" x 6'8"

Clear Glass



TS296SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 293 for important product details that may help with your purchase decision.

Transoms

Blackstone ♦ ♦



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline ♦ ♦



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona ♦ ♦



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park ♦ ♦



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea ♦



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga ♦ ♦



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley ♦ ♦ ♦



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva ✕



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde ♦ ♦ ♦



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington ♦ ♦



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge ♦ ♦ ♦



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ▤ Brushed Nickel Caming (1C)
- ♦ Brass Caming (1A)

- ✕ Wrought Iron (1W)
- ▤ Simulated Divided Lites (SDL)
- ♦ Flat or Contour, White Grilles Between Glass (GBGF / GBGC)

- ♦ Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)

- ♦ NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ♦ Fixed Grilles (FXG)

- ⚙ WBDR / HVHZ Options
- ⚖ 7'0" Height Available
- ▤ PVC Doorlite Frame**

Fire Doors

Fiber-Classic®, Smooth-Star® & Steel




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles. A selection of 90-minute Fire-rated steel doors is also available, starting on page 242.

- Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance.

Top: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 242.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru® Adjusta-Fit® 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

Additional Options

- Therma-Tru® composite door frame also 20-minute Fire-rated, starting on page 272.

20-Minute Fire-Rated Wood Edge – Fiberglass



Mahogany

FMF31

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FCF31

2'8" x 6'8"
3'0" x 6'8"



Oak

FCF809

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF93

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FMF220

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF220

2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

SSF8220

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF1100

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF81100

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF120

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8120

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF200

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8200

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FMF205

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF205

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8205

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FMF755

2'10" x 6'8"
3'0" x 6'8"



Oak

FCF755

2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF755
2'10" x 6'8"
3'0" x 6'8"



Oak

FCF862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

SSF31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF831
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FCF808
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

SSF960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth

SSF4800
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF84800
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Smooth-Star Door – SSF120, Door Surround – TDS-FLTFLT



Key

- No Stile Lines
- 9 WBDR Options

- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail Options

20-Minute Fire-Rated Wood Edge – Steel

Profiles™



969HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



205HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD

 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



100

 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8"

Traditions




TS214

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS210

 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS100

 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" Δ
 3'0" x 6'8"

90-Minute Fire-Rated Steel Edge

- Tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit.
- Constructed with 24-gauge steel edges.
- Suitable for a minimum 4" wall depth or greater.
- Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.



SE969HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SE978HD

 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE1005HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




SE514

 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE210HD

 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE100

 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡

Key

- No Stile Lines
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Note: See page 293 for important product details that may help with your purchase decision.
 Right Page: Profiles Door – 203HD



PULSE

Modern design. Upbeat living.



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Ari, Reeded Glass with Flat Frame, Door – FC83XK, Finish – Acorn


It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.




The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Ari


Línea

Echo

Sidelites

2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass:
Mahogany or Oak
(Shown in Driftwood stain.)

Smooth
Fiberglass

Steel

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.

NEW



Reeded

Geometric

Satin Etch

Chord

Chinchilla


Rainglass

Granite

Low-E Also Available.

Decorative Glass

Available for Línea.



1

2

3

4

5


6

7

8

9

Available for Ari.



3

6

7

8

9

Available for Echo.




8

9


- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Avonlea®
- 6 Saratoga™
- 7 Riserva®
- 8 Pembridge™
- 9 Axis®

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame



Scrolled Profile Lite Frame

Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	


• Available in full-lite sidelites only.

◦ Available in Línea and Echo only.




Ari

Note: Product images show exterior side of door.




Línea


Note: Product images show exterior side of door.



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass



Steel




It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 293 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com



Línea *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = **NEW** Reeded
 XG = Geometric


XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDP / HVHZ Options




Echo


Note: Product images show exterior side of door.



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass





Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = **NEW** Reeded
XG = Geometric


XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options




S4LAX

S84LAX




S4AX

S84AX




S4RAX

S84RAX




S5LAX

S85LAX



S5AX

S85AX



S5RAX

S85RAX



S86LAX



S86AX



S86RAX



S9LAX

◆ E



S9AX

◆ E



S9RAX

◆ E



S8LAX

◆ E



S8AX

◆ E




S8RAX


◆ E



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



S811LAX
◆ E



S811AX
◆ E



S811RAX
◆ E




S810LAX
◆ E




S810AX
◆ E




S810RAX
◆ E




S4L_ S4LCL ✨ | S84L_ S84LCL ✨




S4_ S4CL ✨ | S84_ S84CL ✨




S4R_ S4RCL ✨ | S84R_ S84RCL ✨



S5L_ S5LCL ✨ | S85L_ S85LCL ✨



S5_ S5CL ✨ | S85_ S85CL ✨



S5R_ S5RCL ✨ | S85R_ S85RCL ✨



S86L_ S86LCL ✨



S86_ S86CL ✨



S86R_ S86RCL ✨

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = **NEW** Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Key

- ✨ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



S9L
S9LCL
E



S9
S9CL
E



S9R
S9RCL
E



S8L
S8LCL
E



S8
S8CL
E



S8R
S8RCL
E



S811L
S811LCL
E



S811
S811CL
E



S811R
S811RCL
E



S810L
S810LCL
E





S810
S810CL
E




S810R
S810RCL
E



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth
Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 293 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Sidelites

Note: Product images show exterior side of door.

Pulse®



Sidelites Continue on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = **NEW** Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord


XJ = Chinchilla
 XR = Rainglass

XN = Granite

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- Vented Sidelite (No Impact)
(6'8" only in 12" & 14")
(8'0" only in 14")
- ⚙ WBDR / HVHZ Options
- ⬆ Elevated 10" Bottom Rail Options

Pulse®



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

- XK = **NEW** Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Key


- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'8" only in 12" & 14")
(8'0" only in 14")



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 293 for important product details that may help with your purchase decision.
Right Page, Top: Pulse Línea, Rainglass with Flat Lite frame, Door – S1RXR
Right Page, Bottom: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL



Hinged Patio Doors



Simply beautiful,
any way you see it.


Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600
Bottom: Smooth-Star, Clear Glass, Doors – S118


Door Selections



Classic Craft.
Fir Grain




Classic Craft.
Mahogany Grain




Classic Craft.
Oak Grain



Classic Craft.
Canvas



Fiber-Classic.
Mahogany
Collection™



Fiber-Classic.
Oak Collection™



Smooth-Star.




Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Glass Selections



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see pages 130–131.



Simulated
Divided
Lites



Grilles
Between
Glass



Removable
Wood
Grilles



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 27 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft.	Fiber-Classic.	Smooth-Star.	Profiles.	Traditions
Door Selections					
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	1x Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections					
Internal Blinds		■	■		
Low-E Glass with and without Divided Lites	■	■	■		
Clear Glass with and without Divided Lites		■	■		
Privacy & Textured Glass with and without Divided Lites	■	■	■		
Lip-Lite Glass Selections					
Internal Blinds		■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■	■
Clear Glass with and without Divided Lites		■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■	■
Available Sizes					
Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings		5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options					
Vented Sidelites (Single / Double Widths)		6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options		■	■	■	■
Tru-Defense Eligible	■	■	■		

Hinged Patio Door Systems

Note: Product images show interior side of door.




- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)


EnLiten™ Flush-Glazed Internal Blinds




Available Collections

- Smooth-Star®

Available Door Styles



Available Configurations



Internal Blinds




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear

Glass with Divided Lites

Colonial Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



Prairie Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Collections

- Classic Craft® Fir Grain
- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections

- Classic Craft® Oak Grain
- Classic Craft® Canvas
- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites *Continued*


Prairie Style




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Low-E / Clear Glass




Available Collections

- Classic Craft® Mahogany Grain
- Classic Craft® Oak Grain
- Classic Craft® Canvas
- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Note: See page 293 for important product details that may help with your purchase decision.

Right Page Top: Smooth-Star, Internal Blinds, Doors – S130

Right Page Bottom: Smooth-Star, Low-E Glass, Doors – S2000



Finishing Options



Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors, composite door frames and door surrounds.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10YEAR
LIMITED
WARRANTY



Durable
Topcoat



Professional
Application



Tested to meet tough expectations.


PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors, composite door frames and door surrounds.

- ❶ It starts with the realistic wood grains and deep embossments of a Therma-Tru® door, composite door frame or door surround.
- ❷ A base coat provides an even, consistent color across the surface.
- ❸ A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- ❹ A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- ❺ A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.




Wildflower Honey



Rustic Clay



Barley




New Earth



Autumn Harvest



Redwood



Mulberry



Acorn



Driftwood



Raven



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2300SL, Finish – Alpine

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors, composite door frames and door surrounds, and tailor the look of the entry to make a beautiful lasting impression.

- ❶ It starts with the smooth or wood-grained surface of a Therma-Tru® door, composite door frame or door surround.
- ❷ A base coat provides an even, consistent color across the surface.
- ❸ A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- ❹ A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Alpine



Cypress



Granite




Ruby Red




Cabernet



Indigo



Chestnut



Onyx



Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors, composite door frames and door surrounds.

Shown on Classic Craft®
Fir Grain.



Light Oak

Natural Oak

Walnut

English Walnut

Mahogany

Cherry

Cedar

All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Watch easy-to-follow instructions at samedaystain.com.




5 YEAR
LIMITED
WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, go to samedaystain.com or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components



Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology

TRU-GUARD™
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.




1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill

*See your Therma-Tru seller for details on product availability.


Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures




Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.




White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.



NEW Storm Door-Ready Mullion & Adaptor

Innovative design helps reduce time, labor and inventory complexity while simplifying the storm door installation process.

- Storm door-ready mullion is available for common depths of 4-9/16" and 6-9/16".
- A storm door-ready mullion adaptor is also available for unique depths up to 7-9/16".

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components	 Frame + Door + Components	Lifetime 1x Transferable Full-System Rider Frame + Door + Components
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components	 Frame + Door + Components	10-Year Transferable Full-System Rider Frame + Door + Components
Composite Door Frame Only	 Frame Only	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Mullions



2" Entry Narrow
2-1/2" Entry Wide



2" Patio Narrow
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



NEW SIZE
3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

NEW Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap




1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

NEW Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Pre-Inserted Weatherstrip Option



Select white smooth composite jambs and mullions, pre-machined for hinges and locks, are available with a convenient pre-inserted weatherstrip option for a quicker install. Look for the () icon.

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.*



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.*



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.*

Protection From the Elements



Resists Moisture & Humidity

Composite door frames feature completely composite exteriors that resist humidity and moisture to help eliminate the risk of swelling and cracking.



Resists Mold & Rot

A composite door frame does not absorb or retain moisture helping to eliminate the risk of mold and rot.



Resists Insects

With no exposed wood, Therma-Tru® composite door frames help protect from wood-ingesting insects.


*To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)


- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Basic Fixed Sill (Economy)

- Slanted cap and nosing mates with the single-bulb bottom sweep.

Inswing Sill Extenders



Outswing Options



Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break


- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Outswing Sill Extender



Finishes:
Lightwood (Premium)
Darkwood (Premium)

Sizes:
3/4"
2"

Shown in 2".

Public Access Sill



Public Access Sill with Thermal Break** (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

 Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.


***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision.

Sill Finishes



Mill




Bronze

Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available
• = Not Applicable

	Inswing Options				Outswing Options				Public Access (Inswing / Outswing)	Public Access (ADA)**
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal		
Sill Finishes										
Mill	■	■	■	■	■	■	■	■		■
Bronze	■	■	■	■	■	■	■	•		■
Cap Colors										
Lightwood	■	•	■	•	■	•	•	•		•
Darkwood	■	•	■	■	■	•	•	•		•
Hardwood	•	■	•	•	•	•	•	•		•
Sill Configurations										
Single	■	■	■	■	■	■	■	■		■
French	■	■	•	■	■	■	■	■		■
Double Patio	■	■	•	•	■	•	•	•		•
Triple Patio	■	•	•	•	■	•	•	•		•
Lineal	■	■	•	•	•	•	•	•		•
Sidelite Configurations										
Boxed Sidelites	■	•	•	•	•	•	•	•		•
Single with Sidelites	■	■	•	•	■	•	•	•		•
French with Sidelites	■	•	•	•	•	•	•	•		•
Single Vented Sidelites	■	•	•	•	•	•	•	•		•
French Vented Sidelites	■	•	•	•	•	•	•	•		•
Depths										
4-9/16"	■	•	■	■	■	•	■	■		■
5-3/4"	■	■	■	■	■	■	•	•		•
6-9/16"	•	•	•	•	•	•	•	•		■
7-3/4"	■	■	■	■	•	■	•	•		•
Substrates										
Composite Extruded	■	•	•	•	■	•	•	•		•
Composite Injection Molded	■	•	■	•	•	•	•	•		•
Treated Pine	•	■	•	■	•	■	■	■		•
Other Options										
Integrated Thermal Break	■	■	■	■	■	■	•	•		■
Screen Rail Available	■	■	•	•	■	•	•	•		•
Sill Extenders Available	■	■	■	•	■	•	•	•		•
Sill Covers Available	■	■	■	■	■	•	•	•		•
Tru-Defense Eligible***	■	•	•	•	■	•	•	•		•
With Anchor Holes	•	•	•	•	•	■	■	•		■
Without Anchor Holes	■	■	■	■	■	■	•	■		•

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options




Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze




Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 277 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Fiber-Classic / Smooth-Star 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Rain Deflector

Bottom Sweep

Bottom of door;
exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door;
exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)



Tongue
Heights: 6'8"
 7'0"
 8'0"
Configurations: Inswing
 Outswing

- ❶ Self-lubricating locks.
- ❷ 1" premium stainless steel deadbolt.
- ❸ Integrated mishandling device.

Key

Tru-Defense Eligible

Side view of door.



Exterior view of door.



Side view of door.

Engages at three critical points.

Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights: 6'6" 6'8" 7'0" 8'0"
Configurations: Inswing Outswing



Shootbolt

(For door systems with an astragal.)
Heights: 6'6" 6'8" 7'0" 8'0"
Configurations: Inswing Outswing



Vented Sidelite MPLS




Tongue



(Included in vented sidelite units.)
Heights: 6'6" 6'8" 8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



Finish Options




Heirloom

Venture

Millennium

Backplates:
Wide
Narrow
Locking:
Active
Inactive

Finish Options



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil Rubbed Bronze
Stainless Steel
Zinc Dichomate

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry. Our adjustable security strike plates are tested to withstand up to three times the force of standard strike plates.*

- ① Wraps around the door jamb for added support and an exact fit.
- ② 2-1/2" screws fully engage with the frame of the house for added strength.

*ASTM-F476. As tested by an independent laboratory. Not available on certain configurations.
**To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Key

Tru-Defense Eligible

Hinges

Adjustable Hinge

(Recommended for Classic-Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Classic-Craft® Ball-Bearing

(Recommended for Classic-Craft premium entryways.)


Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Classic-Craft® Ball-Bearing – Staggered Hole Pattern


(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.**



Hinge Finish Options



Bright Brass

Brushed Nickel

Black Nickel

Polished Chrome

Oil-Rubbed Bronze

Stainless Steel

Zinc Dichromate

Hinge Finish Options	■ = Available • = Not Applicable								
	Adjustable	Classic Craft® Ball-Bearing	Classic Craft® Ball-Bearing – Staggered Hole Pattern	Classic Craft® Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	•	•	•	•
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	•	■	•	■
Polished Chrome	■	■	■	■	■	•	■	•	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	•	■
Stainless Steel	•	■	■	■	■	•	■	■	■
Zinc Dichromate	•	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Stainable Astragal

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Mahogany
Fir

Weatherstrip:
Bronze

Shown in
Oak grain with
Redwood stain.

Aluminum Astragal

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze

Coastal option
also available.

Textures Available

Stainable (Shown in Rustic Clay stain.)

Aluminum



Oak Grain



Mahogany Grain



Fir Grain



Bronze



White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028

Key

Tru-Defense Eligible

Door Surrounds

Add a beautiful, finished look to the entry with stylish, low-maintenance door surrounds from Therma-Tru. Discover a hand-selected assortment designed to complement the architectural details of virtually any home style. Create a cohesive look in the entry with authentic details for enhanced curb appeal.




Durable style built to last.

- Features a low-maintenance, durable and trimmable polyurethane construction that resists moisture and insects, and won't rot, warp, crack or split like wood. And, it won't expand or contract in extreme temperatures.



- Available in smooth, paintable styles, as well as wood-grained options that can be painted or stained to complement the entry.
- Designed as part of Therma-Tru's complete fiberglass door system and backed by the industry's most comprehensive lifetime limited warranty.



Door Surrounds Style Options

Traditional Crosshead



**Traditional Header with End Cap
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDPLN-5S6H	5"	6"
B	TDS-TRDPLN-7S9H	7"	9"



**Traditional Header with End Cap & Keystone
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDPLN-K-5S6H	5"	6"
B	TDS-TRDPLN-K-7S9H	7"	9"



**Traditional Header with End Cap
Fluted Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLU-5S6H	5"	6"
B	TDS-TRDFLU-7S9H	7"	9"



**Traditional Header with End Cap & Keystone
Fluted Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLU-K-5S6H	5"	6"
B	TDS-TRDFLU-K-7S9H	7"	9"



**Traditional Header with End Cap
Smooth Flat Trim Side**


	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLT-K-6S6H	6"	6"
B	TDS-TRDFLT-K-6S9H	6"	9"



**Traditional Header with End Cap & Keystone
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLT-K-6S6H	6"	6"
B	TDS-TRDFLT-K-6S9H	6"	9"

Available Sizes & Configurations



6'8" Configurations - Use 90" Sides

90" Side Length	Single Units 3'0" x 6'8" and Smaller	
	55" Header Length	
	Widths	Heights
	3'0" & Smaller	6'8"
		6'6"
	Multiple Units & 3'6" Singles - 6'8" and smaller	
	90" Header Length	
	Widths	Heights
	3'6" Single	6'8"
	6'0" Double & Smaller	6'6"
Single-1 Sidelite (all STD Size options)*		
Single-2 Sidelite (all STD Size options)*		



8'0" Configurations - Use 108" Sides

108" Side Length	Single Units 3'0" x 8'0" and Smaller	
	55" Header Length	
	Widths	Heights
	3'0" & Smaller	8'0"
		7'0"
		6'8" w/ 13-½" Transom
	Multiple Units & 3'6" Singles - 8'0" and smaller	
	90" Header Length	
	Widths	Heights
	3'6" Single	8'0"
	7'0"	
	6'8" w/ 13-½" Transom	
	Single-1 Sidelite (all STD Size options)*	
	Single-2 Sidelite (all STD Size options)*	

Craftsman Cove Crosshead



**Craftsman Cove Header with End Cap
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CCCPLN-5S9H	5"	9"



**Craftsman Cove Header
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRCPLN-5S9H	5"	9"



**Craftsman Cove Header with End Cap
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CCCFLT-4S9H	4"	9"
B	TDS-CCCFLT-6S9H	6"	9"

Craftsman Cove Crosshead



**Craftsman Cove Header
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRCFLT-4S9H	4"	9"
B	TDS-CRCFLT-6S9H	6"	9"


Craftsman Step Crosshead



**Craftsman Step Header
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRSFLT-4S6H	4"	6"
B	TDS-CRSFLT-4S8H	4"	8"
C	TDS-CRSFLT-6S6H	6"	6"
D	TDS-CRSFLT-6S8H	6"	8"

Smooth & Woodgrain Flat Trim



**Smooth (TDS) / Woodgrain (TDG) Flat Trim Header
Smooth / Woodgrain Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	____-FLTFLT-4S4H	4"	4"
B	____-FLTFLT-4S6H	4"	6"
C	____-FLTFLT-6S4H	6"	4"
D	____-FLTFLT-6S6H	6"	6"




*Door surrounds will support sidelite spread mull units up to 3" per mull (3'0 door / 14" sidelite maximum).

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, dimensional data or additional configurations. Dimensions listed are nominal and not actual.

Bottom Right: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL, Door Surround – TDS-CRSFLT

Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote
GBG Color Options


Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

Classic Craft®

8'0" Door Styles


Glass Designs

Homeward™	■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	
Arborwatch®	■		■			■	■
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Geometric							■
Rainglass							■
Low-E	◆		■			◆	■

Key

- Classic Craft® Artissa Collection™
- ◆ Classic Craft® Founders Collection™
- ▲ Classic Craft® Visionary Collection™
- * Smooth-Star®
- ▮ Profiles™ & Traditions
- Steel Edge

6'8" & 8'0" Solid-Panel Door Styles

																	
◆	◆	◆	◆	◆	◆	◆	■	■	◆	◆	◆	◆	◆	▲	▲		

Smooth-Star®, Profiles™, Traditions & Pulse®

6'8" & 8'0" Door Styles

All Pulse Styles

Glass Designs

																
Blackstone®	* ▮	*			* ▮	*										
Crystalline™	* ▮	*			* ▮	*										
Sedona	* ▮		* ▮	*	* ▮	*										
Salinas®	* ▮	*			* ▮	*										
Maple Park®	* ▮															
Avonlea®	* ▮				* ▮											
Saratoga™	* ▮		* ▮	*	* ▮	*										
Texas Star	▮															
Wellesley™	* ▮	*														
Riserva®	* ▮	*	* ▮	*	* ▮	*										
Concorde™	* ▮	*														
Kensington™	* ▮															
Pembridge™	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*				
Axis®	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*				
Privacy & Textured Glass	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*				
Internal Blinds	* ▮	*														
Divided Lites	* ▮	*														
Clear	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*				
Solid Panel													* ▮ ▮	*		

7'0" Height Door Style Options

Door Styles												
Glass Designs												
Blackstone [®]	▼▲*	▲*	*		▶							
Crystalline [™]	▼▲*	▲*	*		▶			▶				
Sedona	▼▲*	▲*	*		▶							
Salinas [®]	▼▲*	▲*	*		▶							
Maple Park [®]	▼▲*	▲*	*		▶		▲*					
Avonlea [®]	▼▲*	▲*	*		▶							
Saratoga [™]	▼▲*	▲*	*		▶		▲*					
Texas Star	▼▲*	▲*	*		▶							
Wellesley [™]	▼▲*	▲*	*		▶		▲*					
Riserva [®]	▼▲*	▲*	*		▶							
Concorde [™]	▼▲*	▲*	*		▶		▲*	▶				
Kensington [™]	▼▲*	▲*	*		▶							
Pembridge [™]	▼▲*	▲*	*		▶		▶		▲*			
Axis [®]	▼▲*	▲*	*		▶				▲*			
Frosted Images [®]		▲*	*		▶							
Privacy & Textured Glass	▼▲*	▲*	*	▼▲*	▶				▲*			
Internal Blinds	▼▲*	▲*	*	▼▲*								
Screen Vented		*▶	*	*▶								
Divided Lites	▼▲*	▲*	*		▶	*▶	▲*	▶		▶	▶	
Clear	▼▲*	▲*	*	▼▲*	▶	*▶	▲*	▶	▲*			
Solid Panel												

6'6" Height Door Style Options

Door Styles					
Glass Designs					
Blackstone [®]	▲*			▲*	
Crystalline [™]	▲*			▲*	
Sedona	▲*			▲*	
Salinas [®]	▲*			▲*	
Maple Park [®]	▲*			▲*	
Avonlea [®]	▲*			▲*	
Saratoga [™]	▲*			▲*	
Texas Star	▲*			▲*	
Wellesley [™]	▲*			▲*	
Riserva [®]	▲*			▲*	
Concorde [™]	▲*			▲*	
Kensington [™]	▲*			▲*	
Pembridge [™]	▲*			▲*	
Axis [®]	▲*			▲*	
Frosted Images [®]				▲*	
Privacy & Textured Glass	▲*	▶		▲*	
Internal Blinds	▲*	▶		▲*	
Screen Vented		▶			
Divided Lites	▲*		▶	▲*	
Clear	▲*	▶	▶	▲*	
Solid Panel					*▶

Key

- ▲ Classic Craft[®] Visionary Collection[™]
- ▼ Fiber-Classic[®] Mahogany Collection[™]
- ▲ Fiber-Classic[®] Oak Collection[™]
- * Smooth-Star[®]
- ▶ Profiles[™] & Traditions
- Steel Edge

	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶					
	▼▲*	▶	▶				
	▼▲*	▶	▶				
	▼▲*	▶	▶				
	▼▲*	▶	▶				
	▼▲*	▶					
	▼▲*	▶	▶				
	▼▲*	▶					
	▼▲*	▶	▶				
				*		▲*	▲▲*



Top: Smooth-Star Door – SSF220
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, Oak Grain; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

*Standard product recommendations shown; additional options may be available.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing

condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft.

19020T.....	117	CC8000XNSL.....	112	CCA2300XG.....	102	CCA2340XNSL.....	111	CCA3500XGSL.....	112	CCA8220XN.....	59
19200T.....	117	CC8000XRSL.....	112	CCA2300XGSL.....	111	CCA2340XR.....	102	CCA3500XJSL.....	112	CCA8220XR.....	59
19210T.....	117	CC8006SL.....	110	CCA2300XJ.....	102	CCA2340XRSL.....	111	CCA3500XNSL.....	112	CCA8221.....	57
19220T.....	117	CC8007SL.....	110	CCA2300XJSL.....	111	CCA2350.....	50	CCA3500XRSL.....	112	CCA8222.....	57
AB30T.....	116	CC8009SL.....	109	CCA2300XK.....	102	CCA2350XC.....	48	CCA3501SL.....	108	CCA8230.....	60
ABRT.....	116	CC8010BSL.....	109	CCA2300XKSL.....	111	CCA2350XCSL.....	111	CCA3502SL.....	108	CCA82300.....	103
BEET-B.....	116	CC8102SL.....	111	CCA2300XN.....	102	CCA2350XE.....	48	CCA3560SL.....	113	CCA82300SL.....	112
BERT-B.....	116	CC81418.....	52	CCA2300XNSL.....	111	CCA2350XESL.....	111	CCA4900.....	50	CCA82300XC.....	102
CC040T.....	116	CC81423SL.....	109	CCA2300XR.....	102	CCA2350XGSL.....	111	CCA4900XC.....	49	CCA82300XCSL.....	111
CC060T.....	116	CC831.....	93	CCA2300XRSL.....	111	CCA2350XJ.....	48	CCA4900XE.....	49	CCA82300XE.....	102
CC090T.....	116	CC860.....	94	CCA230XC.....	59	CCA2350XJSL.....	111	CCA4900XJ.....	49	CCA82300XESL.....	111
CC100.....	73	CC890.....	53	CCA230XJ.....	59	CCA2350XN.....	48	CCA4900XN.....	49	CCA82300XG.....	102
CC10022.....	73	CC892.....	53	CCA230XN.....	59	CCA2350XNSL.....	111	CCA4900XR.....	49	CCA82300XGSL.....	111
CC102.....	73	CC896.....	76	CCA230XR.....	59	CCA2350XR.....	48	CCA4905.....	62	CCA82300XJ.....	102
CC106.....	73	CC897.....	76	CCA231.....	57	CCA2350XRSL.....	111	CCA4910L.....	51	CCA82300XJSL.....	111
CC107.....	72	CC898.....	75	CCA2310.....	103	CCA2360.....	50	CCA4910LXC.....	49	CCA82300XK.....	102
CC109.....	72	CC899.....	74	CCA2310SL.....	112	CCA2360XC.....	48	CCA4910LXE.....	49	CCA82300XKSL.....	111
CC110B.....	88	CC89922.....	52	CCA2310XC.....	102	CCA2360XE.....	48	CCA4910LXJ.....	49	CCA82300XN.....	102
CC111B.....	72	CC89925SL.....	108	CCA2310XCSSL.....	111	CCA2360XJ.....	48	CCA4910LXN.....	49	CCA82300XNSL.....	111
CC113B.....	91	CC90.....	53	CCA2310XE.....	102	CCA2360XN.....	48	CCA4910LXR.....	49	CCA82300XR.....	102
CC114B.....	75	CC900T.....	116	CCA2310XESL.....	111	CCA2360XR.....	48	CCA4910R.....	51	CCA82300XRSL.....	111
CC1418.....	52	CC901B.....	75	CCA2310XG.....	102	CCA2370.....	50	CCA4910RXC.....	49	CCA8230XC.....	59
CC1423.....	48	CC91.....	63	CCA2310XGSL.....	111	CCA2370XC.....	48	CCA4910RXC.....	49	CCA8230XJ.....	59
CC1423SL.....	109	CC92.....	53	CCA2310XJ.....	102	CCA2370XE.....	48	CCA4910RXJ.....	49	CCA8230XN.....	59
CC1424.....	56	CC920T.....	116	CCA2310XJSL.....	111	CCA2370XJ.....	48	CCA4910RXN.....	49	CCA8230XR.....	59
CC2020SL.....	113	CC922.....	75	CCA2310XK.....	102	CCA2370XN.....	48	CCA4910RXX.....	49	CCA8231.....	57
CC2020XCSSL.....	112	CC96.....	76	CCA2310XKSL.....	111	CCA2370XR.....	48	CCA4915L.....	62	CCA82310.....	103
CC2020XESL.....	112	CC97.....	76	CCA2310XN.....	102	CCA2380.....	103	CCA4915R.....	62	CCA82310SL.....	112
CC2020XGSL.....	112	CC99.....	74	CCA2310XNSL.....	111	CCA2380XC.....	102	CCA4920L.....	51	CCA82310XC.....	102
CC2020XJSL.....	112	CC9922.....	52	CCA2310XR.....	102	CCA2380XE.....	102	CCA4920LXC.....	50	CCA82310XCSSL.....	111
CC2020XNSL.....	112	CC9925.....	48	CCA2310XRSL.....	111	CCA2380XG.....	102	CCA4920LXE.....	50	CCA82310XE.....	102
CC2020XRSL.....	112	CC9925SL.....	108	CCA232.....	57	CCA2380XJ.....	102	CCA4920LXJ.....	50	CCA82310XESL.....	111
CC2025SL.....	113	CC9926.....	56	CCA2320.....	103	CCA2380XK.....	102	CCA4920LXN.....	50	CCA82310XG.....	102
CC2025XCSSL.....	112	CCA1100.....	106	CCA2320SL.....	113	CCA2380XN.....	102	CCA4920LXR.....	50	CCA82310XGSL.....	111
CC2025XESL.....	112	CCA1125.....	62	CCA2320XC.....	102	CCA2380XR.....	102	CCA4920R.....	51	CCA82310XJ.....	102
CC2025XGSL.....	112	CCA1127.....	62	CCA2320XCSSL.....	111	CCA240.....	60	CCA4920RXC.....	50	CCA82310XJSL.....	111
CC2025XJSL.....	112	CCA1133.....	106	CCA2320XE.....	102	CCA2400.....	103	CCA4920RXE.....	50	CCA82310XK.....	102
CC2025XNSL.....	112	CCA1145.....	106	CCA2320XESL.....	111	CCA2400SL.....	113	CCA4920RXJ.....	50	CCA82310XKSL.....	111
CC2025XR SL.....	112	CCA1147.....	63	CCA2320XG.....	102	CCA2400XC.....	102	CCA4920RXN.....	50	CCA82310XN.....	102
CC2040SL.....	110	CCA1149.....	62	CCA2320XGSL.....	111	CCA2400XCSSL.....	112	CCA4920RXX.....	50	CCA82310XNSL.....	111
CC2044SL.....	110	CCA1150.....	106	CCA2320XJ.....	102	CCA2400XE.....	102	CCA4925L.....	62	CCA82310XR.....	102
CC2060SL.....	109	CCA1158.....	63	CCA2320XJSL.....	111	CCA2400XESL.....	112	CCA4925R.....	62	CCA82310XRSL.....	111
CC2080BSL.....	109	CCA1166.....	63	CCA2320XK.....	102	CCA2400XG.....	102	CCA4930.....	51	CCA8232.....	57
CC2120SL.....	115	CCA1423SL.....	109	CCA2320XKSL.....	111	CCA2400XGSL.....	112	CCA4930XC.....	50	CCA82320.....	103
CC2122SL.....	115	CCA210.....	61	CCA2320XN.....	102	CCA2400XJ.....	102	CCA4930XE.....	50	CCA82320SL.....	113
CC2140SL.....	115	CCA210SL.....	115	CCA2320XNSL.....	111	CCA2400XJSL.....	112	CCA4930XJ.....	50	CCA82320XC.....	102
CC2144SL.....	115	CCA210XC.....	59	CCA2320XR.....	102	CCA2400XK.....	102	CCA4930XN.....	50	CCA82320XCSSL.....	111
CC2160SL.....	115	CCA210XCSSL.....	115	CCA2320XRSL.....	111	CCA2400XKSL.....	112	CCA4930XR.....	50	CCA82320XE.....	102
CC2270SL.....	114	CCA210XJ.....	59	CCA2330.....	103	CCA2400XN.....	102	CCA4935.....	63	CCA82320XESL.....	111
CC2272SL.....	114	CCA210XJSL.....	115	CCA2330SL.....	113	CCA2400XNSL.....	112	CCA4940.....	51	CCA82320XG.....	102
CC2276SL.....	114	CCA210XN.....	59	CCA2330XC.....	102	CCA2400XR.....	102	CCA4940XC.....	50	CCA82320XGSL.....	111
CC2277SL.....	114	CCA210XNSL.....	115	CCA2330XCSSL.....	111	CCA2400XRSL.....	112	CCA4940XE.....	50	CCA82320XJ.....	102
CC2279SL.....	114	CCA210XR.....	59	CCA2330XE.....	102	CCA240XC.....	59	CCA4940XJ.....	50	CCA82320XJSL.....	111
CC3412SL.....	111	CCA210XRSL.....	115	CCA2330XESL.....	111	CCA240XJ.....	59	CCA4940XN.....	50	CCA82320XK.....	102
CC40.....	94	CCA211.....	57	CCA2330XG.....	102	CCA240XN.....	59	CCA4940XR.....	50	CCA82320XKSL.....	111
CC400T.....	116	CCA211SL.....	115	CCA2330XGSL.....	111	CCA240XR.....	59	CCA4945.....	63	CCA82320XN.....	102
CC420T.....	116	CCA212.....	57	CCA2330XJ.....	102	CCA2410SL.....	109	CCA81100.....	106	CCA82320XNSL.....	111
CC44.....	89	CCA212SL.....	115	CCA2330XJSL.....	111	CCA2420SL.....	108	CCA81125.....	62	CCA82320XR.....	102
CC45.....	88	CCA220.....	60	CCA2330XK.....	102	CCA2430SL.....	108	CCA81127.....	62	CCA82320XRSL.....	111
CC47.....	88	CCA220SL.....	115	CCA2330XKSL.....	111	CCA260.....	61	CCA81133.....	106	CCA82330.....	103
CC48.....	90	CCA220XC.....	59	CCA2330XN.....	102	CCA260XC.....	59	CCA81145.....	106	CCA82330SL.....	113
CC48XE.....	89	CCA220XCSSL.....	115	CCA2330XNSL.....	111	CCA260XJ.....	59	CCA81147.....	63	CCA82330XC.....	102
CC49.....	90	CCA220XJ.....	59	CCA2330XR.....	102	CCA260XN.....	59	CCA81149.....	62	CCA82330XCSSL.....	111
CC49XE.....	89	CCA220XJSL.....	115	CCA2330XRSL.....	111	CCA260XR.....	59	CCA81150.....	106	CCA82330XE.....	102
CC60.....	94	CCA220XN.....	59	CCA2340.....	103	CCA3400SL.....	113	CCA81158.....	63	CCA82330XESL.....	111
CC600T.....	116	CCA220XNSL.....	115	CCA2340SL.....	113	CCA3400XCSSL.....	112	CCA81166.....	63	CCA82330XG.....	102
CC612.....	89	CCA220XR.....	59	CCA2340XC.....	102	CCA3400XESL.....	112	CCA81423SL.....	109	CCA82330XGSL.....	111
CC620T.....	116	CCA220XRSL.....	115	CCA2340XCSSL.....	111	CCA3400XGSL.....	112	CCA8210.....	61	CCA82330XJ.....	102
CC70.....	91	CCA221.....	57	CCA2340XE.....	102	CCA3400XJSL.....	112	CCA8210XC.....	59	CCA82330XJSL.....	111
CC76.....	91	CCA222.....	57	CCA2340XESL.....	111	CCA3400XNSL.....	112	CCA8210XJ.....	59	CCA82330XK.....	102
CC77.....	91	CCA230.....	60	CCA2340XG.....	102	CCA3400XRSL.....	112	CCA8210XN.....	59	CCA82330XKSL.....	111
CC78.....	91	CCA2300.....	103	CCA2340XGSL.....	111	CCA3401SL.....	108	CCA8210XR.....	59	CCA82330XN.....	102
CC79.....	91	CCA2300SL.....	112	CCA2340XJ.....	102	CCA3402SL.....	108	CCA8211.....	57	CCA82330XNSL.....	111
CC8000SL.....	113	CCA2300XC.....	102	CCA2340XJSL.....	111	CCA3450SL.....	113	CCA8212.....	57	CCA82330XR.....	102
CC8000XCSSL.....	112	CCA2300XCSSL.....	111	CCA2340XK.....	102	CCA3500SL.....	113	CCA8220.....	60	CCA82330XRSL.....	111
CC8000XGSL.....	112	CCA2300XE.....	102	CCA2340XKSL.....	111	CCA3500XCSSL.....	112	CCA8220XC.....	59	CCA82340.....	103
CC8000XJSL.....	112	CCA2300XESL.....	111	CCA2340XN.....	102	CCA3500XESL.....	112	CCA8220XJ.....	59	CCA82340SL.....	113

CCA82340XC.....	102	CCA84900XJ.....	49	CCM1844.....	103	CCM3303SL.....	113	CCM8305CARXC.....	84	CCR30026.....	73
CCA82340XCSL.....	111	CCA84900XN.....	49	CCM200.....	76	CCM3309SL.....	113	CCM8305CARXJ.....	84	CCR30027.....	72
CCA82340XE.....	102	CCA84900XR.....	49	CCM200XC.....	76	CCM3310BSL.....	113	CCM8305CARXN.....	84	CCR30028.....	72
CCA82340XESL.....	111	CCA84905.....	62	CCM200XN.....	76	CCM3500SL.....	114	CCM8305CARXR.....	84	CCR30029.....	72
CCA82340XG.....	102	CCA84910L.....	51	CCM203.....	75	CCM3502SL.....	114	CCM8306CAL.....	87	CCR3400SL.....	113
CCA82340XGSL.....	111	CCA84910LXC.....	49	CCM204.....	75	CCM3503SL.....	114	CCM8306CALXC.....	84	CCR3400XCSL.....	112
CCA82340XJ.....	102	CCA84910LXE.....	49	CCM209.....	74	CCM3509SL.....	114	CCM8306CALXJ.....	84	CCR3400XESL.....	112
CCA82340XJSL.....	111	CCA84910LXJ.....	49	CCM210B.....	74	CCM3510BSL.....	114	CCM8306CALXN.....	84	CCR3400XGSL.....	112
CCA82340XK.....	102	CCA84910LXN.....	49	CCM210B.....	74	CCM60.....	94	CCM8306CALXR.....	84	CCR3400XHSL.....	110
CCA82340XKSL.....	111	CCA84910LXR.....	49	CCM300.....	76	CCM600.....	90	CCM8306CAR.....	87	CCR3400XJSL.....	112
CCA82340XN.....	102	CCA84910R.....	51	CCM300XC.....	76	CCM600XE.....	89	CCM8306CARXC.....	84	CCR3400XNSL.....	109
CCA82340XNSL.....	111	CCA84910RXC.....	49	CCM301CAL.....	86	CCM603.....	89	CCM8306CARXJ.....	84	CCR3400XNSL.....	112
CCA82340XR.....	102	CCA84910RXE.....	49	CCM301CALXC.....	84	CCM609.....	88	CCM8306CARXN.....	84	CCR3400XRSL.....	112
CCA82340XRSL.....	111	CCA84910RXJ.....	49	CCM301CALXJ.....	84	CCM610B.....	88	CCM8306CARXR.....	84	CCR3406SL.....	110
CCA82350.....	50	CCA84910RXN.....	49	CCM301CALXN.....	84	CCM612.....	89	CCM890.....	63	CCR3407SL.....	110
CCA82350XC.....	48	CCA84910RXR.....	49	CCM301CALXR.....	84	CCM700.....	91	CCM891.....	53	CCR3408SL.....	110
CCA82350XCSL.....	111	CCA84915L.....	62	CCM301CAR.....	86	CCM701.....	94	CCM892.....	75	CCR3409SL.....	109
CCA82350XE.....	48	CCA84915R.....	62	CCM301CARXC.....	84	CCM702.....	91	CCM894.....	74	CCR3410BSL.....	109
CCA82350XESL.....	111	CCA84920L.....	51	CCM301CARXJ.....	84	CCM703.....	91	CCM895B.....	74	CCR3412SL.....	111
CCA82350XJ.....	48	CCA84920LXC.....	50	CCM301CARXN.....	84	CCM709.....	91	CCM898.....	75	CCR8000SL.....	113
CCA82350XJSL.....	111	CCA84920LXE.....	50	CCM301CARXR.....	84	CCM710B.....	91	CCM89922.....	52	CCR8000XCSL.....	112
CCA82350XN.....	48	CCA84920LXJ.....	50	CCM302.....	76	CCM800.....	92	CCM9923.....	52	CCR8000XESL.....	112
CCA82350XNSL.....	111	CCA84920LXN.....	50	CCM302L.....	85	CCM801.....	94	CCM9926.....	56	CCR8000XGSL.....	112
CCA82350XR.....	48	CCA84920LXR.....	50	CCM302LXC.....	83	CCM803.....	92	CCR040.....	93	CCR8000XHSL.....	110
CCA82350XRSL.....	111	CCA84920R.....	51	CCM302LXJ.....	83	CCM805027.....	74	CCR04020.....	85	CCR8000XJSL.....	112
CCA82360.....	50	CCA84920RXC.....	50	CCM302LXN.....	83	CCM809.....	92	CCR04020XC.....	82	CCR8000XNSL.....	109
CCA82360XC.....	48	CCA84920RXE.....	50	CCM302LXR.....	83	CCM810B.....	92	CCR04020XN.....	82	CCR8000XNSL.....	112
CCA82360XE.....	48	CCA84920RXJ.....	50	CCM302R.....	85	CCM81418.....	52	CCR04022.....	81	CCR8000XRSL.....	112
CCA82360XJ.....	48	CCA84920RXN.....	50	CCM302RXC.....	83	CCM81519.....	75	CCR04023.....	80	CCR8005.....	93
CCA82360XN.....	48	CCA84920RXR.....	50	CCM302RXJ.....	83	CCM81843.....	103	CCR04027.....	77	CCR8005A.....	93
CCA82360XR.....	48	CCA84925L.....	63	CCM302RXN.....	83	CCM822.....	92	CCR04037.....	77	CCR8006SL.....	110
CCA82370.....	50	CCA84925R.....	63	CCM302RXR.....	83	CCM8301CAL.....	86	CCR040R.....	92	CCR8007SL.....	110
CCA82370XC.....	48	CCA84930.....	51	CCM303.....	75	CCM8301CALXC.....	84	CCR100.....	63	CCR8008SL.....	110
CCA82370XE.....	48	CCA84930XC.....	50	CCM303L.....	86	CCM8301CALXJ.....	84	CCR10022.....	73	CCR8009SL.....	109
CCA82370XJ.....	48	CCA84930XE.....	50	CCM303LXC.....	83	CCM8301CALXN.....	84	CCR100R.....	92	CCR8010BSL.....	109
CCA82370XN.....	48	CCA84930XJ.....	50	CCM303LXJ.....	83	CCM8301CALXR.....	84	CCR1414.....	55	CCR8040.....	93
CCA82370XR.....	48	CCA84930XN.....	50	CCM303LXN.....	83	CCM8301CAR.....	86	CCR1415.....	54	CCR804020.....	85
CCA82380.....	103	CCA84930XR.....	50	CCM303LXR.....	83	CCM8301CARXC.....	84	CCR1417.....	54	CCR804020XC.....	82
CCA82380XC.....	102	CCA84935.....	63	CCM303R.....	86	CCM8301CARXJ.....	84	CCR1423.....	48	CCR804020XN.....	82
CCA82380XE.....	102	CCA84940.....	51	CCM303RXC.....	83	CCM8301CARXN.....	84	CCR1423SL.....	109	CCR804022.....	81
CCA82380XG.....	102	CCA84940XC.....	50	CCM303RXJ.....	83	CCM8301CARXR.....	84	CCR1511.....	79	CCR804023.....	80
CCA82380XJ.....	102	CCA84940XE.....	50	CCM303RXN.....	83	CCM8302L.....	85	CCR1511A.....	79	CCR804024B.....	79
CCA82380XK.....	102	CCA84940XJ.....	50	CCM303RXR.....	83	CCM8302LXC.....	83	CCR1512.....	79	CCR804026.....	81
CCA82380XN.....	102	CCA84940XN.....	50	CCM304L.....	86	CCM8302LXJ.....	83	CCR1512A.....	79	CCR804027.....	77
CCA82380XR.....	102	CCA84940XR.....	50	CCM304LXC.....	83	CCM8302LXN.....	83	CCR1514.....	79	CCR804028.....	80
CCA8240.....	60	CCA84945.....	63	CCM304LXJ.....	83	CCM8302LXR.....	83	CCR1515.....	78	CCR804029.....	77
CCA82400.....	103	CCA87100.....	61	CCM304LXN.....	83	CCM8302R.....	85	CCR1516.....	78	CCR804030.....	85
CCA82400SL.....	113	CCA87100XR.....	59	CCM304LXR.....	83	CCM8302RXC.....	83	CCR1518.....	78	CCR804030AXC.....	83
CCA82400XC.....	102	CCA87111.....	58	CCM304R.....	86	CCM8302RXJ.....	83	CCR1528.....	72	CCR804030AXN.....	83
CCA82400XCSL.....	112	CCA87112.....	57	CCM304RXC.....	83	CCM8302RXN.....	83	CCR1838.....	104	CCR804030XC.....	83
CCA82400XE.....	102	CCA87121.....	58	CCM304RXJ.....	83	CCM8302RXR.....	83	CCR1839.....	104	CCR804030XN.....	83
CCA82400XESL.....	112	CCA87122.....	57	CCM304RXN.....	83	CCM8303L.....	86	CCR1841.....	104	CCR804032.....	81
CCA82400XG.....	102	CCA87131.....	58	CCM304RXR.....	83	CCM8303LXC.....	83	CCR1851.....	102	CCR804037.....	77
CCA82400XGSL.....	112	CCA87132.....	57	CCM305CAL.....	87	CCM8303LXJ.....	83	CCR1851SL.....	111	CCR8040R.....	92
CCA82400XJ.....	102	CCA87200.....	60	CCM305CALXC.....	84	CCM8303LXN.....	83	CCR200.....	93	CCR8100.....	63
CCA82400XJSL.....	112	CCA87200XR.....	59	CCM305CALXJ.....	84	CCM8303LXR.....	83	CCR20020.....	85	CCR8100R.....	92
CCA82400XK.....	102	CCA87300.....	60	CCM305CALXN.....	84	CCM8303R.....	86	CCR20020XC.....	82	CCR8102SL.....	111
CCA82400XKSL.....	112	CCA87300XR.....	59	CCM305CAR.....	87	CCM8303RXC.....	83	CCR20020XN.....	82	CCR81414.....	55
CCA82400XN.....	102	CCA87400.....	60	CCM305CARXJ.....	84	CCM8303RXJ.....	83	CCR20022.....	81	CCR81415.....	54
CCA82400XNSL.....	112	CCA87400XR.....	59	CCM305CARXC.....	84	CCM8303RXN.....	83	CCR20023.....	80	CCR81417.....	54
CCA82400XR.....	102	CCA87600.....	61	CCM305CARXN.....	84	CCM8303RXR.....	83	CCR20027.....	77	CCR81423SL.....	109
CCA82400XRSL.....	112	CCA87600XR.....	59	CCM305CARXR.....	84	CCM8304L.....	86	CCR20037.....	78	CCR81511.....	79
CCA8240X.....	59	CCA89100.....	58	CCM306CAL.....	87	CCM8304LXC.....	83	CCR20037A.....	78	CCR81511A.....	79
CCA8240XJ.....	59	CCA89200.....	58	CCM306CALX.....	84	CCM8304LXJ.....	83	CCR200A.....	93	CCR81512.....	79
CCA8240XN.....	59	CCA89300.....	58	CCM306CALXC.....	84	CCM8304LXN.....	83	CCR205.....	93	CCR81512A.....	79
CCA8240XR.....	59	CCA9100.....	58	CCM306CALXJ.....	84	CCM8304LXR.....	83	CCR20520.....	55	CCR81514.....	79
CCA82410SL.....	109	CCA9100SL.....	115	CCM306CALXN.....	84	CCM8304R.....	86	CCR20520XC.....	55	CCR81515.....	78
CCA82420SL.....	108	CCA9200.....	58	CCM306CALXR.....	84	CCM8304RXC.....	83	CCR20520XN.....	55	CCR81516.....	78
CCA82430SL.....	108	CCA9300.....	58	CCM306CAR.....	87	CCM8304RXJ.....	83	CCR20522.....	81	CCR81518.....	78
CCA8260.....	61	CCM1419.....	52	CCM306CARXC.....	84	CCM8304RXN.....	83	CCR20523.....	80	CCR81838.....	104
CCA8260XC.....	59	CCM1424.....	56	CCM306CARXJ.....	84	CCM8304RXR.....	83	CCR20527.....	77	CCR81839.....	104
CCA8260XJ.....	59	CCM1465.....	75	CCM306CARXN.....	84	CCM8305CAL.....	87	CCR20537.....	78	CCR81841.....	104
CCA8260XN.....	59	CCM1475.....	75	CCM306CARXR.....	84	CCM8305CALXC.....	84	CCR20537A.....	78	CCR81845.....	104
CCA8260XR.....	59	CCM1485.....	74	CCM309.....	74	CCM8305CALXJ.....	84	CCR205A.....	93	CCR81845A.....	105
CCA84900.....	50	CCM1495.....	75	CCM310B.....	75	CCM8305CALXN.....	84	CCR30020.....	73	CCR81846.....	104
CCA84900XC.....	49	CCM1842.....	103	CCM3300SL.....	114	CCM8305CALXR.....	84	CCR30023.....	73	CCR81846A.....	105
CCA84900XE.....	49	CCM1843SL.....	114	CCM3302SL.....	113	CCM8305CAR.....	87	CCR30024B.....	72	CCR81847.....	104

CCR81847A.....	105	CCV05020XC.....	53	CCV4100SL.....	115	CCV8220.....	93	CCV960XR.....	60
CCR81851SL.....	111	CCV05020XN.....	53	CCV4200.....	59	CCV822012.....	85	CCV9918.....	54
CCR8200.....	93	CCV05022.....	75	CCV4300.....	59	CCV822012XC.....	82	CCV9919.....	54
CCR820020.....	85	CCV05023.....	75	CCV805015.....	53	CCV822012XN.....	82	CCV9922.....	52
CCR820020XC.....	82	CCV05024B.....	75	CCV805020.....	53	CCV822020.....	85	CCV9925.....	48
CCR820020XN.....	82	CCV05026.....	76	CCV805022.....	75	CCV822020XC.....	82	CCV9926.....	56
CCR820022.....	81	CCV05027.....	74	CCV805023.....	75	CCV822020XN.....	82	CCW1000.....	106
CCR820023.....	80	CCV05028.....	76	CCV805024B.....	75	CCV822022.....	81	CCW81000.....	106
CCR820024B.....	79	CCV05029.....	74	CCV805026.....	76	CCV822023.....	81	CCW8900L.....	106
CCR820026.....	81	CCV060.....	94	CCV805027.....	74	CCV822024B.....	79	CCW8900R.....	106
CCR820027.....	77	CCV06020.....	90	CCV805028.....	76	CCV822026.....	81	CCW8901L.....	106
CCR820028.....	80	CCV06020XE.....	89	CCV805029.....	74	CCV822027.....	77	CCW8901R.....	106
CCR820029.....	77	CCV06022.....	89	CCV806012.....	90	CCV822028.....	80	CCW8902L.....	107
CCR820030.....	85	CCV06023.....	89	CCV806012XC.....	89	CCV822029.....	77	CCW8902R.....	107
CCR820030A.....	85	CCV06024B.....	88	CCV806012XN.....	89	CCV831.....	93	CCW8903.....	107
CCR820030XC.....	83	CCV06026.....	89	CCV806020.....	90	CCV860.....	94	CCW8904L.....	107
CCR820030XN.....	83	CCV06028.....	89	CCV806020XC.....	89	CCV8950SL.....	113	CCW8904R.....	107
CCR820032.....	82	CCV06029.....	88	CCV806020XN.....	89	CCV8950XCSL.....	112	CCW8905.....	107
CCR820032A.....	82	CCV0609.....	90	CCV806022.....	89	CCV8950XGSL.....	112	CCW8906L.....	107
CCR820037.....	78	CCV0609XE.....	89	CCV806023.....	89	CCV8950XJSL.....	112	CCW8906R.....	107
CCR820037A.....	78	CCV10015.....	73	CCV806024B.....	88	CCV8950XNSL.....	112	CCW8907L.....	107
CCR8200A.....	93	CCV10020.....	73	CCV806026.....	89	CCV8950XRSL.....	112	CCW8907R.....	107
CCR8205.....	93	CCV10022.....	73	CCV806027.....	88	CCV89918.....	54	CCW900L.....	106
CCR820520.....	55	CCV10023.....	73	CCV806028.....	89	CCV89919.....	54	CCW900R.....	106
CCR820520XC.....	55	CCV10024B.....	72	CCV806029.....	88	CCV89921.....	56	CCW901L.....	106
CCR820520XN.....	55	CCV10026.....	73	CCV8100SL.....	113	CCV89922.....	52	CCW901R.....	106
CCR820522.....	81	CCV10027.....	72	CCV8100XCSL.....	112	CCV9010SL.....	115	CCW902L.....	107
CCR820523.....	80	CCV10028.....	73	CCV8100XGSL.....	112	CCV9011SL.....	115	CCW902R.....	107
CCR820524B.....	79	CCV10029.....	72	CCV8100XHSL.....	110	CCV9012SL.....	115	CCW903.....	107
CCR820526.....	81	CCV100SL.....	113	CCV8100XJSL.....	112	CCV9020SL.....	115	CCW904L.....	107
CCR820527.....	77	CCV100XCSL.....	112	CCV8100XNSL.....	109	CCV910.....	61	CCW904R.....	107
CCR820528.....	80	CCV100XESL.....	112	CCV8100XNSL.....	112	CCV910XC.....	59	CCW905.....	107
CCR820529.....	77	CCV100XGSL.....	112	CCV8100XRSL.....	112	CCV910XCSL.....	115	CCW906L.....	107
CCR820530.....	85	CCV100XHSL.....	110	CCV8102SL.....	111	CCV910XJ.....	59	CCW906R.....	107
CCR820530A.....	85	CCV100XJSL.....	112	CCV8103SL.....	110	CCV910XJSL.....	115	CCW907L.....	107
CCR820530AXC.....	83	CCV100XNSL.....	109	CCV8104BSL.....	109	CCV910XN.....	59	CCW907R.....	107
CCR820530AXN.....	83	CCV100XNSL.....	112	CCV8106SL.....	111	CCV910XNSL.....	115	DRS2131SL.....	108
CCR820530XC.....	83	CCV100XRSL.....	112	CCV8108SL.....	110	CCV910XR.....	59	DRS82131SL.....	108
CCR820530XN.....	83	CCV103SL.....	110	CCV8109SL.....	109	CCV910XRSL.....	115	HW30T.....	116
CCR820532.....	82	CCV104BSL.....	109	CCV8111SL.....	108	CCV911.....	58	HWRT.....	116
CCR820532A.....	82	CCV106SL.....	111	CCV8112SL.....	108	CCV911SL.....	108	LC30T.....	116
CCR820537.....	78	CCV108SL.....	110	CCV81414.....	55	CCV912.....	57	LCET.....	116
CCR820537A.....	78	CCV109SL.....	109	CCV81415.....	54	CCV912SL.....	108	LCRT.....	116
CCR8205A.....	93	CCV1414.....	55	CCV81417.....	56	CCV920.....	61	LF30T.....	116
CCR8220.....	93	CCV1415.....	54	CCV81418.....	52	CCV920XC.....	60	LFET.....	116
CCR8220R.....	93	CCV1418.....	52	CCV81423SL.....	109	CCV920XCSL.....	115	LFRT.....	116
CCR8222.....	93	CCV1423.....	48	CCV81512.....	79	CCV920XJ.....	60	ZHRT.....	117
CCR822214.....	55	CCV1423SL.....	109	CCV81515.....	79	CCV920XJSL.....	115		
CCR822215.....	79	CCV1424.....	56	CCV81516.....	78	CCV920XN.....	60		
CCR822218.....	54	CCV1512.....	79	CCV81518.....	88	CCV920XNSL.....	115		
CCR822220.....	85	CCV1515.....	79	CCV81519.....	75	CCV920XR.....	60		
CCR822220XC.....	82	CCV1516.....	78	CCV81838.....	104	CCV920XRSL.....	115		
CCR822220XN.....	82	CCV1519.....	75	CCV81839.....	104	CCV921.....	58		
CCR822222.....	81	CCV1528.....	72	CCV81840.....	105	CCV922.....	57		
CCR822223.....	81	CCV1838.....	104	CCV81841.....	105	CCV930.....	61		
CCR822224B.....	79	CCV1839.....	104	CCV81843.....	103	CCV930XC.....	60		
CCR822226.....	81	CCV1843.....	103	CCV81846.....	104	CCV930XJ.....	60		
CCR822227.....	77	CCV1851.....	102	CCV81851SL.....	111	CCV930XN.....	60		
CCR822228.....	80	CCV1851SL.....	111	CCV8205.....	93	CCV930XR.....	60		
CCR822229.....	77	CCV200.....	63	CCV820512.....	55	CCV931.....	58		
CCR822238.....	104	CCV205.....	93	CCV820512XC.....	55	CCV932.....	57		
CCR8225.....	93	CCV20520.....	55	CCV820512XN.....	55	CCV940.....	61		
CCR8225R.....	92	CCV20520XC.....	55	CCV820520.....	55	CCV940XC.....	60		
CCR89918.....	54	CCV20520XN.....	55	CCV820520XC.....	55	CCV940XJ.....	60		
CCR89919.....	54	CCV20522.....	81	CCV820520XN.....	55	CCV940XN.....	60		
CCR89921.....	54	CCV20523.....	80	CCV820522.....	81	CCV940XR.....	60		
CCR89925SL.....	108	CCV20527.....	77	CCV820523.....	80	CCV950SL.....	113		
CCR9918.....	54	CCV20537.....	78	CCV820524B.....	79	CCV950XCSL.....	112		
CCR9919.....	54	CCV220.....	93	CCV820526.....	81	CCV950XESL.....	112		
CCR9921.....	54	CCV22020.....	85	CCV820527.....	77	CCV950XGSL.....	112		
CCR9925.....	48	CCV22020XC.....	82	CCV820528.....	80	CCV950XJSL.....	112		
CCR9925SL.....	108	CCV22020XN.....	82	CCV820529.....	77	CCV950XNSL.....	112		
CCV050.....	94	CCV22022.....	81	CCV820530.....	85	CCV950XRSL.....	112		
CCV05012.....	53	CCV22023.....	81	CCV820530XC.....	83	CCV960.....	61		
CCV05012XC.....	53	CCV22027.....	77	CCV820530XN.....	83	CCV960XC.....	60		
CCV05012XN.....	53	CCV3412SL.....	111	CCV820532.....	82	CCV960XJ.....	60		
CCV05020.....	53	CCV4100.....	59	CCV820537.....	78	CCV960XN.....	60		

1000.....	190	2000XESL.....	196	81208PSL.....	199	81945PXE.....	152	CNRT.....	211	FC1211SL.....	198
1283.....	146	2000XG.....	140	81225P.....	141	81945PXG.....	152	DRS2131SL.....	191	FC1212.....	144
1284.....	144	2000XGSL.....	196	81225PSL.....	197	81945PXJ.....	152	DRS82131SL.....	191	FC127.....	173
1285.....	144	2000XJ.....	140	81225SL.....	197	81945PKK.....	152	FC10.....	146	FC128.....	172
1286.....	141	2000XJSL.....	196	81800P.....	133	81945PXN.....	152	FC100.....	134	FC1289SL.....	200
1289.....	145	2000XK.....	140	81800PSL.....	191	81945PXR.....	152	FC1006.....	135	FC129.....	172
2000.....	146	2000XKSL.....	196	81800SL.....	191	81946P.....	154	FC100SL.....	191	FC130.....	173
2009.....	142	2000XN.....	140	81900PSL.....	205	81946PSL.....	205	FC101.....	160	FC131.....	148
2010.....	141	2000XNSL.....	196	81918P.....	133	81946PXC.....	152	FC101SL.....	206	FC131SL.....	201
2050.....	141	2000XR.....	140	81918PSL.....	191	81946PXCSSL.....	203	FC1027.....	135	FC1350.....	168
2100.....	171	2000XRSL.....	196	81918SL.....	191	81946PXE.....	152	FC1029.....	135	FC138.....	144
2150.....	168	2009SL.....	198	81919P.....	134	81946PXESL.....	203	FC104.....	136	FC138XC.....	139
8000.....	146	2010XC.....	138	81919PSL.....	192	81946PXG.....	152	FC104SL.....	193	FC138XE.....	139
81000.....	190	2010XE.....	138	81919SL.....	192	81946PXGSL.....	203	FC104XC.....	167	FC138XG.....	139
81200.....	146	2010XG.....	138	81921P.....	136	81946PXJ.....	152	FC104XE.....	167	FC138XJ.....	139
81208.....	145	2010XJ.....	138	81921PSL.....	193	81946PXJSL.....	203	FC104XG.....	167	FC138XK.....	139
81225.....	141	2010XK.....	138	81921SL.....	193	81946PKK.....	152	FC104XJ.....	167	FC138XN.....	139
81828.....	145	2010XN.....	138	81928P.....	136	81946PKKSL.....	203	FC104XK.....	167	FC138XR.....	139
12101SL.....	200	2010XR.....	138	81928PSL.....	194	81946PXN.....	152	FC104XN.....	167	FC1400.....	155
12101XCSL.....	197	2050SL.....	198	81928SL.....	194	81946PXNSL.....	203	FC104XR.....	167	FC1400SL.....	205
12101XESL.....	197	2050XC.....	138	81929P.....	171	81946PXR.....	152	FC105.....	163	FC1402.....	154
12101XGSL.....	197	2050XCSSL.....	195	81929PSL.....	209	81946PXRSL.....	203	FC105SL.....	207	FC1404.....	180
12101XJSL.....	197	2050XE.....	138	81929PXC.....	167	81947PSL.....	205	FC108.....	133	FC1408.....	170
12101XKSL.....	197	2050XESL.....	195	81929PXCSSL.....	208	81949PSL.....	205	FC1089.....	154	FC1408SL.....	209
12101XNSL.....	197	2050XG.....	138	81929PXE.....	167	81952P.....	147	FC1089SL.....	204	FC1409.....	169
12101XRSL.....	197	2050XGSL.....	195	81929PXESL.....	208	81952PSL.....	201	FC1089SL.....	204	FC141.....	141
12102SL.....	199	2050XJ.....	138	81929PXG.....	167	81953P.....	147	FC108SL.....	191	FC1411.....	174
12102XCSL.....	196	2050XJSL.....	195	81929PXGSL.....	208	81953PSL.....	201	FC109.....	159	FC141SL.....	197
12102XESL.....	196	2050XK.....	138	81929PXJ.....	167	81954P.....	148	FC109SL.....	206	FC142.....	135
12102XGSL.....	196	2050XKSL.....	195	81929PXJSL.....	208	81954PSL.....	201	FC10XC.....	140	FC142SL.....	193
12102XJSL.....	196	2050XN.....	138	81929PKK.....	167	81955P.....	148	FC10XE.....	140	FC143.....	149
12102XKSL.....	196	2050XNSL.....	195	81929PKKSL.....	208	81955PSL.....	201	FC10XG.....	140	FC143SL.....	202
12102XNSL.....	196	2050XR.....	138	81929PXN.....	167	81956P.....	149	FC10XJ.....	140	FC144.....	162
12102XRSL.....	196	2050XRSL.....	195	81929PXNSL.....	208	81956PSL.....	202	FC10XK.....	140	FC1442SL.....	202
1283XC.....	140	8000-12.....	142	81929PXR.....	167	81957P.....	148	FC10XN.....	140	FC147.....	150
1283XE.....	140	8000-18.....	142	81929PXRSL.....	208	81957PSL.....	201	FC10XR.....	140	FC147SL.....	202
1283XG.....	140	8000-9.....	142	81932P.....	161	81958P.....	149	FC113.....	134	FC148.....	137
1283XJ.....	140	8000XC.....	140	81932PSL.....	206	81958PSL.....	202	FC113SL.....	192	FC148SL.....	194
1283XK.....	140	8000XE.....	140	81933P.....	159	81959P.....	150	FC114.....	160	FC149.....	164
1283XN.....	140	8000XG.....	140	81933PSL.....	206	81959PSL.....	202	FC114SL.....	206	FC149SL.....	207
1283XR.....	140	8000XJ.....	140	81935P.....	159	81960P.....	150	FC115.....	148	FC151.....	158
1284XC.....	140	8000XK.....	140	81935PSL.....	206	81960PSL.....	202	FC115SL.....	201	FC152.....	173
1284XE.....	140	8000XN.....	140	81936P.....	160	81961P.....	151	FC116.....	168	FC156.....	150
1284XG.....	140	8000XR.....	140	81936PSL.....	206	81961PSL.....	202	FC11SL.....	195	FC16.....	133
1284XJ.....	140	81200P.....	146	81937P.....	160	81963PSL.....	203	FC1200.....	144	FC160.....	158
1284XK.....	140	81200PSL.....	200	81937PSL.....	206	81964P.....	152	FC1200SL.....	199	FC163.....	157
1284XN.....	140	81200PXC.....	140	81938P.....	162	81964PSL.....	204	FC1201.....	143	FC164.....	156
1284XR.....	140	81200PXCSSL.....	197	81938PSL.....	207	81967P.....	149	FC1201SL.....	198	FC1645.....	187
1285XC.....	139	81200PXE.....	140	81939P.....	161	81967PSL.....	201	FC1202.....	143	FC1646.....	151
1285XE.....	139	81200PXESL.....	197	81939PSL.....	206	81968P.....	134	FC1202SL.....	198	FC1646SL.....	203
1285XG.....	139	81200PXG.....	140	81940P.....	162	81968PSL.....	191	FC1203.....	144	FC1647.....	151
1285XJ.....	139	81200PXGSL.....	197	81940PSL.....	207	81968SL.....	191	FC1204.....	141	FC1651.....	138
1285XK.....	139	81200PXJ.....	140	81941P.....	163	81971P.....	172	FC1204SL.....	197	FC1651SL.....	195
1285XN.....	139	81200PXJSL.....	197	81941PSL.....	207	81971PXC.....	167	FC1205.....	141	FC1652.....	138
1285XR.....	139	81200PKK.....	140	81941PSL.....	207	81971PXE.....	167	FC1205SL.....	197	FC1652SL.....	195
1286SL.....	197	81200PKKSL.....	197	81942P.....	164	81971PXG.....	167	FC1205XC.....	138	FC1654.....	165
13101SL.....	195	81200PXN.....	140	81942PSL.....	207	81971PXJ.....	167	FC1205XE.....	138	FC1655.....	179
18101SL.....	191	81200PXNSL.....	197	81943P.....	155	81971PKK.....	167	FC1205XG.....	138	FC1656SL.....	208
19020T.....	211	81200PXR.....	140	81943PSL.....	205	81971PXN.....	167	FC1205XJ.....	138	FC1661.....	174
19055T.....	211	81200PXRSL.....	197	81943PXC.....	152	81971PXR.....	167	FC1205XK.....	138	FC18.....	144
19080T.....	211	81200SL.....	200	81943PXCSSL.....	204	81974P.....	162	FC1205XN.....	138	FC18SL.....	199
19200T.....	211	81200XC.....	140	81943PXE.....	152	81975P.....	159	FC1205XR.....	138	FC18XC.....	140
19210T.....	211	81200XCSSL.....	197	81943PXESL.....	204	81977P.....	160	FC1206.....	141	FC18XCSSL.....	196
19220T.....	211	81200XE.....	140	81943PXG.....	152	81978P.....	160	FC1206SL.....	197	FC18XE.....	140
19520T.....	211	81200XESL.....	197	81943PXGSL.....	204	81980P.....	161	FC1207.....	141	FC18XESL.....	196
1964P.....	152	81200XG.....	140	81943PXJ.....	152	81981P.....	162	FC1207XC.....	138	FC18XG.....	140
19720T.....	211	81200XGSL.....	197	81943PXJSL.....	204	81982P.....	161	FC1207XE.....	138	FC18XGSL.....	196
19730T.....	211	81200XJ.....	140	81943PKK.....	152	81983P.....	163	FC1207XG.....	138	FC18XJ.....	140
19740T.....	211	81200XJSL.....	197	81943PKKSL.....	204	81984P.....	163	FC1207XJ.....	138	FC18XJSL.....	196
19750T.....	211	81200XK.....	140	81943PXN.....	152	81985P.....	164	FC1207XK.....	138	FC18XK.....	140
19800T.....	211	81200XKSL.....	197	81943PXNSL.....	204	81986PSL.....	193	FC1207XN.....	138	FC18XKSL.....	196
19810T.....	211	81200XN.....	140	81943PXR.....	152	81986SL.....	193	FC1207XR.....	138	FC18XN.....	140
19820T.....	211	81200XNSL.....	197	81943PXRSL.....	204	85901SL.....	202	FC1208.....	144	FC18XNSL.....	196
2000SL.....	200	81200XR.....	140	81944P.....	155	85919SL.....	207	FC1208SL.....	199	FC18XR.....	140
2000XC.....	140	81200XRSL.....	197	81944PSL.....	205	AVRT.....	211	FC1209.....	143	FC18XRSL.....	196
2000XCSSL.....	196	81208P.....	145	81945P.....	154	AXRT.....	211	FC1209SL.....	198	FC198.....	145
2000XE.....	140	81208PSL.....	199	81945PXC.....	152	BSRT.....	211	FC1211.....	143	FC198SL.....	200

FC20042.....	151	FC5700XC.....	138	FC63XGSL.....	208	FC766.....	155	FC8149.....	164	FC85720.....	142
FC21.....	187	FC5700XCSL.....	195	FC63XJSL.....	208	FC766XC.....	152	FC814SL.....	192	FC85720XC.....	139
FC2101.....	154	FC5700XE.....	138	FC63XKSL.....	208	FC766XE.....	152	FC815SL.....	193	FC85720XE.....	139
FC2101SL.....	204	FC5700XESL.....	195	FC63XNSL.....	208	FC766XG.....	152	FC816.....	133	FC85720XG.....	139
FC2102.....	154	FC5700XG.....	138	FC63XRSL.....	208	FC766XJ.....	152	FC81645.....	187	FC85720XJ.....	139
FC2106.....	153	FC5700XGSL.....	195	FC65.....	170	FC766XK.....	152	FC81646.....	151	FC85720XK.....	139
FC2107.....	153	FC5700XJ.....	138	FC6500.....	137	FC766XN.....	152	FC81646SL.....	203	FC85720XN.....	139
FC2108.....	153	FC5700XJSL.....	195	FC6500SL.....	194	FC766XR.....	152	FC81649.....	179	FC85720XR.....	139
FC23.....	187	FC5700XK.....	138	FC6534.....	179	FC769.....	149	FC81651.....	138	FC8572SL.....	193
FC241.....	134	FC5700XKSL.....	195	FC6550.....	137	FC770.....	147	FC81651SL.....	195	FC8573SL.....	193
FC31.....	189	FC5700XN.....	138	FC6550SL.....	194	FC772.....	147	FC81652.....	138	FC8574.....	136
FC310.....	133	FC5700XNSL.....	195	FC6560.....	165	FC773.....	148	FC81652SL.....	195	FC8579.....	164
FC32.....	155	FC5700XR.....	138	FC6565SL.....	208	FC775.....	148	FC81653.....	166	FC8581.....	163
FC32SL.....	205	FC5700XRSL.....	195	FC6570.....	187	FC776.....	149	FC81654.....	165	FC8583SL.....	207
FC32XC.....	152	FC571.....	136	FC6572.....	173	FC777.....	148	FC81654SL.....	208	FC860.....	190
FC32XCSL.....	204	FC5710.....	142	FC6576.....	158	FC778.....	149	FC816SL.....	191	FC861.....	188
FC32XE.....	152	FC5710SL.....	198	FC6577.....	158	FC779.....	150	FC817.....	134	FC861XC.....	188
FC32XESL.....	204	FC5710XC.....	139	FC6580.....	151	FC780.....	150	FC817SL.....	193	FC861XE.....	188
FC32XG.....	152	FC5710XCSL.....	195	FC6580SL.....	203	FC782.....	173	FC818SL.....	193	FC861XG.....	188
FC32XGSL.....	204	FC5710XE.....	139	FC6582.....	151	FC784.....	158	FC82.....	154	FC861XJ.....	188
FC32XJ.....	152	FC5710XESL.....	195	FC65XC.....	166	FC785.....	156	FC820.....	137	FC861XK.....	188
FC32XJSL.....	204	FC5710XG.....	139	FC65XE.....	166	FC787.....	158	FC821.....	136	FC861XN.....	188
FC32XK.....	152	FC5710XGSL.....	195	FC65XG.....	166	FC788.....	156	FC822.....	134	FC861XR.....	188
FC32XKSL.....	204	FC5710XJ.....	139	FC65XJ.....	166	FC789.....	158	FC828.....	145	FC862.....	190
FC32XN.....	152	FC5710XJSL.....	195	FC65XK.....	166	FC791.....	158	FC82XC.....	152	FC86220.....	180
FC32XNSL.....	204	FC5710XK.....	139	FC65XN.....	166	FC792.....	157	FC82XE.....	152	FC862203.....	180
FC32XR.....	152	FC5710XKSL.....	195	FC65XR.....	166	FC794.....	156	FC82XG.....	152	FC862203XC.....	179
FC32XRSL.....	204	FC5710XN.....	139	FC66.....	166	FC796.....	157	FC82XJ.....	152	FC862203XE.....	179
FC3487SL.....	209	FC5710XNSL.....	195	FC668.....	133	FC797.....	157	FC82XK.....	152	FC862203XG.....	179
FC3487XCSL.....	208	FC5710XR.....	139	FC670.....	172	FC798.....	158	FC82XN.....	152	FC862203XJ.....	179
FC3487XESL.....	208	FC5710XRSL.....	195	FC678.....	168	FC803.....	187	FC82XR.....	152	FC862203XK.....	179
FC3487XGSL.....	208	FC5720.....	142	FC678SL.....	208	FC807.....	174	FC8310.....	154	FC862203XN.....	179
FC3487XJSL.....	208	FC5720SL.....	198	FC685L.....	143	FC807SL.....	192	FC8310SL.....	204	FC862203XR.....	179
FC3487XKSL.....	208	FC5720XC.....	139	FC685LXC.....	139	FC807XC.....	174	FC8311.....	154	FC86220XC.....	179
FC3487XNSL.....	208	FC5720XCSL.....	195	FC685LXE.....	139	FC807XE.....	174	FC8313.....	154	FC86220XE.....	179
FC3487XRSL.....	208	FC5720XE.....	139	FC685LXG.....	139	FC807XG.....	174	FC8313SL.....	204	FC86220XG.....	179
FC369.....	134	FC5720XESL.....	195	FC685LXJ.....	139	FC807XJ.....	174	FC8316.....	154	FC86220XJ.....	179
FC38.....	147	FC5720XG.....	139	FC685LXK.....	139	FC807XK.....	174	FC8318.....	171	FC86220XK.....	179
FC38SL.....	201	FC5720XGSL.....	195	FC685LXN.....	139	FC807XN.....	174	FC8319.....	171	FC86220XN.....	179
FC43.....	172	FC5720XJ.....	139	FC685LXR.....	139	FC807XR.....	174	FC832.....	171	FC86220XR.....	179
FC43SL.....	206	FC5720XJSL.....	195	FC685R.....	143	FC808.....	190	FC8320.....	171	FC86241.....	177
FC44.....	174	FC5720XK.....	139	FC685RXC.....	139	FC808SL.....	191	FC8321.....	170	FC86242.....	178
FC44SL.....	208	FC5720XKSL.....	195	FC685RXE.....	139	FC809.....	189	FC8321XC.....	167	FC86243.....	176
FC45.....	159	FC5720XN.....	139	FC685RXG.....	139	FC80920.....	180	FC8321XE.....	167	FC86245.....	179
FC46SL.....	191	FC5720XNSL.....	195	FC685RXJ.....	139	FC809203.....	180	FC8321XG.....	167	FC86247.....	178
FC47SL.....	200	FC5720XR.....	139	FC685RXK.....	139	FC809203XC.....	179	FC8321XJ.....	167	FC86249.....	178
FC47XCSL.....	197	FC5720XRSL.....	195	FC685RXN.....	139	FC809203XE.....	179	FC8321XK.....	167	FC86252.....	177
FC47XESL.....	197	FC572SL.....	193	FC685RXX.....	139	FC809203XG.....	179	FC8321XN.....	167	FC86253.....	177
FC47XGSL.....	197	FC573SL.....	193	FC691.....	142	FC809203XJ.....	179	FC8321XR.....	167	FC86254.....	178
FC47XJSL.....	197	FC574.....	136	FC691XC.....	139	FC809203XK.....	179	FC8322.....	169	FC86255.....	177
FC47XKSL.....	197	FC581.....	163	FC691XE.....	139	FC809203XN.....	179	FC8323.....	169	FC86256.....	177
FC47XNSL.....	197	FC583SL.....	207	FC691XG.....	139	FC809203XR.....	179	FC8324.....	169	FC86500.....	137
FC47XRSL.....	197	FC585.....	173	FC691XJ.....	139	FC80920XC.....	179	FC832XC.....	167	FC86500SL.....	194
FC48.....	174	FC60.....	190	FC691XK.....	139	FC80920XE.....	179	FC832XE.....	167	FC86533.....	179
FC48SL.....	209	FC6093.....	135	FC691XN.....	139	FC80920XG.....	179	FC832XG.....	167	FC86536.....	165
FC48XC.....	174	FC6094.....	136	FC691XR.....	139	FC80920XJ.....	179	FC832XJ.....	167	FC86550.....	137
FC48XCSL.....	208	FC6095.....	137	FC704.....	186	FC80920XK.....	179	FC832XK.....	167	FC86550SL.....	194
FC48XE.....	174	FC61.....	188	FC707.....	185	FC80920XN.....	179	FC832XN.....	167	FC86560.....	165
FC48XESL.....	208	FC61XC.....	188	FC708.....	186	FC80920XR.....	179	FC832XR.....	167	FC86560SL.....	208
FC48XG.....	174	FC61XE.....	188	FC709.....	157	FC80941.....	177	FC8529.....	150	FC86570.....	187
FC48XGSL.....	208	FC61XG.....	188	FC710.....	158	FC80942.....	178	FC8545SL.....	202	FC86580.....	151
FC48XJ.....	174	FC61XJ.....	188	FC7125SL.....	209	FC80943.....	176	FC85700.....	142	FC86580SL.....	203
FC48XJSL.....	208	FC61XK.....	188	FC713.....	157	FC80945.....	179	FC85700XC.....	138	FC8675SL.....	209
FC48XK.....	174	FC61XN.....	188	FC714.....	156	FC80947.....	178	FC85700XE.....	138	FC8678.....	168
FC48XKSL.....	208	FC61XR.....	188	FC721.....	185	FC80949.....	178	FC85700XG.....	138	FC8678SL.....	208
FC48XN.....	174	FC62.....	171	FC735.....	186	FC80952.....	177	FC85700XJ.....	138	FC8685L.....	143
FC48XNSL.....	208	FC626.....	137	FC736.....	185	FC80953.....	177	FC85700XK.....	138	FC8685LXC.....	139
FC48XR.....	174	FC62XC.....	167	FC745.....	186	FC80954.....	178	FC85700XN.....	138	FC8685LXE.....	139
FC48XRSL.....	208	FC62XE.....	167	FC752.....	186	FC80955.....	177	FC85700XR.....	138	FC8685LXG.....	139
FC507.....	178	FC62XG.....	167	FC755.....	189	FC80956.....	177	FC8571.....	136	FC8685LXJ.....	139
FC529.....	150	FC62XJ.....	167	FC758.....	135	FC809SL.....	194	FC85710.....	142	FC8685LXK.....	139
FC5425.....	152	FC62XK.....	167	FC758SL.....	192	FC812SL.....	192	FC85710XC.....	139	FC8685LXN.....	139
FC5425SL.....	204	FC62XN.....	167	FC761.....	161	FC813SL.....	194	FC85710XE.....	139	FC8685LXR.....	139
FC543.....	150	FC62XR.....	167	FC761SL.....	206	FC814.....	133	FC85710XG.....	139	FC8685SR.....	143
FC545SL.....	202	FC63.....	169	FC764.....	149	FC8141.....	180	FC85710XJ.....	139	FC8685RXC.....	139
FC549.....	178	FC63SL.....	209	FC764SL.....	201	FC8144.....	171	FC85710XK.....	139	FC8685RXE.....	139
FC5700.....	142	FC63XCSL.....	208	FC765.....	147	FC8145.....	170	FC85710XN.....	139	FC8685RXG.....	139
FC5700SL.....	198	FC63XESL.....	208	FC765SL.....	201	FC8145SL.....	209	FC85710XR.....	139	FC8685RXJ.....	139

FC8685RXK.....	139	FCM104XN.....	167	FCM1285XK.....	139	FCM2050XGSL.....	195	FCM571.....	136	FCM606XJ.....	182
FC8685RXN.....	139	FCM104XR.....	167	FCM1285XN.....	139	FCM2050XJSL.....	195	FCM572SL.....	193	FCM606XN.....	182
FC8685RXR.....	139	FCM105.....	163	FCM1285XR.....	139	FCM2050XKSL.....	195	FCM574.....	136	FCM606XR.....	182
FC8691.....	142	FCM105SL.....	207	FCM1286.....	141	FCM2050XNSL.....	195	FCM575.....	164	FCM607.....	184
FC8691XC.....	139	FCM106.....	157	FCM1286SL.....	197	FCM2050XRSL.....	195	FCM577.....	164	FCM6074.....	163
FC8691XE.....	139	FCM108.....	133	FCM1289.....	145	FCM2101SL.....	204	FCM581.....	163	FCM6075.....	163
FC8691XG.....	139	FCM1089SL.....	204	FCM1289SL.....	200	FCM2106.....	153	FCM583SL.....	207	FCM607XC.....	183
FC8691XJ.....	139	FCM109.....	159	FCM131.....	148	FCM2107.....	153	FCM60.....	190	FCM607XE.....	183
FC8691XK.....	139	FCM109SL.....	206	FCM13101SL.....	195	FCM2108.....	153	FCM600.....	190	FCM607XJ.....	183
FC8691XN.....	139	FCM10XC.....	140	FCM131SL.....	201	FCM220.....	189	FCM601.....	184	FCM607XN.....	183
FC8691XR.....	139	FCM10XE.....	140	FCM132.....	176	FCM241.....	134	FCM601XC.....	183	FCM607XR.....	183
FC8704.....	186	FCM10XG.....	140	FCM133.....	190	FCM31.....	189	FCM601XE.....	183	FCM608.....	184
FC8707.....	185	FCM10XJ.....	140	FCM138.....	144	FCM310.....	133	FCM601XJ.....	183	FCM608XC.....	183
FC8708.....	186	FCM10XK.....	140	FCM138XC.....	139	FCM32.....	155	FCM601XN.....	183	FCM608XE.....	183
FC8721.....	185	FCM10XN.....	140	FCM138XE.....	139	FCM32SL.....	205	FCM601XR.....	183	FCM608XJ.....	183
FC8735.....	186	FCM10XR.....	140	FCM138XG.....	139	FCM32XC.....	152	FCM602.....	181	FCM608XN.....	183
FC8736.....	185	FCM110.....	156	FCM138XJ.....	139	FCM32XCSSL.....	204	FCM6021.....	171	FCM608XR.....	183
FC8745.....	186	FCM113.....	134	FCM138XK.....	139	FCM32XE.....	152	FCM6021XC.....	167	FCM609.....	181
FC8752.....	186	FCM114.....	160	FCM138XN.....	139	FCM32XESL.....	204	FCM6021XE.....	167	FCM6093.....	135
FC8867SL.....	207	FCM114SL.....	206	FCM138XR.....	139	FCM32XG.....	152	FCM6021XG.....	167	FCM6094.....	136
FC89701.....	165	FCM115.....	148	FCM1400SL.....	205	FCM32XGSL.....	204	FCM6021XJ.....	167	FCM6095.....	136
FC8971.....	168	FCM115SL.....	201	FCM1402.....	154	FCM32XJ.....	152	FCM6021XK.....	167	FCM6097.....	169
FC8972.....	180	FCM116.....	168	FCM1405.....	170	FCM32XJSL.....	204	FCM6021XN.....	167	FCM61.....	188
FC900.....	134	FCM118.....	175	FCM1405SL.....	209	FCM32XK.....	152	FCM6021XR.....	167	FCM6107.....	161
FC900SL.....	192	FCM1200.....	144	FCM1406.....	170	FCM32XKSL.....	204	FCM6022.....	170	FCM6108.....	161
FC901.....	161	FCM1200SL.....	199	FCM1408.....	170	FCM32XN.....	152	FCM6022XC.....	166	FCM6124SL.....	199
FC901SL.....	206	FCM1201.....	143	FCM141.....	141	FCM32XNSL.....	204	FCM6022XE.....	166	FCM6124XCSL.....	196
FC902.....	148	FCM1201SL.....	198	FCM142.....	135	FCM32XR.....	152	FCM6022XG.....	166	FCM6124XESL.....	196
FC902SL.....	201	FCM1202.....	143	FCM143.....	149	FCM32XRSL.....	204	FCM6022XJ.....	166	FCM6124XJSL.....	196
FC903.....	173	FCM1202SL.....	198	FCM143SL.....	202	FCM3487SL.....	209	FCM6022XK.....	166	FCM6124XNSL.....	196
FC905.....	135	FCM1203.....	143	FCM144.....	162	FCM3487XCSL.....	208	FCM6022XN.....	166	FCM6124XRSL.....	196
FC905SL.....	193	FCM1204SL.....	197	FCM1442SL.....	202	FCM3487XESL.....	208	FCM6022XR.....	166	FCM6125SL.....	199
FC906.....	162	FCM1205SL.....	197	FCM147.....	150	FCM3487XGSL.....	208	FCM6023.....	166	FCM6125XCSL.....	196
FC906SL.....	207	FCM1206SL.....	197	FCM147SL.....	202	FCM3487XJSL.....	208	FCM6025.....	160	FCM6125XESL.....	196
FC907.....	149	FCM1208.....	144	FCM148.....	137	FCM3487XKSL.....	208	FCM6026.....	164	FCM6125XJSL.....	196
FC907SL.....	202	FCM1209.....	143	FCM149.....	164	FCM3487XNSL.....	208	FCM6027.....	160	FCM6125XNSL.....	196
FC908.....	173	FCM12101SL.....	200	FCM149SL.....	207	FCM3487XRSL.....	208	FCM6029.....	162	FCM6125XRSL.....	196
FC910.....	136	FCM12101XCSL.....	197	FCM150.....	176	FCM369.....	134	FCM6030.....	163	FCM6126SL.....	200
FC910SL.....	194	FCM12101XESL.....	197	FCM151.....	157	FCM38.....	147	FCM6031.....	161	FCM6126XCSL.....	196
FC911.....	164	FCM12101XGSL.....	197	FCM156.....	150	FCM38SL.....	201	FCM6032.....	159	FCM6126XESL.....	196
FC911SL.....	207	FCM12101XJSL.....	197	FCM16.....	133	FCM45.....	159	FCM6035.....	168	FCM6126XJSL.....	196
FC912.....	150	FCM12101XKSL.....	197	FCM160.....	158	FCM45SL.....	206	FCM6036.....	165	FCM6126XNSL.....	196
FC912SL.....	202	FCM12101XNSL.....	197	FCM163.....	157	FCM4810.....	184	FCM604.....	181	FCM6126XRSL.....	196
FC913.....	173	FCM12101XRSL.....	197	FCM164.....	156	FCM4810XC.....	183	FCM6041.....	171	FCM61XC.....	188
FC915.....	157	FCM12102SL.....	199	FCM1645.....	187	FCM4810XE.....	183	FCM6041XC.....	167	FCM61XE.....	188
FC916.....	157	FCM12102XCSL.....	196	FCM1646SL.....	203	FCM4810XJ.....	183	FCM6041XE.....	167	FCM61XG.....	188
FC917.....	187	FCM12102XESL.....	196	FCM1647.....	151	FCM4810XN.....	183	FCM6041XG.....	167	FCM61XJ.....	188
FC92.....	154	FCM12102XGSL.....	196	FCM1650.....	182	FCM4810XR.....	183	FCM6041XJ.....	167	FCM61XK.....	188
FC925.....	180	FCM12102XJSL.....	196	FCM1651.....	138	FCM4812.....	183	FCM6041XK.....	167	FCM61XN.....	188
FC92SL.....	204	FCM12102XKSL.....	196	FCM1651SL.....	195	FCM4812XC.....	182	FCM6041XN.....	167	FCM61XR.....	188
FC92XC.....	152	FCM12102XNSL.....	196	FCM1652.....	137	FCM4812XE.....	182	FCM6041XR.....	167	FCM62.....	171
FC92XCSSL.....	203	FCM12102XRSL.....	196	FCM1654.....	165	FCM4812XJ.....	182	FCM6042.....	170	FCM626.....	137
FC92XE.....	152	FCM1211.....	143	FCM1656.....	166	FCM4812XN.....	182	FCM6042XC.....	166	FCM62SL.....	209
FC92XESL.....	203	FCM1212.....	143	FCM1656SL.....	208	FCM4812XR.....	182	FCM6042XE.....	166	FCM62XC.....	167
FC92XG.....	152	FCM124.....	175	FCM1658.....	166	FCM4813.....	183	FCM6042XG.....	166	FCM62XCSL.....	208
FC92XGSL.....	203	FCM125.....	176	FCM18.....	144	FCM4813XC.....	182	FCM6042XJ.....	166	FCM62XE.....	167
FC92XJ.....	152	FCM126.....	175	FCM18101SL.....	191	FCM4813XE.....	182	FCM6042XK.....	166	FCM62XESL.....	208
FC92XJSL.....	203	FCM1283.....	146	FCM18XC.....	139	FCM4813XJ.....	182	FCM6042XN.....	166	FCM62XG.....	167
FC92XK.....	152	FCM1283XC.....	140	FCM18XE.....	139	FCM4813XN.....	182	FCM6042XR.....	166	FCM62XGSL.....	208
FC92XKSL.....	203	FCM1283XE.....	140	FCM18XG.....	139	FCM4813XR.....	182	FCM6043.....	166	FCM62XJ.....	167
FC92XN.....	152	FCM1283XG.....	140	FCM18XJ.....	139	FCM4814.....	183	FCM6045.....	160	FCM62XJSL.....	208
FC92XNSL.....	203	FCM1283XJ.....	140	FCM18XK.....	139	FCM4814XC.....	182	FCM6046.....	164	FCM62XK.....	167
FC92XR.....	152	FCM1283XK.....	140	FCM18XN.....	139	FCM4814XE.....	182	FCM6047.....	160	FCM62XKSL.....	208
FC92XRSL.....	203	FCM1283XN.....	140	FCM18XR.....	139	FCM4814XJ.....	182	FCM6049.....	162	FCM62XN.....	167
FCM10.....	146	FCM1283XR.....	140	FCM198.....	145	FCM4814XN.....	182	FCM605.....	184	FCM62XNSL.....	208
FCM100.....	134	FCM1284.....	144	FCM2000SL.....	200	FCM4814XR.....	182	FCM6050.....	163	FCM62XR.....	167
FCM1000.....	190	FCM1284XC.....	140	FCM2000XCSL.....	196	FCM4816.....	183	FCM6051.....	161	FCM62XRSL.....	208
FCM1006.....	134	FCM1284XE.....	140	FCM2000XESL.....	196	FCM4816XC.....	182	FCM6052.....	159	FCM63.....	169
FCM101.....	160	FCM1284XG.....	140	FCM2000XGSL.....	196	FCM4816XE.....	182	FCM6055.....	168	FCM65.....	170
FCM101SL.....	206	FCM1284XJ.....	140	FCM2000XJSL.....	196	FCM4816XJ.....	182	FCM6056.....	165	FCM6500.....	137
FCM1027.....	135	FCM1284XK.....	140	FCM2000XKSL.....	196	FCM4816XN.....	182	FCM605XC.....	182	FCM6500SL.....	194
FCM1029.....	135	FCM1284XN.....	140	FCM2000XNSL.....	196	FCM4816XR.....	182	FCM605XE.....	182	FCM6520.....	182
FCM104.....	136	FCM1284XR.....	140	FCM2000XRSL.....	196	FCM506.....	176	FCM605XJ.....	182	FCM6532.....	176
FCM104XC.....	167	FCM1285.....	144	FCM2009SL.....	198	FCM508.....	181	FCM605XN.....	182	FCM6550.....	137
FCM104XE.....	167	FCM1285XC.....	139	FCM205.....	189	FCM5425.....	152	FCM605XR.....	182	FCM6560.....	165
FCM104XG.....	167	FCM1285XE.....	139	FCM2050SL.....	198	FCM5425SL.....	204	FCM606.....	184	FCM6565.....	165
FCM104XJ.....	167	FCM1285XJ.....	139	FCM2050XCSL.....	195	FCM543.....	150	FCM606XC.....	182	FCM6565SL.....	208
FCM104XK.....	167	FCM1285XJ.....	139	FCM2050XESL.....	195	FCM545SL.....	202	FCM606XE.....	182	FCM6568.....	165

FCM6570.....	187	FCM81200XESL.....	197	FCM8571.....	136	FCM873SL.....	192	FC06186XCSSL.....	196	S118XK.....	140
FCM6575.....	158	FCM81200XG.....	140	FCM8572SL.....	193	FCM874.....	136	FC06186XESL.....	196	S118XN.....	140
FCM6577.....	158	FCM81200XGSL.....	197	FCM8573SL.....	193	FCM8745.....	186	FC06186XJSL.....	196	S118XR.....	140
FCM6580SL.....	203	FCM81200XJ.....	140	FCM8574.....	136	FCM874SL.....	193	FC06186XNSL.....	196	S12.....	175
FCM6582.....	151	FCM81200XK.....	140	FCM8581.....	163	FCM8752.....	186	FC06186XRSL.....	196	S120.....	189
FCM65SL.....	209	FCM81200XKSL.....	197	FCM8583SL.....	207	FCM881SL.....	205	FC06188SL.....	199	S1200.....	144
FCM65XC.....	166	FCM81200XKSL.....	197	FCM860.....	190	FCM881XCSSL.....	204	FC06188XCSSL.....	196	S1200SL.....	199
FCM65XCSSL.....	208	FCM81200XKSL.....	197	FCM861.....	188	FCM881XSL.....	204	FC06188XESL.....	196	S1201.....	143
FCM65XE.....	166	FCM81200XKSL.....	197	FCM861XC.....	188	FCM881XGSL.....	204	FC06188XJSL.....	196	S1201SL.....	198
FCM65XESL.....	208	FCM81200XKSL.....	197	FCM861XE.....	188	FCM881XJSL.....	204	FC06188XNSL.....	196	S1202.....	143
FCM65XG.....	166	FCM81200XN.....	140	FCM861XG.....	188	FCM881XKSL.....	204	FC06188XRSL.....	196	S1202SL.....	199
FCM65XGSL.....	208	FCM81200XR.....	140	FCM861XJ.....	188	FCM881XNSL.....	204	FC06189SL.....	199	S1203.....	144
FCM65XJ.....	166	FCM81208P.....	145	FCM861XK.....	188	FCM881XRSL.....	204	FC06189XCSSL.....	196	S1204.....	141
FCM65XJSL.....	208	FCM81208PSL.....	199	FCM861XN.....	188	FCM882SL.....	201	FC06189XESL.....	196	S1204SL.....	198
FCM65XK.....	166	FCM81208SL.....	199	FCM861XR.....	188	FCM883SL.....	201	FC06189XJSL.....	196	S1205.....	141
FCM65XKSL.....	208	FCM81225.....	141	FCM862.....	171	FCM884SL.....	201	FC06189XNSL.....	196	S1205SL.....	197
FCM65XN.....	166	FCM81225SL.....	197	FCM862SL.....	209	FCM885SL.....	202	FC06189XRSL.....	196	S1205XC.....	138
FCM65XNSL.....	208	FCM812SL.....	192	FCM862XC.....	167	FCM886.....	161	FC06190SL.....	200	S1205XE.....	138
FCM65XR.....	166	FCM813SL.....	194	FCM862XCSSL.....	208	FCM886SL.....	206	FC06190XCSSL.....	196	S1205XG.....	138
FCM65XRSL.....	208	FCM814.....	133	FCM862XE.....	167	FCM887SL.....	201	FC06190XESL.....	196	S1205XJ.....	138
FCM66.....	166	FCM8145.....	170	FCM862XESL.....	208	FCM888.....	162	FC06190XJSL.....	196	S1205XK.....	138
FCM668.....	133	FCM8145SL.....	209	FCM862XG.....	167	FCM888SL.....	207	FC06190XNSL.....	196	S1205XN.....	138
FCM66SL.....	208	FCM8149.....	164	FCM862XGSL.....	208	FCM889SL.....	202	FC06190XRSL.....	196	S1205XR.....	138
FCM670.....	172	FCM814SL.....	192	FCM862XJ.....	167	FCM890.....	136	FC06575.....	158	S1206.....	141
FCM678.....	168	FCM815SL.....	192	FCM862XJSL.....	208	FCM890SL.....	194	FWRT.....	211	S1206SL.....	197
FCM678SL.....	208	FCM816.....	133	FCM862XK.....	167	FCM891.....	164	KNRT.....	211	S1207.....	141
FCM704.....	186	FCM81645.....	187	FCM862XKSL.....	208	FCM891SL.....	207	PBRT.....	211	S1207XC.....	138
FCM707.....	185	FCM81646SL.....	203	FCM862XN.....	167	FCM892SL.....	202	RSRT.....	211	S1207XE.....	138
FCM708.....	186	FCM81651.....	138	FCM862XNSL.....	208	FCM893SL.....	192	S10.....	176	S1207XG.....	138
FCM7125SL.....	209	FCM81651SL.....	195	FCM862XR.....	167	FCM896.....	161	S100.....	190	S1207XJ.....	138
FCM721.....	185	FCM81652.....	137	FCM862XRSL.....	208	FCM896SL.....	206	S1000.....	157	S1207XK.....	138
FCM735.....	186	FCM81652SL.....	195	FCM863.....	159	FCM898.....	159	S1001.....	158	S1207XN.....	138
FCM736.....	185	FCM81654.....	165	FCM863SL.....	206	FCM898SL.....	206	S1006.....	135	S1207XR.....	138
FCM745.....	186	FCM81654SL.....	208	FCM864.....	160	FCM899.....	162	S100SL.....	200	S1208.....	144
FCM752.....	186	FCM816SL.....	191	FCM864SL.....	206	FCM899SL.....	207	S100XCSSL.....	197	S1208SL.....	199
FCM755.....	189	FCM817.....	134	FCM865.....	160	FCM900.....	134	S100XESL.....	197	S1209.....	143
FCM758.....	135	FCM817SL.....	193	FCM86500.....	137	FCM901.....	161	S100XGSL.....	197	S1209SL.....	198
FCM760.....	175	FCM81800SL.....	191	FCM86500SL.....	194	FCM901SL.....	206	S100XJSL.....	197	S1211.....	143
FCM761.....	161	FCM81828.....	145	FCM86550.....	137	FCM902.....	148	S100XKSL.....	197	S1211SL.....	198
FCM761SL.....	206	FCM81829.....	145	FCM86550SL.....	194	FCM902SL.....	201	S100XNSL.....	197	S1212.....	144
FCM764.....	149	FCM818SL.....	193	FCM86560.....	165	FCM904.....	175	S100XRSL.....	197	S128.....	144
FCM764SL.....	201	FCM81900SL.....	205	FCM86560SL.....	208	FCM905.....	135	S1027.....	135	S128XC.....	139
FCM765.....	147	FCM81918SL.....	191	FCM86570.....	187	FCM906.....	162	S1029.....	135	S128XE.....	139
FCM765SL.....	201	FCM81919SL.....	192	FCM86580SL.....	203	FCM906SL.....	207	S104.....	172	S128XG.....	139
FCM784.....	158	FCM81921SL.....	193	FCM865SL.....	206	FCM907.....	149	S104XC.....	167	S128XJ.....	139
FCM785.....	156	FCM81928SL.....	194	FCM866.....	163	FCM907SL.....	202	S104XE.....	167	S128XK.....	139
FCM787.....	158	FCM81944SL.....	205	FCM866SL.....	207	FCM909.....	176	S104XG.....	167	S128XN.....	139
FCM788.....	156	FCM81947SL.....	205	FCM8675SL.....	209	FCM910.....	136	S104XJ.....	167	S128XR.....	139
FCM789.....	158	FCM81949SL.....	205	FCM8678.....	168	FCM911.....	164	S104XK.....	167	S130.....	141
FCM80.....	158	FCM81968SL.....	191	FCM8678SL.....	208	FCM911SL.....	207	S104XN.....	167	S130SL.....	197
FCM800.....	175	FCM81986SL.....	192	FCM867SL.....	207	FCM912.....	150	S104XR.....	167	S131.....	168
FCM807SL.....	192	FCM82.....	153	FCM870.....	146	FCM912SL.....	202	S105.....	172	S132.....	168
FCM808SL.....	191	FCM820.....	136	FCM8704.....	186	FCM914.....	176	S108.....	144	S132SL.....	209
FCM809SL.....	194	FCM821.....	136	FCM8707.....	185	FCM915.....	157	S1089.....	154	S1350.....	168
FCM81000.....	190	FCM822.....	134	FCM8708.....	186	FCM916.....	157	S1089SL.....	204	S137.....	168
FCM8101SL.....	205	FCM828.....	145	FCM870SL.....	200	FCM92SL.....	204	S108XC.....	140	S138SL.....	195
FCM8101XCSSL.....	203	FCM82XC.....	152	FCM870XC.....	140	FCM92XCSSL.....	203	S108XE.....	140	S139.....	134
FCM8101XESL.....	203	FCM82XE.....	152	FCM870XCSSL.....	197	FCM92XESL.....	203	S108XG.....	140	S139SL.....	192
FCM8101XGSL.....	203	FCM82XG.....	152	FCM870XE.....	140	FCM92XGSL.....	203	S108XJ.....	140	S140.....	146
FCM8101XJSL.....	203	FCM82XJ.....	152	FCM870XESL.....	197	FCM92XJSL.....	203	S108XK.....	140	S1400.....	155
FCM8101XKSL.....	203	FCM82XK.....	152	FCM870XG.....	140	FCM92XKSL.....	203	S108XN.....	140	S1400SL.....	205
FCM8101XNSL.....	203	FCM82XN.....	152	FCM870XGSL.....	197	FCM92XNSL.....	203	S108XR.....	140	S1401.....	153
FCM8101XRSL.....	203	FCM82XR.....	152	FCM870XJ.....	140	FCM92XRSL.....	203	S11.....	190	S1401SL.....	204
FCM8103SL.....	202	FCM8310SL.....	204	FCM870XJSL.....	197	FCM966.....	162	S1100.....	189	S1402.....	154
FCM8104SL.....	201	FCM8311SL.....	204	FCM870XK.....	140	FCM968.....	162	S115.....	169	S1404.....	180
FCM8105SL.....	201	FCM8313SL.....	204	FCM870XKSL.....	197	FC06184SL.....	199	S1170SL.....	199	S1405.....	170
FCM8107SL.....	202	FCM8321.....	170	FCM870XN.....	140	FC06184XCSSL.....	196	S1170XCSSL.....	196	S1405SL.....	209
FCM8109SL.....	203	FCM8321XC.....	167	FCM870XNSL.....	197	FC06184XESL.....	196	S1170XESL.....	196	S1406.....	170
FCM811.....	169	FCM8321XE.....	167	FCM870XR.....	140	FC06184XJSL.....	196	S1170XGSL.....	196	S1407.....	171
FCM8110SL.....	204	FCM8321XG.....	167	FCM870XRSL.....	197	FC06184XNSL.....	196	S1170XJSL.....	196	S1408.....	170
FCM8114.....	133	FCM8321XJ.....	167	FCM871.....	133	FC06184XRSL.....	196	S1170XKSL.....	196	S1409.....	169
FCM8114SL.....	191	FCM8321XK.....	167	FCM871SL.....	191	FC06185SL.....	199	S1170XNSL.....	196	S140STC.....	188
FCM8115.....	141	FCM8321XN.....	167	FCM872.....	134	FC06185XCSSL.....	196	S1170XRSL.....	196	S140XC.....	140
FCM8115SL.....	197	FCM8321XR.....	167	FCM8721.....	185	FC06185XESL.....	196	S118.....	146	S140XE.....	140
FCM81200.....	146	FCM8322.....	169	FCM872SL.....	191	FC06185XJSL.....	196	S118XC.....	140	S140XG.....	140
FCM81200SL.....	200	FCM8323.....	169	FCM873.....	134	FC06185XNSL.....	196	S118XE.....	140	S140XJ.....	140
FCM81200XC.....	140	FCM8324.....	169	FCM8735.....	186	FC06185XRSL.....	196	S118XG.....	140	S140XK.....	140
FCM81200XE.....	140	FCM8545SL.....	202	FCM8736.....	185	FC06186SL.....	200	S118XJ.....	140	S140XN.....	140

S140XR	140	S2010XCSL	195	S220	189	S292	173	S4812XESL	209	S5715XG	138
S141	144	S2010XE	138	S2200	155	S294	172	S4812XJ	182	S5715XJ	138
S1411	174	S2010XESL	195	S2200XC	152	S294SL	206	S4812XJSL	209	S5715XK	138
S141STC	188	S2010XG	138	S2200XCSL	203	S296	188	S4812XN	182	S5715XN	138
S141XC	139	S2010XGSL	195	S2200XE	152	S296XC	188	S4812XNSL	209	S5715XR	138
S141XE	139	S2010XJ	138	S2200XESL	203	S296XE	188	S4812XR	182	S5720	142
S141XG	139	S2010XJSL	195	S2200XG	152	S296XG	188	S4812XRSL	209	S5720SL	198
S141XJ	139	S2010XK	138	S2200XGSL	203	S296XJ	188	S4813	183	S5720XC	139
S141XK	139	S2010XKSL	195	S2200XJ	152	S296XK	188	S4813XC	182	S5720XC SL	195
S141XN	139	S2010XN	138	S2200XJSL	203	S296XN	188	S4813XE	182	S5720XE	139
S141XR	139	S2010XNSL	195	S2200XK	152	S296XR	188	S4813XJ	182	S5720XESL	195
S1442SL	202	S2010XR	138	S2200XKSL	203	S30	172	S4813XN	182	S5720XG	139
S154	135	S2010XRSL	195	S2200XN	152	S308SL	199	S4813XR	182	S5720XGSL	195
S154SL	193	S205	189	S2200XNSL	203	S308XCSL	196	S4814	183	S5720XJ	139
S155	136	S2050	141	S2200XR	152	S308XESL	196	S4814XC	182	S5720XJSL	195
S155SL	193	S206	171	S2200XRSL	203	S308XGSL	196	S4814XE	182	S5720XK	139
S156	150	S206E	166	S2250	153	S308XJSL	196	S4814XJ	182	S5720XKSL	195
S160	137	S206XC	167	S2250XC	151	S308XKSL	196	S4814XN	182	S5720XN	139
S160SL	194	S206XE	167	S2250XCSL	203	S308XNSL	196	S4814XR	182	S5720XNSL	195
S161	164	S206XG	167	S2250XE	151	S308XRSL	196	S4816	183	S5720XR	139
S161SL	207	S206XJ	167	S2250XESL	203	S30XC	167	S4816XC	182	S5720XRSL	195
S162	173	S206XK	167	S2250XG	151	S30XE	167	S4816XE	182	S5725	142
S163	158	S206XN	167	S2250XGSL	203	S30XG	167	S4816XJ	182	S5725XC	138
S1645	187	S206XR	167	S2250XJ	151	S30XJ	167	S4816XN	182	S5725XE	138
S1646	151	S2070SL	195	S2250XJSL	203	S30XK	167	S4816XR	182	S5725XG	138
S1646SL	203	S210	190	S2250XK	151	S30XN	167	S506	176	S5725XJ	138
S1647	151	S2100	171	S2250XKSL	203	S30XR	167	S507	178	S5725XK	138
S1650	182	S2101	154	S2250XN	151	S31	190	S508	181	S5725XN	138
S1651	138	S2101SL	204	S2250XNSL	203	S310	133	S529	150	S5725XR	138
S1651SL	195	S2102	154	S2250XR	151	S32	171	S5425	152	S572SL	194
S1652	138	S2103	153	S2250XRSL	203	S32XC	166	S5425SL	204	S573SL	194
S1652SL	195	S2103SL	204	S236	187	S32XE	166	S543	150	S574	136
S1653	166	S2103XC	151	S237	187	S32XG	166	S545SL	202	S575	164
S1654	166	S2103XCSL	203	S241	134	S32XJ	166	S549	178	S577	164
S1655	179	S2103XE	151	S243	168	S32XK	166	S5700	142	S579	164
S1656	166	S2103XESL	203	S255	187	S32XN	166	S5700SL	198	S581	163
S1656SL	208	S2103XG	151	S256	187	S32XR	166	S5700XC	138	S583SL	207
S1658	166	S2103XGSL	203	S2600	140	S34	166	S5700XCSL	195	S585	173
S1661	174	S2103XJ	151	S2610	184	S3487SL	209	S5700XE	138	S5870SL	193
S17	176	S2103XJSL	203	S2610XC	183	S3487XCSL	208	S5700XESL	195	S600	190
S198	145	S2103XK	151	S2610XE	183	S3487XESL	208	S5700XG	138	S6000	159
S198SL	200	S2103XKSL	203	S2610XJ	183	S3487XGSL	208	S5700XGSL	195	S6000SL	206
S20	176	S2103XN	151	S2610XN	183	S3487XJSL	208	S5700XJ	138	S6002	133
S200	189	S2103XNSL	203	S2610XR	183	S3487XKSL	208	S5700XJSL	195	S6002SL	191
S2000	146	S2103XR	151	S262	170	S3487XNSL	208	S5700XK	138	S6006	161
S2000SL	200	S2103XRSL	203	S2620	182	S3487XRSL	208	S5700XKSL	195	S6006SL	206
S2000SL-2C	198	S2104	153	S262XC	166	S35	160	S5700XN	138	S6008	134
S2000SL-4C	198	S2104SL	204	S262XE	166	S369	134	S5700XNSL	195	S6008SL	192
S2000XC	140	S2104XC	151	S262XG	166	S37	164	S5700XR	138	S6009	148
S2000XCSL	196	S2104XCSL	203	S262XJ	166	S38	160	S5700XRSL	195	S6009SL	201
S2000XCSL-2C	195	S2104XE	151	S262XK	166	S4070SL	194	S5705	142	S601	184
S2000XCSL-4C	195	S2104XESL	203	S262XN	166	S41	162	S5705XC	138	S6010	148
S2000XE	140	S2104XG	151	S262XR	166	S416SL	194	S5705XE	138	S6012	175
S2000XESL	196	S2104XGSL	203	S2630	181	S42	163	S5705XG	138	S6013	172
S2000XESL-2C	195	S2104XJ	151	S263SL	209	S426	164	S5705XJ	138	S6014	173
S2000XESL-4C	195	S2104XJSL	203	S263XCSL	208	S43	165	S5705XK	138	S6015SL	200
S2000XG	140	S2104XK	151	S263XESL	208	S430	173	S5705XN	138	S601XC	183
S2000XGSL	196	S2104XKSL	203	S263XGSL	208	S430SL	207	S5705XR	138	S601XCSL	197
S2000XJ	140	S2104XN	151	S263XJSL	208	S454	187	S571	136	S601XE	183
S2000XJSL	196	S2104XNSL	203	S263XKSL	208	S4570SL	191	S5710	142	S601XESL	197
S2000XJSL-2C	195	S2104XR	151	S263XNSL	208	S4800	190	S5710SL	198	S601XGSL	197
S2000XJSL-4C	195	S2104XRSL	203	S263XRSL	208	S4810	184	S5710XC	139	S601XJ	183
S2000XK	140	S2105	153	S2640	182	S4810SL	210	S5710XCSL	195	S601XJSL	197
S2000XKSL	196	S2106	153	S2650	181	S4810XC	183	S5710XE	139	S601XKSL	197
S2000XN	140	S2107	153	S2660	181	S4810XCSL	210	S5710XESL	195	S601XN	183
S2000XNSL	196	S2108	153	S2670	181	S4810XE	183	S5710XG	139	S601XNSL	197
S2000XNSL-2C	195	S210SL	209	S289	174	S4810XESL	210	S5710XGSL	195	S601XR	183
S2000XNSL-4C	195	S210XCSL	208	S289E	174	S4810XJ	183	S5710XJ	139	S601XRSL	197
S2000XR	140	S210XESL	208	S289ESL	208	S4810XJSL	210	S5710XJSL	195	S602	181
S2000XRSL	196	S210XGSL	208	S289XC	174	S4810XN	183	S5710XK	139	S6021	171
S2000XRSL-2C	195	S210XJSL	208	S289XE	174	S4810XNSL	210	S5710XKSL	195	S6021XC	167
S2000XRSL-4C	195	S210XKSL	208	S289XG	174	S4810XR	183	S5710XN	139	S6021XE	167
S20042	151	S210XNSL	208	S289XJ	174	S4810XRSL	210	S5710XNSL	195	S6021XG	167
S2009	142	S210XRSL	208	S289XK	174	S4812	183	S5710XR	139	S6021XJ	167
S2009SL	198	S211	160	S289XN	174	S4812SL	210	S5710XRSL	195	S6021XK	167
S2010	141	S213	162	S289XR	174	S4812XC	182	S5715	142	S6021XN	167
S2010SL	198	S214	163	S291	173	S4812XCSL	209	S5715XC	138	S6021XR	167
S2010XC	138	S2150	169	S291SL	207	S4812XE	182	S5715XE	138	S6022	170

S6022XC	166	S606XJ	182	S6126SL	200	S752	186	S8145SL	209	S82106XN	151
S6022XE	166	S606XJSL	196	S6126XCSL	196	S755	190	S8149	164	S82106XR	151
S6022XG	166	S606XN	182	S6126XESL	196	S757SL	202	S814SL	191	S82107	153
S6022XJ	166	S606XNSL	196	S6126XJSL	196	S758SL	201	S815	134	S82107XC	151
S6022XK	166	S606XR	182	S6126XNSL	196	S770	158	S816	133	S82107XE	151
S6022XN	166	S606XRSL	196	S6126XRSL	196	S771	156	S81645	187	S82107XG	151
S6022XR	166	S607	184	S6127SL	192	S773	157	S81646	151	S82107XJ	151
S6023	166	S6070	135	S6128SL	197	S774	157	S81646SL	203	S82107XK	151
S6025	160	S6070SL	193	S6130SL	191	S80	155	S81649	179	S82107XN	151
S6026	164	S6071	149	S6131SL	192	S8000	146	S81650	182	S82107XR	151
S6027	160	S6071SL	202	S6132SL	194	S8000-12	142	S81651	138	S82200	155
S6029	162	S6072	149	S6134SL	192	S8000-18	142	S81651SL	195	S82200XC	152
S6025L	193	S6073	163	S6135SL	193	S8000-9	142	S81652	138	S82200XE	152
S6030	163	S6074	163	S626	137	S8000SL	200	S81652SL	195	S82200XG	152
S6031	161	S6075	163	S63	169	S8000XC	140	S81653	166	S82200XJ	152
S6032	159	S6076	163	S6500	137	S8000XCSL	196	S81654	166	S82200XK	152
S6034	168	S607SL	200	S6500SL	194	S8000XE	140	S81654SL	208	S82200XN	152
S6035	168	S607XC	183	S6520	182	S8000XESL	196	S81656	166	S82200XR	152
S6036	165	S607XCSL	196	S6532	176	S8000XG	140	S817	134	S82250	153
S604	181	S607XE	183	S6534	179	S8000XGSL	196	S818	146	S822XC	152
S6041	172	S607XESL	196	S6536	165	S8000XJ	140	S81828	145	S822XE	152
S6041XC	167	S607XJ	183	S6550	137	S8000XJSL	196	S818XC	140	S822XG	152
S6041XE	167	S607XJSL	196	S6550SL	194	S8000XK	140	S818XE	140	S822XJ	152
S6041XG	167	S607XN	183	S6560	165	S8000XKSL	196	S818XG	140	S822XK	152
S6041XJ	167	S607XNSL	196	S6565	165	S8000XN	140	S818XJ	140	S822XN	152
S6041XK	167	S607XR	183	S6565SL	208	S8000XNSL	196	S818XK	140	S822XR	152
S6041XN	167	S607XRSL	196	S6568	165	S8000XR	140	S818XN	140	S82600	140
S6041XR	167	S608	184	S6570	187	S8000XRSL	196	S818XR	140	S82610	184
S6042	170	S6080	158	S6572	173	S807	174	S81929P	171	S82610XC	183
S6042XC	166	S6081	158	S6575	158	S807XC	174	S81929PXC	167	S82610XE	183
S6042XE	166	S6082	157	S6576	158	S807XE	174	S81929PXE	167	S82610XJ	183
S6042XG	166	S6084	157	S6577	158	S807XG	174	S81929PXG	167	S82610XN	183
S6042XJ	166	S6085	156	S6580	151	S807XJ	174	S81929PXJ	167	S82610XR	183
S6042XK	166	S608XC	183	S6580SL	203	S807XK	174	S81929PXK	167	S82620	182
S6042XN	166	S608XE	183	S6582	151	S807XN	174	S81929PXN	167	S82630	181
S6042XR	166	S608XJ	183	S668	134	S807XR	174	S81929PXR	167	S82640	182
S6043	166	S608XN	183	S682	153	S808	145	S81932P	161	S82650	181
S6045	160	S608XR	183	S685L	143	S808SL	199	S81933P	159	S82660	181
S6046	164	S609	181	S685LXC	139	S80XC	152	S81935P	159	S82670	181
S6047	160	S6090	137	S685LXE	139	S80XE	152	S81936P	160	S828	145
S6049	162	S6091	150	S685LXG	139	S80XG	152	S81937P	161	S829	141
S6045L	192	S6091SL	202	S685LXJ	139	S80XJ	152	S81938P	162	S829SL	197
S605	184	S6092	149	S685LXK	139	S80XK	152	S81939P	161	S82SL	204
S6050	163	S6092SL	202	S685LXN	139	S80XN	152	S81940P	163	S82XC	152
S6051	161	S6093	135	S685LXR	139	S80XR	152	S81941P	163	S82XCSL	203
S6052	159	S6094	136	S685R	143	S810	190	S81942P	164	S82XE	152
S6054	168	S6095	137	S685RXC	139	S81000	190	S81983	163	S82XESL	203
S6055	168	S6097	169	S685RXE	139	S81086SL	200	S82	154	S82XG	152
S6056	165	S6100	135	S685RXG	139	S81086XCSL	197	S820	137	S82XGSL	203
S6055L	199	S6100SL	192	S685RXJ	139	S81086XESL	197	S8200	189	S82XJ	152
S605XC	182	S6101	161	S685RXK	139	S81086XGSL	197	S8201	189	S82XJSL	203
S605XCSL	196	S6101SL	206	S685RXN	139	S81086XJSL	197	S8202SL	205	S82XK	152
S605XE	182	S6102	148	S685RXR	139	S81086XKSL	197	S8204SL	205	S82XKSL	203
S605XESL	196	S6102SL	201	S691	143	S81086XNSL	197	S8207SL	205	S82XN	152
S605XJ	182	S6103	148	S691XC	139	S81086XRSL	197	S821	136	S82XNSL	203
S605XJSL	196	S6104	173	S691XE	139	S811	169	S82103	153	S82XR	152
S605XN	182	S6105	175	S691XG	139	S81100	189	S82103XC	151	S82XRSL	203
S605XNSL	196	S6106	161	S691XJ	139	S81186SL	199	S82103XE	151	S830	172
S605XR	182	S6107	161	S691XK	139	S8120	189	S82103XG	151	S830XC	167
S605XRSL	196	S6108	161	S691XN	139	S81208	145	S82103XJ	151	S830XE	167
S606	184	S6111	175	S691XR	139	S81225	141	S82103XK	151	S830XG	167
S6061	141	S6113	175	S704	186	S8132	168	S82103XN	151	S830XJ	167
S6062	145	S6117	176	S707	185	S8132SL	209	S82103XR	151	S830XK	167
S6062SL	200	S6119	176	S708	186	S814	134	S82104	153	S830XN	167
S6063	145	S6121	175	S709	157	S8140	146	S82105	153	S830XR	167
S6063STC	188	S6123	187	S7125SL	209	S81401	153	S82105XC	151	S831	190
S6063XC	140	S6124SL	199	S721	185	S81405	170	S82105XE	151	S8310	154
S6063XE	140	S6124XCSL	196	S735	186	S81405TC	188	S82105XG	151	S8310SL	204
S6063XG	140	S6124XESL	196	S736	185	S8140XC	140	S82105XJ	151	S8311	154
S6063XJ	140	S6124XJSL	196	S745	186	S8140XE	140	S82105XK	151	S8311SL	204
S6063XK	140	S6124XNSL	196	S751SL	205	S8140XG	140	S82105XN	151	S83120	180
S6063XN	140	S6124XRSL	196	S751XCSL	204	S8140XJ	140	S82105XR	151	S831203	180
S6063XR	140	S6125SL	200	S751XESL	204	S8140XK	140	S82106	153	S831203XC	179
S606SL	199	S6125XCSL	196	S751XGSL	204	S8140XN	140	S82106XC	151	S831203XE	179
S606XC	182	S6125XESL	196	S751XJSL	204	S8140XR	140	S82106XE	151	S831203XG	179
S606XCSL	196	S6125XJSL	196	S751XKSL	204	S8141	180	S82106XG	151	S831203XJ	179
S606XE	182	S6125XNSL	196	S751XNSL	204	S8144	171	S82106XJ	151	S831203XK	179
S606XESL	196	S6125XRSL	196	S751XRSL	204	S8145	170	S82106XK	151	S831203XN	179

S831203XR	179	S84813XC	182	S85720SL	198	S8600XE	183	S86560SL	208	S888SL	201
S83120XC	179	S84813XE	182	S85720XC	139	S8600XJ	183	S86565	165	S891	149
S83120XE	179	S84813XJ	182	S85720XCSSL	195	S8600XN	183	S86570	187	S891SL	202
S83120XG	179	S84813XN	182	S85720XE	139	S8600XR	183	S86580	151	S892	150
S83120XJ	179	S84813XR	182	S85720XESL	195	S8601	184	S86580SL	203	S892SL	202
S83120XK	179	S84814	183	S85720XG	139	S8601SL	200	S8675SL	209	S893	161
S83120XN	179	S84814XC	182	S85720XGSL	195	S8601XCSL	197	S867SL	207	S894	147
S83120XR	179	S84814XE	182	S85720XJ	139	S8601XESL	197	S8682	153	S894SL	201
S8313	154	S84814XJ	182	S85720XJSL	195	S8601XGSL	197	S8682SL	204	S895	148
S8313SL	204	S84814XN	182	S85720XK	139	S8601XJSL	197	S8685L	143	S895SL	201
S83141	177	S84814XR	182	S85720XKSL	195	S8601XKSL	197	S8685LXC	139	S896	188
S83142	178	S84816	183	S85720XN	139	S8601XNSL	197	S8685LXE	139	S8968	162
S83143	176	S84816XC	182	S85720XNSL	195	S8601XRSL	197	S8685LXG	139	S897	189
S83145	179	S84816XE	182	S85720XR	139	S8602	181	S8685LXJ	139	S89701	165
S83147	178	S84816XJ	182	S85720XRSL	195	S86021	171	S8685LXK	139	S8971	168
S83149	178	S84816XN	182	S85725	142	S86021XC	167	S8685LXN	139	S8972	180
S83152	177	S84816XR	182	S85725XC	138	S86021XE	167	S8685LXR	139	S898	155
S83153	177	S84886SL	198	S85725XE	138	S86021XG	167	S8685R	143	S898SL	205
S83154	178	S84886XCSL	195	S85725XG	138	S86021XJ	167	S8685RXC	139	S90	155
S83155	177	S84886XESL	195	S85725XJ	138	S86021XK	167	S8685RXE	139	S902	151
S83156	177	S84886XGSL	195	S85725XK	138	S86021XN	167	S8685RXG	139	S902SL	202
S8316	154	S84886XJSL	195	S85725XN	138	S86021XR	167	S8685RXJ	139	S90SL	205
S8317	187	S84886XKSL	195	S85725XR	138	S86022XC	167	S8685RXK	139	S90XC	152
S8318	171	S84886XNSL	195	S8572SL	194	S86022XE	167	S8685RXN	139	S90XE	152
S8319	171	S84886XRSL	195	S8573SL	194	S86022XG	167	S8685RXR	139	S90XG	152
S832	171	S8508	181	S8574	136	S86022XJ	167	S8691	143	S90XJ	152
S8320	171	S8529	150	S8575	164	S86022XK	167	S8691XC	139	S90XK	152
S8321	170	S8545SL	202	S8579	164	S86022XN	167	S8691XE	139	S90XN	152
S8321XC	167	S85700	142	S8581	163	S86022XR	167	S8691XG	139	S90XR	152
S8321XE	167	S85700SL	198	S8583SL	207	S86025	160	S8691XJ	139	S91	148
S8321XG	167	S85700XC	138	S85892SL	191	S86026	164	S8691XK	139	S912	150
S8321XJ	167	S85700XCSSL	195	S85893	134	S86027	160	S8691XN	139	S916	134
S8321XK	167	S85700XE	138	S85893SL	192	S86029	162	S8691XR	139	S916SL	191
S8321XN	167	S85700XESL	195	S85895	137	S8602SL	193	S8704	186	S91SL	201
S8321XR	167	S85700XG	138	S85895SL	194	S86030	163	S8707	185	S92	154
S8322	169	S85700XGSL	195	S85896	136	S86031	161	S8708	186	S925	180
S8323	169	S85700XJ	138	S85896SL	193	S86032	159	S8721	185	S926	159
S8324	169	S85700XJSL	195	S85897	161	S86035	168	S8735	186	S92SL	204
S8325	170	S85700XK	138	S85898	148	S86036	165	S8736	185	S92XC	152
S8326	169	S85700XKSL	195	S85898SL	201	S8604	181	S8745	186	S92XE	152
S8327	169	S85700XN	138	S85900	149	S8605	184	S8752	186	S92XG	152
S8328	170	S85700XNSL	195	S85900SL	201	S8605SL	199	S880	155	S92XJ	152
S832XC	167	S85700XR	138	S85901	149	S8605XC	182	S880SL	205	S92XK	152
S832XE	167	S85700XRSL	195	S85902	150	S8605XE	182	S880XC	152	S92XN	152
S832XG	167	S85705	142	S85902SL	202	S8605XJ	182	S880XCSSL	204	S92XR	152
S832XJ	167	S85705XC	138	S85905	159	S8605XN	182	S880XE	152	S93	189
S832XK	167	S85705XE	138	S85906	162	S8605XR	182	S880XESL	204	S930	172
S832XN	167	S85705XG	138	S85907	160	S8606	184	S880XG	152	S930SL	206
S832XR	167	S85705XJ	138	S85908	162	S8606SL	199	S880XGSL	204	S9320	180
S833	160	S85705XK	138	S85909	163	S8606XC	182	S880XJ	152	S93203	180
S837	164	S85705XN	138	S85910SL	209	S8606XE	182	S880XJSL	204	S93203XC	179
S84586SL	191	S85705XR	138	S85910XCSSL	208	S8606XJ	182	S880XK	152	S93203XE	179
S84800	190	S8571	136	S85910XESL	208	S8606XN	182	S880XKSL	204	S93203XG	179
S84810	184	S85710	142	S85910XGSL	208	S8606XR	182	S880XN	152	S93203XJ	179
S84810SL	210	S85710SL	198	S85910XJSL	208	S8607	184	S880XNSL	204	S93203XK	179
S84810XC	183	S85710XC	139	S85910XKSL	208	S86074	163	S880XR	152	S93203XN	179
S84810XCSSL	210	S85710XCSSL	195	S85910XNSL	208	S8607SL	200	S880XRSL	204	S93203XR	179
S84810XE	183	S85710XE	139	S85910XRSL	208	S8607XC	183	S881	154	S9320XC	179
S84810XESL	210	S85710XESL	195	S85911SL	206	S8607XE	183	S881SL	205	S9320XE	179
S84810XJ	183	S85710XG	139	S85912SL	206	S8607XJ	183	S881XC	152	S9320XG	179
S84810XJSL	210	S85710XGSL	195	S85914SL	206	S8607XN	183	S881XCSSL	203	S9320XJ	179
S84810XN	183	S85710XJ	139	S85915SL	206	S8607XR	183	S881XE	152	S9320XK	179
S84810XNSL	210	S85710XJSL	195	S85916SL	206	S8608	184	S881XESL	203	S9320XN	179
S84810XR	183	S85710XK	139	S85917SL	207	S8608XC	183	S881XG	152	S9320XR	179
S84810XRSL	210	S85710XKSL	195	S85918SL	206	S8608XE	183	S881XGSL	203	S9341	177
S84812	183	S85710XN	139	S85920SL	207	S8608XJ	183	S881XJ	152	S9342	178
S84812SL	210	S85710XNSL	195	S85922SL	207	S8608XN	183	S881XJSL	203	S9343	176
S84812XC	182	S85710XR	139	S85924SL	199	S8608XR	183	S881XK	152	S9345	179
S84812XCSSL	209	S85710XRSL	195	S85925SL	200	S8609	181	S881XKSL	203	S9347	178
S84812XE	182	S85715	142	S85926SL	200	S86107	161	S881XN	152	S9349	178
S84812XESL	209	S85715XC	138	S85927SL	191	S86500	137	S881XNSL	203	S9352	177
S84812XJ	182	S85715XE	138	S85928SL	197	S86500SL	194	S881XR	152	S9353	177
S84812XJSL	209	S85715XG	138	S85930SL	194	S86520	182	S881XRSL	203	S9354	178
S84812XN	182	S85715XJ	138	S85931SL	192	S86533	179	S882	154	S9355	177
S84812XNSL	209	S85715XK	138	S85932SL	193	S86536	165	S884SL	203	S9356	177
S84812XR	182	S85715XN	138	S85934SL	193	S86550	137	S887	148	S95	148
S84812XRSL	209	S85715XR	138	S8600	190	S86550SL	194	S887SL	201	S960	190
S84813	183	S85720	142	S8600XC	183	S86560	165	S888	147	S962	135

Steel

S962SL.....	192	100.....	228	1025HD.....	220	1200SL.....	236	236HD.....	227	582HD.....	222
S964.....	161	104.....	224	1027SL.....	228	1201SL.....	229	237HD.....	227	584SLHD.....	231
S964SL.....	206	105.....	224	1029SL.....	228	1201SL.....	236	243HD.....	223	588HD.....	224
S966.....	162	108.....	218	1031HD.....	221	1202SL.....	229	255HD.....	227	601HD.....	226
S968.....	162	118.....	218	1031SLHD.....	230	1202SL.....	236	256HD.....	227	601XCHD.....	226
S97.....	150	128.....	218	1032HD.....	221	128XC.....	218	262HD.....	223	601XEHD.....	226
S970.....	162	130.....	218	1034HD.....	221	128XE.....	218	262HDXC.....	222	601XJHD.....	226
S971.....	168	131.....	223	1035HD.....	221	128XE.....	218	262HDXE.....	222	601XNHD.....	226
S972.....	159	137.....	223	1037HD.....	218	128XG.....	218	262HDXG.....	222	601XRHD.....	226
S973.....	161	139.....	217	1037SLHD.....	229	128XJ.....	218	262HDXJ.....	222	6023HD.....	223
S975.....	147	198.....	218	1038HD.....	219	128XK.....	218	262HDXK.....	222	602HD.....	225
S975SL.....	201	310.....	217	1038SLHD.....	229	128XN.....	218	262HDXN.....	222	604HD.....	225
S976.....	149	369.....	217	1039HD.....	219	130SL.....	229	262HDXR.....	222	605HD.....	226
S976SL.....	201	571.....	217	1039SLHD.....	229	130SL.....	236	263HD.....	225	605HDXC.....	226
S977.....	147	610.....	217	1040HD.....	219	132HD.....	223	263HDXC.....	225	605HDXE.....	226
S979.....	147	620.....	217	1040SLHD.....	229	132SLHD.....	231	263HDXE.....	225	605HDXJ.....	226
S980.....	149	626.....	217	1041HD.....	219	138SL.....	229	263HDXG.....	225	605HDXN.....	226
S981.....	147	800.....	235	1041SLHD.....	229	139SL.....	228	263HDXJ.....	225	605HDXR.....	226
S982.....	149	808.....	232	1042HD.....	218	1400SLHD.....	230	263HDXK.....	225	606HD.....	226
S983.....	150	810.....	235	1044HD.....	224	1403HD.....	219	263HDXN.....	225	606HDXC.....	226
S985.....	173	818.....	232	1047HD.....	220	1405HD.....	224	263HDXR.....	225	606HDXE.....	226
S988.....	156	828.....	232	104XC.....	223	1405SLHD.....	231	263SLHD.....	231	606HDXJ.....	226
S989.....	158	829.....	232	104XE.....	223	1406HD.....	224	263SLHDXC.....	231	606HDXN.....	226
S991.....	156	896.....	235	104XG.....	223	1408HD.....	223	263SLHDXE.....	231	606HDXR.....	226
S992.....	158	916.....	217	104XJ.....	223	1411HD.....	225	263SLHDXG.....	231	607HD.....	226
S994.....	158	1006.....	217	104XK.....	223	1643HD.....	227	263SLHDXJ.....	231	607HDXC.....	226
S995.....	157	1027.....	217	104XN.....	223	1643SLHD.....	231	263SLHDXK.....	231	607HDXE.....	226
S997.....	156	1028.....	217	104XR.....	223	1644HD.....	219	263SLHDXN.....	231	607HDXJ.....	226
S999.....	157	1029.....	217	1055HD.....	227	1644SLHD.....	230	263SLHDXR.....	231	607HDXN.....	226
SART.....	211	1200.....	218	1089SLHD.....	230	1650HD.....	226	289EHD.....	225	607HDXR.....	226
		1201.....	218	108XC.....	218	1651HD.....	217	289ESLHD.....	231	608HD.....	226
		1202.....	218	108XE.....	218	1651SL.....	229	289HD.....	225	608HDXC.....	226
		1203.....	218	108XE.....	218	1657HD.....	222	289HDXC.....	225	608HDXE.....	226
		5425.....	219	108XG.....	218	1657SLHD.....	231	289HDXE.....	225	608HDXJ.....	226
		8132.....	233	108XJ.....	218	1659HD.....	222	289HDXG.....	225	608HDXN.....	226
		8145.....	233	108XK.....	218	1660HD.....	222	289HDXJ.....	225	608HDXR.....	226
		8206.....	233	108XN.....	218	1662HD.....	225	289HDXK.....	225	609HD.....	225
		8317.....	235	1101HD.....	224	19020T.....	237	289HDXN.....	225	610SL.....	228
		8321.....	233	1101XCHD.....	223	19055T.....	237	289HDXR.....	225	613HD.....	221
		8322.....	233	1101XEHD.....	223	19080T.....	237	294HD.....	224	615HD.....	224
		8323.....	233	1101XGHD.....	223	19200T.....	237	294SLHD.....	230	615SLHD.....	230
		8324.....	233	1101XJHD.....	223	19210T.....	237	296HD.....	227	6184SL.....	229
		8704.....	234	1101XKHD.....	223	19220T.....	237	296HDXC.....	227	6184SL.....	236
		8708.....	234	1101XNHD.....	223	19520T.....	237	296HDXE.....	227	6184XCSL.....	236
		8752.....	234	1101XRHD.....	223	19720T.....	237	296HDXG.....	227	6184XESL.....	236
		03142HD.....	219	1102HD.....	223	19730T.....	237	296HDXJ.....	227	6184XJSL.....	236
		1001HD.....	220	1107HD.....	221	19740T.....	237	296HDXK.....	227	6184XJSL.....	236
		1002HD.....	221	1110HD.....	222	19750T.....	237	296HDXN.....	227	6184XRSL.....	236
		1004HD.....	223	1111HD.....	221	19800T.....	237	296HDXR.....	227	6185SL.....	229
		1005HD.....	228	1112HD.....	221	19810T.....	237	296SLHD.....	231	6185SL.....	236
		1006SL.....	228	1113HD.....	222	19820T.....	237	296SLHDXC.....	231	6185XCSL.....	236
		1007HD.....	221	1114HD.....	221	198SL.....	229	296SLHDXE.....	231	6185XESL.....	236
		1007SLHD.....	230	1115HD.....	221	198SL.....	236	296SLHDXG.....	231	6185XJSL.....	236
		1008HD.....	224	1116HD.....	221	203HD.....	228	296SLHDXJ.....	231	6185XNSL.....	236
		1009HD.....	218	1117HD.....	220	205HD.....	228	296SLHDXK.....	231	6185XRSL.....	236
		1009SLHD.....	229	1118HD.....	222	206EHD.....	222	296SLHDXN.....	231	6186SL.....	229
		100SL.....	229	1119HD.....	220	206HD.....	224	296SLHDXR.....	231	6186SL.....	236
		100SL.....	236	1120HD.....	221	206HDXC.....	223	309HD.....	220	6186XCSL.....	236
		100XCSL.....	229	1121HD.....	223	206HDXE.....	223	310SL.....	228	6186XESL.....	236
		100XCSL.....	236	1122HD.....	223	206HDXG.....	223	311HD.....	224	6186XJSL.....	236
		100XESL.....	229	1123HD.....	223	206HDXJ.....	223	311SLHD.....	230	6186XNSL.....	236
		100XESL.....	236	1123HDXC.....	222	206HDXK.....	223	369SL.....	228	6186XRSL.....	236
		100XGSL.....	229	1123HDXE.....	222	206HDXN.....	223	371HD.....	224	620SL.....	228
		100XGSL.....	236	1123HDXG.....	222	206HDXR.....	223	371SLHD.....	230	623HD.....	221
		100XJSL.....	229	1123HDXJ.....	222	2109HD.....	219	374HD.....	221	625HD.....	224
		100XJSL.....	236	1123HDXK.....	222	210HD.....	228	416SL.....	228	625SLHD.....	230
		100XKSL.....	229	1123HDXN.....	222	210SLHD.....	231	426HD.....	222	626SL.....	228
		100XKSL.....	236	1123HDXR.....	222	210SLHDXC.....	231	430HD.....	224	627HD.....	222
		100XNSL.....	229	115HD.....	223	210SLHDXE.....	231	430SLHD.....	231	628HD.....	225
		100XNSL.....	236	118XC.....	218	210SLHDXG.....	231	454HD.....	227	628SLHD.....	231
		100XRSL.....	229	118XE.....	218	210SLHDXJ.....	231	4572SLHD.....	230	630HD.....	220
		100XRSL.....	236	118XE.....	218	210SLHDXK.....	231	508HD.....	225	631HD.....	222
		1011HD.....	221	118XG.....	218	210SLHDXN.....	231	5425SL.....	230	632SL.....	229
		1020HD.....	220	118XJ.....	218	210SLHDXR.....	231	544HD.....	219	632SL.....	236
		1021HD.....	220	118XK.....	218	2110HD.....	219	546SLHD.....	229	632XCSL.....	236
		1022HD.....	220	118XN.....	218	2111HD.....	219	576HD.....	222	632XESL.....	236
		1024HD.....	220	1200SL.....	229	211HD.....	220	578HD.....	222	632XGSL.....	236

632XJSL.....	236	930SLHD.....	230	TS108.....	232	TS263XGSL.....	236	100.....	242	DRS2131SL.....	255
632XKSL.....	236	956SLHD.....	229	TS108XC.....	232	TS263XJ.....	234	1005HD.....	242	DRS82131SL.....	255
632XNSL.....	236	959HD.....	219	TS108XE.....	232	TS263XJSL.....	236	203HD.....	242	S10AXSL.....	256
632XRSL.....	236	959HDXC.....	219	TS108XG.....	232	TS263XK.....	234	205HD.....	242	S10CLSL.....	256
6500HD.....	217	959HDXGSL.....	230	TS108XJ.....	232	TS263XKSL.....	236	210HD.....	242	S10PBSL.....	255
6500SL.....	228	959HDXE.....	219	TS108XK.....	232	TS263XN.....	234	969HD.....	242	S10XCSSL.....	256
6520HD.....	225	959HDXESL.....	230	TS108XN.....	232	TS263XNSL.....	236	978HD.....	242	S10XESL.....	256
6560HD.....	222	959HDXG.....	219	TS108XR.....	232	TS263XR.....	234	FCF100.....	241	S10XGSL.....	256
6565HD.....	222	959HDXGSL.....	230	TS115.....	233	TS263XRSL.....	236	FCF160.....	241	S10XJSL.....	256
6565SLHD.....	231	959HDXJ.....	219	TS118.....	232	TS289.....	234	FCF31.....	240	S10XKSL.....	256
6568HD.....	222	959HDXJSL.....	230	TS118XC.....	232	TS289.....	234	FCF755.....	240	S10XNSL.....	256
6570HD.....	227	959HDXK.....	219	TS118XE.....	232	TS296.....	235	FCF808.....	240	S10XRSL.....	256
6570SLHD.....	231	959HDXKSL.....	230	TS118XG.....	232	TS296SL.....	236	FCF809.....	240	S1651SL.....	255
6572HD.....	225	959HDXN.....	219	TS118XJ.....	232	TS296XC.....	235	FCF8100.....	241	S1AV.....	249
6578HD.....	220	959HDXNSL.....	230	TS118XK.....	232	TS296XCSSL.....	236	FCF8160.....	241	S1AX.....	250
6580SLHD.....	230	959HDXR.....	219	TS118XN.....	232	TS296XE.....	235	FCF862.....	240	S1BL.....	248
6582HD.....	219	959HDXRSL.....	230	TS118XR.....	232	TS296XESL.....	236	FMF100.....	241	S1BS.....	248
6720HDXCSL.....	230	959SLHD.....	230	TS1200.....	232	TS296XG.....	235	FMF134.....	241	S1CL.....	250
6720HDXESL.....	230	961HD.....	219	TS1201.....	232	TS296XGSL.....	236	FMF205.....	240	S1LAV.....	249
6720HDXGSL.....	230	961HDXC.....	219	TS1202.....	232	TS296XJ.....	235	FMF220.....	240	S1LAX.....	250
6720HDXJSL.....	230	961HDXE.....	219	TS1203.....	232	TS296XJSL.....	236	FMF31.....	240	S1LBL.....	248
6720HDXKSL.....	230	961HDXG.....	219	TS128.....	232	TS296XK.....	235	FMF60.....	241	S1LBS.....	248
6720HDXNSL.....	230	961HDXJ.....	219	TS128XC.....	232	TS296XKSL.....	236	FMF600.....	241	S1LCL.....	250
6720HDXRSL.....	230	961HDXK.....	219	TS128XE.....	232	TS296XN.....	235	FMF755.....	240	S1LPB.....	250
6720SLHD.....	230	961HDXN.....	219	TS128XG.....	232	TS296XNSL.....	236	FMF8100.....	241	S1LRS.....	249
704HD.....	227	961HDXR.....	219	TS128XJ.....	232	TS296XR.....	235	FMF860.....	241	S1LSA.....	249
707HD.....	226	965HD.....	218	TS128XK.....	232	TS296XRSL.....	236	SE100.....	242	S1LSG.....	249
708HD.....	227	965SLHD.....	229	TS128XN.....	232	TS572SL.....	228	SE1005HD.....	242	S1LSN.....	249
721HD.....	226	966SLHD.....	230	TS128XR.....	232	TS704.....	234	SE210HD.....	242	S1LXC.....	250
735HD.....	226	967HD.....	219	TS130.....	232	TS708.....	234	SE514.....	242	S1LXE.....	250
736HD.....	226	967SLHD.....	230	TS131.....	233	TS752.....	234	SE969HD.....	242	S1LXG.....	250
745HD.....	226	968HD.....	218	TS132.....	233			SE978HD.....	242	S1LXJ.....	250
752HD.....	227	969HD.....	228	TS132SL.....	236			SSF100.....	241	S1LXK.....	250
818SL.....	236	971SLHD.....	229	TS137.....	233			SSF11.....	241	S1LXN.....	250
818XC.....	232	978HD.....	228	TS1405SL.....	236			SSF1100.....	240	S1LXR.....	250
818XCSL.....	236	980HD.....	224	TS1408.....	233			SSF120.....	240	S1PB.....	250
818XE.....	232	980HDXC.....	223	TS1411.....	234			SSF160.....	241	S1RAV.....	249
818XESL.....	236	980HDXE.....	223	TS198.....	232			SSF200.....	240	S1RAX.....	250
818XG.....	232	980HDXG.....	223	TS206.....	233			SSF205.....	240	S1RBL.....	249
818XGSL.....	236	980HDXJ.....	223	TS206XC.....	233			SSF220.....	240	S1RBS.....	248
818XJ.....	232	980HDXK.....	223	TS206XE.....	233			SSF31.....	240	S1RCL.....	250
818XJSL.....	236	980HDXN.....	223	TS206XG.....	233			SSF4800.....	240	S1RPB.....	250
818XK.....	232	980HDXR.....	223	TS206XJ.....	233			SSF600.....	241	S1RRS.....	250
818XKSL.....	236	982HD.....	223	TS206XK.....	233			SSF755.....	240	S1RS.....	249
818XN.....	232	982HDXC.....	223	TS206XN.....	233			SSF8100.....	241	S1RSA.....	249
818XNSL.....	236	982HDXE.....	223	TS206XR.....	233			SSF81100.....	240	S1RSG.....	249
818XR.....	232	982HDXG.....	223	TS210.....	235			SSF8120.....	240	S1RSN.....	249
818XRSL.....	236	982HDXJ.....	223	TS210SL.....	236			SSF8160.....	241	S1RXC.....	250
8206XC.....	233	982HDXK.....	223	TS210XCSL.....	236			SSF8200.....	240	S1RXE.....	250
8206XE.....	233	982HDXN.....	223	TS210XESL.....	236			SSF8205.....	240	S1RXG.....	250
8206XG.....	233	982HDXR.....	223	TS210XGSL.....	236			SSF8220.....	240	S1RXJ.....	250
8206XJ.....	233	984HD.....	223	TS210XJSL.....	236			SSF831.....	240	S1RXK.....	250
8206XK.....	233	985HD.....	222	TS210XKSL.....	236			SSF84800.....	240	S1RXN.....	250
8206XN.....	233	988HD.....	221	TS210XNSL.....	236			SSF8600.....	241	S1RXR.....	250
8206XR.....	233	989HD.....	221	TS210XRSL.....	236			SSF93.....	240	S1SA.....	249
828SL.....	236	991HD.....	220	TS214.....	235			SSF960.....	240	S1SG.....	249
829SL.....	236	996HD.....	221	TS236.....	235			TS100.....	242	S1SN.....	249
8321XC.....	233	999HD.....	222	TS237.....	235			TS210.....	242	S1XC.....	250
8321XE.....	233	AVRT.....	237	TS243.....	233			TS214.....	242	S1XE.....	250
8321XG.....	233	AXRT.....	237	TS255.....	234					S1XG.....	250
8321XJ.....	233	BSRT.....	237	TS256.....	234					S1XJ.....	250
8321XK.....	233	CNRT.....	237	TS262.....	233					S1XK.....	250
8321XN.....	233	FWRT.....	237	TS262XC.....	233					S1XN.....	250
8321XR.....	233	KNRT.....	237	TS262XE.....	233					S1XR.....	250
86184SL.....	236	PBRT.....	237	TS262XG.....	233					S2AX.....	248
86185SL.....	236	RSRT.....	237	TS262XJ.....	233					S2CL.....	248
86186SL.....	236	SART.....	237	TS262XK.....	233					S2PB.....	248
896XC.....	235	TS100.....	235	TS262XN.....	233					S2RS.....	248
896XE.....	235	TS104.....	233	TS262XR.....	233					S2SG.....	248
896XG.....	235	TS104XC.....	233	TS263.....	234					S2SN.....	248
896XJ.....	235	TS104XE.....	233	TS263SL.....	236					S2XC.....	248
896XK.....	235	TS104XG.....	233	TS263XC.....	234					S2XE.....	248
896XN.....	235	TS104XJ.....	233	TS263XCSSL.....	236					S2XG.....	248
896XR.....	235	TS104XK.....	233	TS263XE.....	234					S2XJ.....	248
916SL.....	228	TS104XN.....	233	TS263XESL.....	236					S2XK.....	248
926HD.....	220	TS104XR.....	233	TS263XG.....	234					S2XN.....	248
930HD.....	224	TS105.....	233								

S2XR.....	248	S5XK.....	253	S811LXG.....	254	S83AX.....	248	S85RXC.....	253	S8RBPB.....	251
S4570SL.....	255	S5XKSL.....	256	S811LXJ.....	254	S83CL.....	248	S85RXE.....	253	S8RXC.....	254
S4AX.....	252	S5XN.....	253	S811LXK.....	254	S83PB.....	248	S85RXG.....	253	S8RXE.....	254
S4AXSL.....	256	S5XNSL.....	256	S811LXN.....	254	S83RS.....	248	S85RXJ.....	253	S8RXG.....	254
S4CL.....	253	S5XR.....	253	S811LXR.....	254	S83SG.....	248	S85RXK.....	253	S8RXJ.....	254
S4CLSL.....	256	S5XRSL.....	256	S811PB.....	251	S83SN.....	248	S85RXN.....	253	S8RXK.....	254
S4LAX.....	252	S601SL.....	255	S811PBSL.....	255	S83XC.....	248	S85RXR.....	253	S8RXN.....	254
S4LCL.....	253	S601XCSL.....	255	S811RAX.....	253	S83XE.....	248	S85XC.....	253	S8RXR.....	254
S4LPB.....	250	S601XESL.....	255	S811RCL.....	254	S83XG.....	248	S85XCSL.....	256	S8XC.....	254
S4LXC.....	253	S601XGSL.....	255	S811RPB.....	251	S83XJ.....	248	S85XE.....	253	S8XE.....	254
S4LXE.....	253	S601XJSL.....	255	S811RXC.....	254	S83XK.....	248	S85XESL.....	256	S8XG.....	254
S4LXG.....	253	S601XKSL.....	255	S811RXE.....	254	S83XN.....	248	S85XG.....	253	S8XJ.....	254
S4LXJ.....	253	S601XNSL.....	255	S811RXG.....	254	S83XR.....	248	S85XGSL.....	256	S8XK.....	254
S4LXK.....	253	S601XRSL.....	255	S811RXJ.....	254	S84586SL.....	255	S85XJ.....	253	S8XN.....	254
S4LXN.....	253	S602SL.....	255	S811RXK.....	254	S84AX.....	252	S85XJSL.....	256	S8XR.....	254
S4LXR.....	253	S604SL.....	255	S811RXN.....	254	S84AXSL.....	256	S85XK.....	253	S9AX.....	252
S4PB.....	250	S6127SL.....	255	S811RXR.....	254	S84CL.....	253	S85XKSL.....	256	S9AXSL.....	256
S4PBSL.....	255	S6130SL.....	255	S811XC.....	254	S84CLSL.....	256	S85XN.....	253	S9CL.....	254
S4RAX.....	252	S6134SL.....	255	S811XCCL.....	256	S84LAX.....	252	S85XNSL.....	256	S9CLSL.....	256
S4RCL.....	253	S6500SL.....	255	S811XE.....	254	S84LCL.....	253	S85XR.....	253	S9LAX.....	252
S4RPB.....	250	S81086SL.....	255	S811XESL.....	256	S84LPB.....	250	S85XRSL.....	256	S9LCL.....	254
S4RXC.....	253	S81086XCSL.....	255	S811XG.....	254	S84LXC.....	253	S86500SL.....	255	S9LCL.....	251
S4RXE.....	253	S81086XESL.....	255	S811XGSL.....	256	S84LXE.....	253	S86AX.....	252	S9LXC.....	254
S4RXG.....	253	S81086XGSL.....	255	S811XJ.....	254	S84LXG.....	253	S86AXSL.....	255	S9LXE.....	254
S4RXJ.....	253	S81086XJSL.....	255	S811XJSL.....	256	S84LXJ.....	253	S86CL.....	253	S9LXG.....	254
S4RXK.....	253	S81086XKSL.....	255	S811XK.....	254	S84LXK.....	253	S86CLSL.....	256	S9LXJ.....	254
S4RXN.....	253	S81086XNSL.....	255	S811XKSL.....	256	S84LXN.....	253	S86LAX.....	252	S9LXK.....	254
S4RXR.....	253	S81086XRSL.....	255	S811XN.....	254	S84LXR.....	253	S86LCL.....	253	S9LXN.....	254
S4XC.....	253	S810AX.....	253	S811XNSL.....	256	S84PB.....	250	S86LPB.....	251	S9LXR.....	254
S4XCSL.....	256	S810AXSL.....	256	S811XR.....	254	S84PBSL.....	255	S86LXC.....	253	S9LPB.....	251
S4XE.....	253	S810CL.....	254	S811XRSL.....	256	S84RAX.....	252	S86LXE.....	253	S9PBSL.....	255
S4XESL.....	256	S810CLSL.....	256	S81651SL.....	255	S84RCL.....	253	S86LXG.....	253	S9RAX.....	252
S4XG.....	253	S810LAX.....	253	S81AX.....	250	S84RPB.....	250	S86LXJ.....	253	S9RCL.....	254
S4XGSL.....	256	S810LCL.....	254	S81BL.....	248	S84RXC.....	253	S86LXK.....	253	S9RPB.....	251
S4XJ.....	253	S810LPB.....	251	S81BS.....	248	S84RXE.....	253	S86LXN.....	253	S9RXC.....	254
S4XJSL.....	256	S810LXC.....	254	S81CL.....	250	S84RXG.....	253	S86LXR.....	253	S9RXE.....	254
S4XK.....	253	S810LXE.....	254	S81LAX.....	250	S84RXJ.....	253	S86PB.....	251	S9RXG.....	254
S4XKSL.....	256	S810LXG.....	254	S81LBL.....	248	S84RXK.....	253	S86PBSL.....	255	S9RXJ.....	254
S4XN.....	253	S810LXJ.....	254	S81LBS.....	248	S84RXN.....	253	S86RAX.....	252	S9RXK.....	254
S4XNSL.....	256	S810LXK.....	254	S81LCL.....	250	S84RXR.....	253	S86RCL.....	253	S9RXN.....	254
S4XR.....	253	S810LXN.....	254	S81LPB.....	250	S84XC.....	253	S86RPB.....	251	S9RXC.....	254
S4XRSL.....	256	S810LXR.....	254	S81LRS.....	249	S84XCSL.....	256	S86RXC.....	253	S9XC.....	254
S572SL.....	255	S810PB.....	251	S81LSA.....	249	S84XE.....	253	S86RXE.....	253	S9XCCL.....	256
S5AX.....	252	S810PBSL.....	255	S81LSG.....	249	S84XESL.....	256	S86RXG.....	253	S9XE.....	254
S5AXSL.....	256	S810RAX.....	253	S81LXC.....	250	S84XG.....	253	S86RXJ.....	253	S9XESL.....	256
S5CL.....	253	S810RCL.....	254	S81LXE.....	250	S84XGSL.....	256	S86RXK.....	253	S9XG.....	254
S5CLSL.....	256	S810RPB.....	251	S81LXG.....	250	S84XJ.....	253	S86RXN.....	253	S9XGSL.....	256
S5LAX.....	252	S810RXC.....	254	S81LXJ.....	250	S84XJSL.....	256	S86RXR.....	253	S9XJ.....	254
S5LCL.....	253	S810RXE.....	254	S81LXK.....	250	S84XK.....	253	S86XC.....	253	S9XJSL.....	256
S5LPB.....	250	S810RXG.....	254	S81LXN.....	250	S84XKSL.....	256	S86XCSL.....	256	S9XK.....	254
S5LXC.....	253	S810RXJ.....	254	S81LXR.....	250	S84XN.....	253	S86XE.....	253	S9XKSL.....	256
S5LXE.....	253	S810RXK.....	254	S81PB.....	250	S84XNSL.....	256	S86XESL.....	256	S9XN.....	254
S5LXG.....	253	S810RXN.....	254	S81RAX.....	250	S84XR.....	253	S86XG.....	253	S9XNSL.....	256
S5LXJ.....	253	S810RXR.....	254	S81RBL.....	249	S84XRSL.....	256	S86XGSL.....	256	S9XR.....	254
S5LXK.....	253	S810XC.....	254	S81RBS.....	248	S8572SL.....	255	S86XJ.....	253	S9XRSL.....	256
S5LXN.....	253	S810XCSL.....	256	S81RCL.....	250	S85927SL.....	255	S86XJSL.....	256		
S5LXR.....	253	S810XE.....	254	S81RPB.....	250	S85931SL.....	255	S86XK.....	253		
S5PB.....	251	S810XESL.....	256	S81RRS.....	250	S85932SL.....	255	S86XKSL.....	256		
S5PBSL.....	255	S810XG.....	254	S81RS.....	249	S85AX.....	252	S86XN.....	253		
S5RAX.....	252	S810XGSL.....	256	S81RSA.....	249	S85AXSL.....	256	S86XNSL.....	256		
S5RCL.....	253	S810XJ.....	254	S81RSG.....	249	S85CL.....	253	S86XR.....	253		
S5RPB.....	251	S810XJSL.....	256	S81RXC.....	250	S85CLSL.....	256	S86XRSL.....	256		
S5RXC.....	253	S810XK.....	254	S81RXE.....	250	S85LAX.....	252	S8AX.....	252		
S5RXE.....	253	S810XKSL.....	256	S81RXG.....	250	S85LCL.....	253	S8CL.....	254		
S5RXG.....	253	S810XN.....	254	S81RXJ.....	250	S85LPB.....	250	S8LAX.....	252		
S5RXJ.....	253	S810XNSL.....	256	S81RXK.....	250	S85LXC.....	253	S8LCL.....	254		
S5RXK.....	253	S810XR.....	254	S81RXN.....	250	S85LXE.....	253	S8LPB.....	251		
S5RXN.....	253	S810XRSL.....	256	S81RXR.....	250	S85LXG.....	253	S8LXC.....	254		
S5RXR.....	253	S811AX.....	253	S81SA.....	249	S85LXJ.....	253	S8LXE.....	254		
S5XC.....	253	S811AXSL.....	256	S81SG.....	249	S85LXK.....	253	S8LXG.....	254		
S5XCSL.....	256	S811CL.....	254	S81XC.....	250	S85LXN.....	253	S8LXJ.....	254		
S5XE.....	253	S811CLSL.....	256	S81XE.....	250	S85LXR.....	253	S8LXK.....	254		
S5XESL.....	256	S811LAX.....	253	S81XG.....	250	S85PB.....	251	S8LXN.....	254		
S5XG.....	253	S811LCL.....	254	S81XJ.....	250	S85PBSL.....	255	S8LXR.....	254		
S5XGSL.....	256	S811LPB.....	251	S81XK.....	250	S85RAX.....	252	S8PB.....	251		
S5XJ.....	253	S811LXC.....	254	S81XN.....	250	S85RCL.....	253	S8RAX.....	252		
S5XJSL.....	256	S811LXE.....	254	S81XR.....	250	S85RPB.....	251	S8RCL.....	254		

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. homestyles.thermatru.com.



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at thermatru.com/learning.



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Thermo-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at thermatru.com/installer.



DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at thermatru.com/doorways.



Consumers Digest Best Buy

Order free, ready-to-use promotional materials to promote Classic Craft and Fiber-Classic in your showroom at thermatru.com/consumersdigest.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.





THERMA-TRU®
DOORS

Where Home Begins™

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



#thermatru

Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Bark
Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

©2021 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2021 HESB / JAN 2021